

Diversey

TASKI®

AUSTRALIA

**Product Catalogue
2020**



The TASKI® Advantage

- Highly efficient and ergonomically designed
- Patented squeegee technology for excellent drying results
- Battery Management System with built-in-charger
- On-board Controlled Solution Dosing System-reduced water and chemical consumption
- Easy to operate and maintain

The TASKI logo consists of the word "TASKI" in a bold, white, sans-serif font, followed by a registered trademark symbol (®). It is positioned on an orange square background.

TASKI® offers integrated cleaning and hygiene solutions for floor care which provide a package of products, tools, training and service. From vacuum cleaners, single disc machines to auto scrubbers, TASKI® provides an unparalleled level of performance across a range of applications.

TASKI®'s leading-edge machines clean effectively while reducing water, chemical and energy consumption. Our machines are incredibly durable and have undertaken some of the industry's most rigorous testing in the harshest of conditions.


TASKI® - delivering cost-effective, superior results every time!



scan the code to
link to our TASKI® app
in the iTunes® store



scan the code to
link to our website:
taski.com



Service and warranty


- Bespoke service contracts are available. For more information contact your local Diversey Care office
- Minimum one year warranty is available on all machines
- Single disc machines and scrubber driers have a two year warranty on parts and labour

Existing contracts/sites

- Advice on equipment – for best productivity, performance and cost in use
- Demonstration of equipment to confirm benefits to you
- Training to ensure safe, effective and productive use
- Assistance with problem solving – backed up by technical and laboratory teams

New contracts and mobilisation

- Working with sales/business development
- Surveying sites – survey to include: equipment type/volume/allocation
- Agree roll out procedures/ensure delivery at appropriate day/time
- Arrange/carry out training on equipment – prior to start up if possible
- Support/train at start up
- Agree on service level agreement
- Provide contract manuals, contact details and support material
- Custom made fleet management systems available via IntelliTrail®



Support material

- Task cards
- How to use documentation
- Productivity guides
- Web based information visit: diversey.com or taski.com

Vacuum Cleaners

TASKI® Aero 8	6
TASKI® Aero 15S	7
TASKI® jet 38 / jet 50	8
TASKI® vacumat 22	9

Carpet Care

TASKI® aquamat 10.1	11
TASKI® aquamat 20	12
TASKI® procarpet 45	13
Carpet Care Products	14

Single Disc Machines

TASKI® ergodisc 165	16
TASKI® ergodisc 400	17
TASKI® ergodisc 2000	18

Auto Scrubber Driers

TASKI® swingo 150E	20
TASKI® swingo 350E/B	21
TASKI® swingo 455B BMS	22
TASKI® swingo 755B BMS	23
TASKI® swingo 1255B BMS	24
TASKI® swingo 1650B BMS	25
TASKI® swingo 1850B BMS	26
TASKI® swingo 2100 micro B BMS	27
TASKI® swingo XP-R B BMS	28
TASKI® swingo 5000 B	29

Accessories

Twister Diamond Floor Pads	31
TASKI® IntelliTrail	32
TASKI® IntelliDose	33

Diversey

TASKI®

Vacuum
Cleaners



Our range of Vacuum Cleaners offer innovation breakthroughs, promise the best in performance, ergonomics and reduced lifetime costs.



TASKI® Aero 8

Dry Tub Vacuum

Mains powered tub vacuum cleaner
Aero 8

CODE	
D7524247ANZ	1 x TASKI Aero 8
	1 x Disposable fleece dust bag
	1 x Tube telescopic
	1 x Motor pre filter cloth
	1 x Exhaust filter cassette
	1 x Angled tub plastic

Aero 8 Optional Accessories

CODE	
D7524290	Roller nozzle
D7524291	Sliding nozzle
D7524292	Flat hard floor nozzle
D7524295	Telescopic tube
D7524297	Suction hose
D7524304	HEPA H13
D7524288	Fleece bag
D7524289	Paper bag
D7524305	Filter fleece (5 piece)
D7524299	Acc. Kit

Compact and robust TASKI design

The functional, compact and robust design allows for storage in small spaces or cupboards. The integrated ergonomic handle also makes it very easy to carry and provides a simple and convenient manual cable tidy.

Sustainable high-efficiency concept

The new TASKI AERO tub vacuum cleaners are highly efficient and use a 585W state-of-the-art vacuum motor, which delivers the same cleaning performance as vacuums with 900W or more. This is achieved through an ingenious airflow system. As a result, the vacuum cleaner saves significant amounts of energy and reduces CO2 emissions without compromising on cleaning results in any way.

Ultra-silent TASKI whisper technology

Thanks to the innovative and patented TASKI whisper technology, the TASKI AERO is extremely quiet. This low noise level means it can be operated in any environment at any time of day or night.



Technical data	
Canister capacity	13 L
Bag type (paper/fleece)	Both
Nominal consumption	585 W
Voltage	220 V
Weight with cable	6.4 kg
Sound level	53 dB(A)
Vacuum	17.41 kPa
Maximum air flow	33 L/sec
Filtration (stages)	3
Cable length	12.5 m
Hose length	2.2 m
Suction tubes	Metal telescopic
Floor tool width	280 mm
Dimensions	424 x 313 x 353 mm
Protection class	Class II
Microfilter (HEPA) option	YES
Approvals	CE



TASKI® Vacuum Cleaners

TASKI® Aero 15 PLUS

Dry Tub Vacuum

Mains powered tub vacuum cleaner

Aero 15 Plus

CODE	
D7524250ANZ	1 x TASKI Aero 15 Plus
	1 x Disposable fleece dust bag
	1 x Tube telescopic
	1 x Motor pre filter cloth
	1 x Exhaust filter cassette
	1 x Angled tub plastic
	1 x Acc Kit (Crevice and dust nozzle)

Aero 15 Plus Optional Accessories

CODE	
D7524290	Roller nozzle
D7524291	Sliding nozzle
D7524292	Flat hard floor nozzle
D7524295	Telescopic tube
D7524297	Suction hose
D7524304	HEPA H13
D7524288	Fleece bag
D7524289	Paper bag
D7524305	Filter fleece (5 piece)
D7524299	Acc. Kit

TASKI AERO 15 PLUS brings you:

- Sustainable high-efficiency concept with Eco function
- Ultra-silent TASKI whisper technology
- Designed and tested according to operational best practice

Compact and robust TASKI design

The functional, compact and robust design allows for storage in small spaces or cupboards. The integrated ergonomic handle also makes it very easy to carry and provides a simple and convenient manual cable tidy.

Sustainable high-efficiency concept

The new TASKI AERO tub vacuum cleaners are highly efficient and use a 585W state-of-the-art vacuum motor, which delivers the same cleaning performance as vacuums with 900W or more. This is achieved through an ingenious airflow system. As a result, the vacuum cleaner saves significant amounts of energy and reduces CO2 emissions without compromising on cleaning results in any way.

Ultra-silent TASKI whisper technology

Thanks to the innovative and patented TASKI whisper technology, the TASKI AERO is extremely quiet. This low noise level means it can be operated in any environment at any time of day or night.



Technical data	
Canister capacity	15 L
Bag type (paper/fleece)	Both
Nominal consumption	585 W
Voltage	240 V
Weight with cable	8 kg
Sound level	53 dB(A) 50 dB(A)-(ECO)
Vacuum	17,41 kPa
Maximum air flow	33 L/sec
Filtration (stages)	3
Cable length	12.5 m
Hose length	2.2 m
Suction tubes	Metal telescopic
Floor tool width	280 mm
Dimensions	426 x 313 x 425 mm
Protection class	Class II
Microfilter (HEPA) option	YES
Approvals	CE



Vacuum Cleaners

TASKI® jet 38/jet 50

Upright Vacuums

Mains powered professional upright vacuum cleaner

jet 38 Kit

CODE	
D7516255ANZ	1 x TASKI jet 38 (38 cm width)
	1 x Disposable paper dust bag
	1 x Dust brush nozzle
	1 x Crevice

jet 50 Kit

CODE	
D7516256ANZ	1 x TASKI jet 50 (50 cm width)
	1 x Disposable paper dust bag
	1 x Dust brush nozzle
	1 x Crevice

jet 38/50 Optional Accessories

CODE	
D4080220	Radiator nozzle
D4080230	Dust brush nozzle
D6136419	Jet 38 & 50 reusable cloth bag (ea.)
D8502160	Double filter paper dust bag (pk of 10)
D8503640	Fine filter motor protection (pack of 10)
D8505110	Fine filter exhaust suction unit (pack of 5)
D8505180	HEPA filter

Power and efficiency

The dual motor system of TASKI jet 38 and jet 50 provides excellent air flow while the high speed brushes mechanically remove dirt within the fibres of the carpet. This delivers a superior cleaning result and enhanced appearance of the clean floor. The machine is lightweight and easily manoeuvrable which allows a very productive and ergonomic cleaning operation.

Versatility

The TASKI jet 38 and jet 50 can be used in a horizontal position to clean underneath beds and furniture. Thanks to its flexible hose, a telescopic tube and a crevice/dusting nozzle it can also be used in areas above the floor. The brush height is easily adjustable for efficient vacuuming on different types of carpet.

Improved air quality

The TASKI jet 38 and jet 50 utilises a modern 5-stage filtration system consisting of double filter paper dust bag, washable filter, exhaust air filter and carbon brush filter. An optional HEPA-filter is also available.

Easy and ergonomic transportation

The TASKI jet 38 and jet 50 are very operator friendly due to the robust and ergonomic handle which is also height adjustable in two positions. The compact design, lightweight and ergonomically designed carrying handle allows easy transportation from room to room and over steps or stairs.



Technical data	jet 38	jet 50
Working width	38 cm	50 cm
Dust bag capacity	4 L, dry	4 L, dry
Weight with cable	7.8 kg	8.3 kg
Sound level	69 dB(A)	69 dB(A)
Nominal consumption	900 W	920 W
Vacuum	16 kPa	16 kPa
Maximum air flow	45 L/s	45 L/s
Dimensions x W x H) (L	260 x 380 x 1200 mm	260 x 500 x 1200 mm
Cable length	10 m	10 m
Brush speed	5000 rpm	4500 rpm
Brush adjustment	variable 1-10 mm	variable 1-10 mm
Filtration	5-stage	5-stage
Protection class	Class II	Class II
Approvals	CE/CB Test cert./ NEMKO/cETLus	CE/CB Test cert./ NEMKO/cETLus



TASKI® vacumat 22

Wet and Dry Tub Vacuum

Mains powered wet and dry tub vacuum cleaner

vacumat 22 KIT 12 - Wet

CODE	
D8004270ANZ-KIT12	1 x TASKI vacumat 22
	1 x Wet kit

vacumat 22 KIT 13 - Wet & Dry

CODE	
D8004270ANZ-KIT13	1 x TASKI vacumat 22
	1 x Wet kit
	1 x Dry kit

Vacumat 22 Optional Accessories

CODE	
D8504480	Wet kit
D8504930	Dry kit
D7514888	Disposable paper dust bag (pack of 10) - Dry kit only



Maximum flexibility

The wet vacuum cleaner can easily be equipped for dry operation by using an easy to attach dry vacuuming kit. This makes the machine truly multi-functional for any type of dry vacuuming on hard and soft floors.

True versatility

Due to a large variety of options the vacuum cleaner can be used for basic cleaning in combination with TASKI single disc machines; spillage cleaning or day to day cleaning.

Increased productivity

High suction power combined with excellent manoeuvrability and large container capacity increase the efficiency of operation.

Robustness and durability

A specially designed mechanical float system with a dual filter guarantees double protection of the motor unit and significantly prolonged service life. The canister which is resistant to shocks and chemicals ensures high durability.

Technical data	
Container capacity: wet	22L
Container capacity: dry	28L
Container volume	45L
Weight with cable	10.5 kg
Sound level	64 dB(A)
Nominal consumption	1000 W
Vacuum	22 kPa
Maximum air flow	60 L/s
Dimensions (L x W x H)	390 x 630 x 440 mm
Cable length	10 m
Suction hose length	2.2 m
Castors	5
Castor diameter	50 mm
Protection class	Class II
Approvals	CE/CB Test cert./CSA

Diversey



Carpet
Care



Our highly efficient range of machines address every opportunity to improve your floor care tasks and extend the lifetime of your carpet.



**Carpet
Care**



TASKI® aquamat 10.1

Spray Extraction

Compact spray extraction machine

aquamat 10.1 KIT 11

CODE	
D8003300ANZ-KIT11	1 x TASKI aquamat 10.1
	1 x Accessory kit (wand/hose/floor tool)

aquamat 10.1 Optional Accessories

CODE	
D8505140	Accessory kit (hose, wand, floor tool)
D8505150	Upholstery nozzle 12 cm (optional)



Excellent deep cleaning results

Deep cleaning through spray extraction is the ultimate way of thoroughly cleaning your carpets. It increases the lifetime of your carpets by removing engrained dirt whilst maintaining high appearance levels of your carpet.

Quick and effective spot cleaning

Keep this machine at hand to tackle any accidents. Together with the optional hand tool accessory and professional stain removal products, disruptions are minimised and efficiently cleaned.

Ease of transportation

Due to its modular design, lightweight and compact size, the TASKI aquamat 10.1 can easily be transported between locations.

Complete range of accessories

The spray device can be used to pre-spray carpet detergent before deep cleaning, maximising cleaning results. The optional 12cm hand nozzle facilitates deep cleaning of upholstery, stairs and other hard to reach areas. The carpet pile brush lifts the carpet fibres and gives the entire surface a uniform, even appearance and reduces drying time.

Technical data	
Solution tank	10 L
Recovery tank	10 L
Maximum air flow	41 L/s
Vacuum	18 kPa
Dimensions (L x W x H)	380 x 380 x 600 mm
Weight	12 kg
Nominal consumption	900 W
Sound level	66 dB(A)
Cable length	10 m
Protection class	Class II
Approvals	CE/CB Test cert./ÖVE/SEV



**Carpet
Care**



TASKI® aquamat 20

Spray Extraction

Medium spray extraction machine

aquamat 20 Kit 11

CODE	
D8003460ANZ-KIT11	1 x TASKI Aquamat 20
	1 x Accessory kit (wand/hose/floor tool)

aquamat 20 Optional Accessories

CODE	
D8505150	Upholstery nozzle 12 cm (optional)
D8505160	Accessory kit (hose, wand, floor tool)

Excellent deep cleaning results

Deep cleaning through spray extraction is the ultimate way of thoroughly cleaning your carpets. It increases the lifetime of your carpets by removing engrained dirt whilst maintaining high appearance levels of your carpet.

All-round flexibility

Its tank volume makes the TASKI aquamat 20 ideal for deep cleaning of small to mid-sized congested areas. The powerful vacuum motor allows for an optional 6 metre hose to be attached, so you can leave the machine at the bottom of the stairs or outside the cleaning area, increasing your flexibility. The variable product dosing allows for efficient and productive cleaning as well as the ability to tackle deeply soiled areas.

Ease of transportation

The user friendly design, large wheels and steering handle allow for easy movement between locations.

Complete range of accessories

The spray device can be used to pre-spray carpet detergent before deep cleaning, maximising cleaning results. The optional 12 cm hand nozzle facilitates deep cleaning of upholstery, stairs and other hard to reach areas. The carpet pile brush lifts the carpet fibres and gives the entire surface a uniform, even appearance and reduces drying time.



Technical data	
Solution tank	22 L
Recovery tank	18 L
Maximum air flow	47 L/s
Vacuum	22 kPa
Dimensions (L x W x H)	800 x 380 x 720 mm
Weight	25 kg
Nominal consumption	1050 W
Sound level	66 dB(A)
Cable length	15 m
Protection class	Class II
Approvals	CE/CB Test cert./ÖVE/SEV



TASKI® Carpet Care

TASKI® procarpet 45

Encapsulation and Extraction

Dual technology carpet cleaning machine

procarpet 45 Kit 1

CODE	
D7522027ANZ-KIT1	1 x TASKI procarpet 45
	1 x Encapsulation brush
	1 x Extraction brush

procarpet 45 Kit 10

CODE	
D7522027ANZ-KIT10	1 x TASKI procarpet 45
	1 x Encapsulation brush
	1 x Extraction brush
	1 x Accessory kit (wand/hose/floor tool)

procarpet 45 Optional Accessories

CODE	
D7522972	procarpet 45 Encapsulation brush (1 each)
D7522181	procarpet 45 Extraction brush (1 each)
D8505150	Upholstery nozzle 12 cm (optional)
D8505160	Accessory kit
D8505170	Hose 6m

Simple and easy to use

The machine can be changed from deep extraction to interim clean simply by changing the chemicals and flipping a switch. Using the machine in a push or pull motion allowing the end user flexibility in their application. A large variety of accessories allows covering added cleaning tasks.



Reliability and high performance

TASKI procarpet 45 has been designed with the reliability found on all our floor care machines. TASKI has developed this machine using our expertise in vacuum pick-up and chemical application to design a high performance carpet cleaning with excellent results.

Flexible application

TASKI procarpet 45 allows users to select the cleaning application that best fits their needs based on turnaround time and soil levels. The machine can be set-up for deep cleaning extraction for heavy soils or restorative type cleaning application and also be set-up for interim cleaning using our specifically formulated encapsulation chemical.

Lower total cost of ownership

The machine allows customers to control all carpet cleaning activities and select the application that best fits their needs. Utilising interim cleaning will help to extend the time between deep cleaning activities keeping carpets looking better longer without extended dry times.

Technical data	
Productivity (extraction)	300 m²/hr
Productivity (encapsulation)	445 m²/hr
Working width	45 cm
Solution tank	45 L
Recovery tank	45 L
Cord length	15 m
Rated voltage	230V/50 Hz
Dimensions (L x W x H)	820 x 560 x 860 mm
Machine Weight (empty)	55 kg
Sound level	<70 dB(A)
Brush motor	650 W
Vacuum motor	1000 W
Brush speed	1000 rpm
Brush pressure	10-17 kg



Carpet Care

Carpet Care Selection Guide

Product	Description	Wool	Synthetic
TASKI® Tapi Extract*	Extraction cleaner, carpets and upholstery	x	x
TASKI® Tapi Shampoo*	Shampoo for intermediate cleaning of carpet and upholstery	x	x
General Purpose Spotter	Stain remover	x	x
TASKI® Tapi Gum	Removes chewing gum on carpets and upholstery.	x	x
TASKI® Jontec Best**	Heavy duty cleaner		x

Always test material/product compatibility in a small inconspicuous place before using any cleaning/maintenance product.

TASKI® Tapi products are WoolSafe Certified

*Incorporates Odour Neutralising Technology (ONT) for effective malodour neutralisation and long lasting, fresh fragrance.

** may be used as an alternative to Taski® Tapi Shampoo for heavy soiling.

Carpet Cleaning



TASKI® Tapi Defoam	Pack size	Code
Defoamer recommended for use in spray extraction machines and wet vacuum cleaner. Prevents build up of foam in the pick up tank.	6x1L	100835157



TASKI® Tapi Extract	Pack size	Code
Carpet and upholstery cleaner for extraction cleaning of carpets and upholstery. Incorporates Odour Neutralising Technology (ONT) for effective malodour neutralisation and long lasting, fresh fragrance. WoolSafe approved.	2x5L	101100322



TASKI® Tapi Gum	Pack size	Code
Aerosol freeze spray for chewing gum removal. Removes chewing gum on carpets and upholstery.	6x500ml	100835156



TASKI® Tapi Shampoo	Pack size	Code
Carpet shampoo for the intermediate cleaning of carpet and upholstery. Incorporates the Odour Neutralising Technology (ONT) for effective malodour neutralisation and long lasting fragrance. WoolSafe approved.	2x5L	101100200



General Purpose Spotter	Pack size	Code
Removes tough stains, protects against resoiling and deodorises carpets.	6x946ml	904192

Diversey



TASKI®

**Single Disc
Machines**



- Scrubbing
- Polishing
- Burnishing



Single Disc Machines

TASKI® ergodisc 165

Single Disc Machine

Low-speed single disc machine – for multiple cleaning tasks

ergodisc 165 Kit 1

CODE	PRICE
D8003850ANZ-KIT1	1 x TASKI ergodisc 165
	1 x Standard scrubbing brush 43 cm

ergodisc 165 Kit 2

CODE	
D8003850ANZ-KIT2	1 x TASKI ergodisc 165
	1 x Standard driving disc 43 cm

ergodisc 165 Kit 3

CODE	
D8003850ANZ-KIT3	1 x TASKI Ergodisc 165
	1 x Standard scrubbing brush 43 cm
	1 x Standard driving disc 43 cm

ergodisc 165 Kit 15 - Dry Foam Application

CODE	
D8003850ANZ-KIT15	1 x TASKI Ergodisc 165
	1 x Foam generator 230V
	1 x Shampooing dry brush 43 cm

ergodisc 165 Optional Accessories

CODE	
D8504370	Dispensing unit mechanical
D8504390	Water tank. Must order wet scrubbing brush
D8504410	Standard driving disk 43cm (for pads). Does not include pads
D8504750	Scrubbing brush standard 43 cm
D8504860	Shampooing brush wet 43cm
D8504830	Shampooing dry brush 43 cm
D8504660	Foam generator 230V. Must order shampooing dry brush
D8504780	Scrubbing brush abrasive 43 cm
D8504800	Scrubbing brush washed concr. 43 cm
D8505100	Double filter paper bags (pack 10)
D7515786	Suction skirting splash protection 43cm
D8504380	Suction unit 230 V - Vacuum unit
D6093738	TASKI intellipad 17 inch (43cm)

Improved Ergonomics

Better working conditions improve productivity through features such as: anatomically formed grip, adjustable handle bar height, low vibration level, low noise level and soft start characteristics.

Safe Working Environment

Creates a safer working environment by providing hand protection due to closed handle, electrical safety due to double insulation and double safety lock for better protection.

Simplicity

Ease of use results in improved efficiency through training and operation, attaching accessories with no tools required, easy storage/transport enabled by a foldable handle and movable weight.

Versatility

Multi-purpose, cost efficient machine which is adaptable to many different cleaning tasks and offers a full range of accessories.



Technical data

Working width	43 cm
Speed	165 rpm
Weight	42kg (option to remove)
Engine height	36 cm
Nominal consumption	1100 W
Voltages available	230 V/50 Hz 120V/60Hz
Cable length	15 m
Sound level	57 dB(A)
Protection class	Class II
Approvals	CE/CB Test Cert./ÖVE/SEV



Single Disc Machines

TASKI® ergodisc 400

Single Disc Machine

High speed single disc machine –
for cost efficient high speed cleaning

ergodisc 400 Kit 2

CODE	
D8003890ANZ-KIT2	1 x TASKI ergodisc 400
	1 x High speed driving disc

ergodisc 400 Optional Accessories

CODE	
D8504370	Dispensing unit mechanical
D8504390	Water tank. Must order wet scrubbing brush
D8505100	Double filter paper bags (pack 10)
D8504380	Suction unit 230 V - vacuum unit
D7510030	High speed driving disc 43cm (for pads). This item does not include pads
D8504400	Spraying brush 43cm
D8504890	Polishing brush union for parquet 43cm
D6093738	TASKI intellipad 17 inch (43cm)

Improved Ergonomics

Better working conditions improve productivity through features such as: anatomically formed grip, adjustable handle bar height, low vibration level, low noise level and soft start characteristics.

Safe Working Environment

Creates a safer working environment by providing hand protection due to closed handle, electrical safety due to double insulation and double safety lock for better protection.

Simplicity

Ease of use results in improved efficiency through training and operation, attaching accessories with no tools required, easy storage/transport enabled by a foldable handle and movable weight.

Versatility

Multi-purpose, cost efficient machine which is adaptable to many different cleaning tasks and offers a full range of accessories.



Technical data	
Working width	43 cm
Speed	400 rpm
Weight	34 kg
Engine height	38 cm
Nominal consumption	1100 W
Voltages available	230 V / 50 Hz
Cable length	15 m
Sound level	57 dB(A)
Protection class	Class II
Approvals	CE/CB Test Cert./ÖVE/SEV



Single Disc Machines

TASKI® ergodisc 2000

Mains Powered Burnisher for UHS

Ultra-high-speed burnisher with excellent dust retention

ergodisc 2000 Kit

CODE	
D7519535ANZ	1 x TASKI ergodisc 2000 EURO
	1 x Disposable dust bag
	1 x Built-in pad drive 50cm

ergodisc 2000 Optional Accessories

CODE	
D7521297	Fleece bags ergodisc 2000 10pc

Best performance and highest gloss level

TASKI ergodisc 2000 stands for proven and high quality in line with rest of range. Ultra-high speed ensures shiny, slip-resistant floors in a fraction of the usual time. Perfect dust retention as a result of the innovative guided airflow technique leads to improved air quality and better polishing results, since dust/residue build-up in pad affects the gloss. The low noise level allows use of machine during day time.

Easy and simple usage of machine

The ease of use of TASKI ergodisc 2000 simplifies operation significantly during daily operation and reduces the need of operator training. The automatic weight balance does not require manual adjustment. Better working conditions improve productivity through: anatomically-formed grip, adjustable handle bar height, low noise and vibration level.

Easy storage and transport

Easy storage even in a small closet due to small and compact size and the possibility of storage in upright position. Low weight allows easy transport from site to site – no ramp or truck needed.



Technical data	
Working width	50 cm
Speed	2000 rpm
Weight	50 kg
Engine height	23 cm
Nominal consumption	1500 W
Voltages available	230V/50Hz
Cable length	25 m
Sound level	70 dB(A)
Protection class	Class I
Approvals	CE/CB Test Cert./SEV

Diversey



TASKI®

**Auto Scrubber
Driers**



Our range of scrubber driers start with small and agile machines, designed for cleaning in confined areas to large walk-behinds for long run times with brushes that perfectly follow the floor profile for outstanding soil removal.



TASKI®

Auto Scrubber Driers

TASKI® swingo 150E

Mains Powered Cylindrical Scrubber Drier

Ultra compact upright automatic

swingo 150E Kit

CODE	
D7516209ANZ	1 x TASKI swingo 150E EURO
	1 x cylindrical scrubbing brush 33cm

Performance

High mechanical scrubbing action and a pressure ten times higher compared to manual cleaning ensure best cleaning results. The industry-leading suction unit results in perfectly dry floors—in both directions. Cleaned areas can be used immediately, and safety is improved by reducing the risk of slip-fall accidents.

Simplicity and ergonomic

The functional design of the TASKI swingo 150E is similar to conventional upright-vacs; the machine requires limited training and is simple to use. The preparation time for cleaning is less than 60 seconds. With a light weight of 11.7 kg in total and only 1.3 kg handle weight with a full tank, the machine can be easily pulled in any direction.

Easy cleaning of confined areas

With the unique low height brush unit, the TASKI Swingo 150E allows quick and easy access under furniture. The machine can be used in restaurants, kitchen areas, service stations or shops, where conventional automatic scrubber driers are simply too heavy and manual cleaning methods do not deliver the required hygienic results.

Easy storage

With very compact dimensions, the TASKI Swingo 150E is easy to store and will fit in the smallest of spaces. Comfortable handles make it easy to lift and transport up stairs.



Technical data	
Brush rotation speed	1,700 rpm
Working width	33.5 mm
Squeegee width	33.5 mm
Solution tank (nominal)	2.6 L
Recovery tank (nominal)	2.9 L
Nominal consumption	1,100 W
Rated voltage	230 V / 50 Hz
Machine weight ready for use	11.7 kg
Dimensions (L x W x H)	430 x 380 x 1120 mm
Power Cord Length	15 m
Sound level	74 dB(A)



TASKI®

Auto Scrubber Driers

TASKI® swingo 350E/B BMS

Mains or Battery Powered (Lithium Ion) Cylindrical Scrubber Drier

Ultra-compact automatic walk behind
swingo 350E Kit 1

CODE	
D7518528ANZ-KIT1	1 x TASKI swingo 350E
	1 x Cylindrical brush standard

swingo 350E Optional Accessories

CODE	
D7516863	Cylindrical brush standard 38 cm
D7516864	Cylindrical brush hard 38cm

swingo 350B Kit 4

CODE	
D7516860ANZ-KIT4	1 x TASKI swingo 350B
	1 x Li-ion (Lithium Ion) battery
	1 x Cylindrical brush standard

swingo 350B Optional Accessories

CODE	
D7516863	Cylindrical brush standard 38 cm
D7516864	Cylindrical brush hard 38cm
D7523988	Li-ion (Lithium Ion) battery (1 required)

Accessibility in confined areas

Due to the very low height of the machine body and the handle which can be folded backwards the machine can reach under obstacles such as tables or racks. The roller brush, which is offset to the side, allows edge-close cleaning as well as access to corners. The wiping blade in front of the brush helps to remove the cleaning solution also when moving the machine backwards.

Cleaning and drying effectiveness

Compared to manual cleaning the machine delivers significantly higher hygiene levels and improves the floor appearance as well as consistency of result. This is achieved through maximum scrubbing action and the innovative V-shaped squeegee which leads to excellent drying results, even on difficult floors such.

Safety and simplicity

Due to the system's perfect drying results the risk of slip-falls caused by wet floors is reduced to the minimum. This makes TASKI swingo 350E/B the perfect solution for use in day-time operations, even in high traffic areas. The ergonomically designed, height adjustable handle with hand protection allows for the safe and comfortable use of the machine.

Reliability and robustness

The machine is very robust and durable and can withstand even the toughest cleaning tasks, making it one of the most reliable machines of its type in the marketplace today.



Technical data	350E	350B
Theoretical performance	1140 m ² /h (12,271 ft ² /h)	1140 m ² /h (12,271 ft ² /h)
Working width	380 mm	380 mm
Squeegee width	555 mm	555 mm
Solution tank	10 L	10 L
Recovery tank	10 L	10 L
Nominal consumption	1100 W	1100 W
Rated voltage	220-240 V/ 50-60 Hz	24 V
Battery autonomy (nominal)	N/A	45 minutes
Machine weight ready for use	46 kg	67 kg
Dimensions x W x H)	(L) 790 x 450 x 430 mm	790 x 450 x 430 mm
Brush system	Roller brush	Roller brush
Brush pressure	Maximum 22 kg	Maximum 17 kg
Cable length of integrated battery charger	N/A	3 m
Electrical protection class (bms/non-bms)	Class II	Class II
Approvals	CE/CB Test cert.	CE/CB Test cert.
Cord length	25m	N/A



TASKI® Auto Scrubber Driers

TASKI® swingo 455B BMS

Battery Powered Medium Scrubber Drier

swingo 455B Kit 4

CODE	
D7518367ANZ-KIT4	1 x TASKI Swingo 455B BMS
	2 x Battery traction 12V, 50Ah
	1 x Standard scrubbing brush 43 cm

Swingo 455B Kit 5

CODE	
D7518367ANZ-KIT5	1 x TASKI Swingo 455B BMS
	2 x Battery traction 12V, 50Ah
	1 x Pad drive harpoon grip 43 cm

swingo 455B Kit 6

CODE	
D7518367ANZ-KIT6	1 x TASKI Swingo 455B BMS
	2 x Battery traction 12V, 50Ah
	1 x Standard scrubbing brush 43 cm
	1 x Pad drive harpoon grip 43 cm

swingo 455B Optional Accessories

CODE	
D7510829	Pad drive harpoon grip 43 cm
D8504750	Scrubbing brush standard 43 cm
D8504800	Scrubbing brush washed concr. 43 cm
D8504780	Scrubbing brush abrasive 43 cm
D8505540	Battery traction 12V 50Ah (2 req'd)

Performance

Winning is all about performance and the TASKI swingo 455B BMS has it all. Great results are achieved through the brush following the floor's profile and this, combined with a u-shaped squeegee and direct suction set-up ensure all dirt is removed from the floor. Performance is also about pace and the TASKI swingo 455B BMS is incredibly easy to handle due to its dual-axle system.

Simplicity and ergonomic

Keeping things simple and comfortable makes life easier and the TASKI swingo 455B BMS can help. With its intuitive controls, operator training is reduced to a minimum. The incorporation of a proven and ergonomically designed handle and dual-axle system ensure that the machine is comfortable to use and easy to control, thus reducing operator fatigue.

Easy maintenance

Colour coded yellow maintenance points mean easy training and reduced downtime. The incorporation of an easy to remove recovery tank makes the TASKI swingo 455B BMS simple to use and keep clean. Fewer parts to maintain and easy accessibility make the machine extremely service friendly.

Easy maintenance

Colour coded yellow maintenance points mean easy training and reduced downtime. The incorporation of an easy to remove recovery tank makes the TASKI swingo 455B BMS simple to use and keep clean. Fewer parts to maintain and easy accessibility make the machine extremely service friendly.



Technical data	
Theoretical performance	1290 m ² /h
Working width	43 mm
Squeegee width	69 mm
Solution tank (nominal)	25 L
Recovery tank (nominal)	22 L
Nominal consumption	900 W
Rated voltage	24 V
Battery capacity	50 Ah/C5
Battery autonomy (nominal)	1.5 hours
Machine weight ready for use	120 kg
Dimensions (L x W x H) (machine only)	1100 x 480 x 920 mm
Brush pressure	32 kg
Sound level	68 dB(A)

TASKI® swingo 755B BMS

Battery Powered Medium Scrubber Drier

Medium battery powered walk behind

swingo 755B Kit 4

CODE	
D7516826ANZ-KIT4	1 x TASKI swingo 755B BMS
	2 x Battery traction 12V, 76Ah
	1 x Standard scrubbing brush 43 cm

swingo 755B Kit 5

CODE	
D7516826ANZ-KIT5	1 x TASKI swingo 755B BMS
	2 x Battery traction 12V, 76Ah
	1 x Pad drive harpoon grip 43 cm

swingo 755B Kit 6

CODE	
D7516826ANZ-KIT6	1 x TASKI swingo 755B BMS
	2 x Battery traction 12V, 76Ah
	1 x Standard scrubbing brush 43 cm
	1 x Pad drive harpoon grip 43 cm

swingo 755B Optional Accessories

CODE	
D7510829	Pad drive harpoon grip 43 cm
D8504750	Scrubbing brush standard 43 cm
D8504800	Scrubbing brush washed concr. 43 cm
D8504780	Scrubbing brush abrasive 43 cm
D7520152	Battery traction 12V 76Ah (2 req'd)
D7524425	TASKI intelliTrail hardware
D4131643	Retro fit kit intelliTrail 755/1255
D7517125	TASKI intelliDose 755/1255

Performance

The patented brush design follows the floor profile and delivers nearly even pressure allocation along the full working width. This results in excellent soil removal. The u-shaped squeegee allows excellent water pick-up along the full working width. Special squeegee blades and a direct suction design allow pick-up of small debris (e.g. cigarette butts) without clogging.

Productivity and manoeuvrability

Increased battery capacity coupled with a larger tank and the patented Intelliflow system radically increases productivity. The dual-axle system ensures easy handling and allows excellent manoeuvrability in confined areas.

Ergonomics

The ergonomic handle suits all operators. All functions of the machine can be operated from the working position. The dashboard is self explanatory with minimum training needed and displays all required information.

Maintenance

Colour coded maintenance points increase efficiency and reduce the need for training. Fewer parts to maintain and easy accessibility make the machine extremely service friendly.



Technical data	
Theoretical performance	1935 m ² /h
Working width	43 cm
Squeegee width	69 cm
Solution tank (nominal)	40 L
Recovery tank (nominal)	40 L
Nominal consumption	900 W
Rated voltage	24 V
Battery capacity	50-76 Ah/C5
Battery autonomy (nominal)	2 hours
Machine weight ready for use	155 kg
Dimensions (L x W x H)	1160 x 480 x 1200 mm
Turning circle	1 m
Brush system	1 x 43 cm
Brush pressure (with/without wheel drive)	40/43 kg
Working speed	3/4.5 km/h
Cable length of integrated battery charger	2.5 m
Sound level	58 dB(A)
Electrical protection class	Class I
Approvals	CE/CB Test cert.



TASKI® Auto Scrubber Driers

TASKI® swingo 1255B BMS

Battery Powered Medium Scrubber Drier

swingo 1255B BMS Kit 4

CODE	
D7516831ANZ-KIT4	1 x TASKI swingo 1255B BMS
	4 x Battery traction 12V 76Ah
	2 x Standard scrubbing brush 28 cm

swingo 1255B BMS Kit 5

CODE	
D7516831ANZ-KIT5	1 x TASKI swingo 1255B BMS
	4 x Battery traction 12V 76Ah
	2 x Pad drive harpoon grip 28 cm

swingo 1255B BMS Kit 6

CODE	
D7516831ANZ-KIT6	1 x TASKI swingo 1255B BMS
	4 x Battery traction 12V 76Ah
	2 x Standard scrubbing brush 28 cm
	2 x Pad drive harpoon grip 28 cm

swingo 1255B BMS Optional Accessories

CODE	
D7520152	Battery traction 12V 76Ah (4 req'd)
D7510634	Pad drive harpoon grip 28 cm
D7519395	Scrubbing brush standard 28 cm
D7510632	Scrubbing brush washed concr. 28cm
D7510633	Scrubbing brush abrasive 28 cm
D7524425	TASKI intelliTrail hardware
D4131643	Retro fit kit intelliTrail 755/1255
D7517125	TASKI intelliDose 755/1255

Ideal size for best performance

The patented IntelliFlow-system always ensures the right amount of cleaning solution on the floor and leads to significant water savings. This, in combination with the 60 L tank volume, increases productivity and cuts the number of time consuming tank filling stops during the cleaning operation. The dual-axle system ensures easy handling and allows comfortable use of the machine.

Excellent cleaning and drying results

The patented brush design follows the floor profile and delivers nearly even pressure allocation along the full working width. The 2 brushes with offset to side allow perfect cleaning along walls and under racks. This results in excellent soil removal and floor appearance. The patented V-shaped squeegee allows perfect water pick-up on all floor types, even on structured and grouted/ tiled floors. Special squeegee blades and a direct suction line allow pick-up of small debris (e.g. cigarette butts) without clogging. Due to the proven 3-wheel concept, adjustments of the squeegee are not necessary any more.

Durability and robustness

The use of high tech material and long life components enhance the machine's uptime while reducing service and repair costs to a minimum.

Maintenance

Colour coded maintenance points increase efficiency and reduce the need for training. Fewer parts to maintain and easy accessibility make the machine extremely service friendly.



Technical data	
Theoretical performance	2475m ² /h
Working width	55 cm
Squeegee width	80 cm
Solution tank (nominal)	60L
Recovery tank (nominal)	60L
Nominal consumption	1000W
Rated voltage	24V
Battery capacity	100-140Ah/C5
Battery autonomy (nominal)	Up to 3 hours
Machine weight ready for use	260 kg
Dimensions (L x W x H)	1420 x 580 x 1170 mm
Turning circle	1.33 m
Brush system	2 x 28 cm
Brush pressure (with/without wheel drive)	48 kg
Working speed	4.5 km/h
Cable length of integrated battery charger	3 m
Sound level	58 dB(A)
Electrical protection class	Class II/III
Approvals	CE/CB Test cert./ÖVE/cETL

TASKI® swingo 1650B BMS

Battery Powered Large Scrubber Drier

Large battery powered walk behind

swingo 1650B Kit 4

CODE	
D7515883ANZ-KIT4	1 x TASKI swingo 1650B BMS
	4 x Battery traction 6V, 180Ah
	2 x Standard scrubbing brush 33 cm

swingo 1650B Kit 5

CODE	
D7515883ANZ-KIT5	1 x TASKI swingo 1650B BMS
	4 x Battery traction 6V, 180Ah
	2 x Pad drive harpoon grip 33 cm

swingo 1650B Kit 6

CODE	
D7515883ANZ-KIT6	1 x TASKI swingo 1650B BMS
	4 x Battery traction 6V, 180Ah
	2 x Standard scrubbing brush 33 cm
	2 x Pad drive harpoon grip 33 cm

swingo 1650B Optional Accessories

CODE	
D7515515	Pad drive harpoon grip 33 cm
D7515516	Scrubbing brush standard 33 cm
D7515517	Scrubbing brush washed concr. 33 cm
D7515518	Scrubbing brush abrasive 33 cm
D7514962	Battery traction 6V, 175Ah
D7524425	TASKI IntelliTrail hardware
D4131644	Retro fit kit IntelliTrail 1650
D7516240	TASKI IntelliDose 1650

Increased working autonomy

The large 85L tank and the highly efficient IntelliFlow-system reduce water consumption by up to 40%. Clean up to 2,500 m² without time-consuming tank filling stops. Reduced energy consumption and high capacity batteries allow a run time of more than four hours before re-charging.

Excellent results and immediately dry floors

The brushes perfectly follow the floor profile, delivering ideal soil removal. Thanks to the patented W-shaped squeegee design with dual direct suction lines, the machine delivers best-in-class drying result. The machine can be used at any time of the day, while reducing the potential risk of slip-fall accidents caused by wet floors.

Simplicity and ergonomics

With excellent ergonomics and simple, intuitive controls, the machine reduces operator fatigue and minimises training needs.

Easy maintenance

All components needing frequent cleaning/maintenance are colour-coded in yellow and can be easily removed within seconds without tools. This makes maintaining the machine self-explanatory and easy – which ensures always best cleaning results and extended machine lifetime.



Technical data	
Practical performance	1650 m ² /h
Theoretical performance	2925 m ² /h
Working width	65cm
Squeegee width	95 cm
Solution tank (nominal)	85 L
Recovery tank (nominal)	85 L
Nominal consumption	1200 W
Rated voltage	24 V
Battery capacity	180 Ah/C5
Battery autonomy (nominal)	Over 4 hrs
Machine weight ready for use	330 kg
Dimensions (L x W x H)	1540 x 600 x 1180 mm
Brush system	2x33 m
Brush pressure (with/without wheel drive)	0.32 N/cm ²
Working speed	4.5 km/h
Maximum ramp	2.0%
Sound level	62 dB(A)
Electrical protection class	Class II/III
Approvals	CE/CB Test cert.



TASKI® Auto Scrubber Driers

TASKI® swingo 1850B BMS

Battery Powered Large Scrubber Drier

Large battery powered walk behind

swingo 1850B BMS Kit 4

CODE	
D7518086ANZ-KIT4	1 x TASKI Swingo 1850B BMS
	4 x Battery traction 6V, 180Ah
	2 x Standard scrubbing brush 43 cm

swingo 1850B BMS Kit 5

CODE	
D7518086ANZ-KIT5	1 x TASKI Swingo 1850B BMS
	4 x Battery traction 6V, 180Ah
	2 x Pad drive harpoon grip 43 cm

swingo 1850B BMS Kit 6

CODE	
D7518086ANZ-KIT6	1 x TASKI Swingo 1850B BMS
	4 x Battery traction 6V, 180Ah
	2 x Standard scrubbing brush 43 cm
	2 x Pad drive harpoon grip 43 cm

swingo 1850B BMS Optional Accessories

CODE	
D7514962	Battery traction 6V 180Ah (4 req'd)
D7517858	Pad drive harpoon grip 43cm
D7515859	Scrubbing brush standard 43cm
D7524425	TASKI IntelliTrail hardware
D4131644	Retro fit kit IntelliTrail 1650/1850
D7516240	TASKI IntelliDose 1650/1850

Increased working autonomy

A big tank and the highly efficient IntelliFlow system which reduces water consumption by up to 40%, give great water autonomy and allow cleaning of up to 2500m² without time-consuming tank-filling stops. The wide working width of 85 cm helps you to increase productivity and to achieve significant time savings.

Excellent results and immediately dry floors

The brushes perfectly follow the floor profile and therefore deliver ideal soil removal. Thanks to the w-shaped squeegee which delivers a best-in-class drying result, the machine can be used at any time of the day, reducing the potential risk of slip/fall accidents caused by wet floors.

Simplicity and ergonomics

With excellent ergonomics and simple, intuitive controls, the machine reduces operator fatigue and training needs to a minimum.

Easy maintenance

All parts which need frequent cleaning/maintenance are colour coded in yellow and can be removed within seconds. This makes maintaining the machine self-explanatory and easy – which ensures always the best result and extends the machine's lifetime.



Technical data	
Theoretical performance	3,825 m ² /h
Working width	85 cm
Squeegee width	110 cm
Solution tank (nominal)	85 L
Recovery tank (nominal)	85 L
Nominal consumption	1,200 W
Battery capacity	180 Ah/C5
Battery autonomy (nominal)	3-4 hours
Machine weight ready for use	345 kg
Dimensions (L x W x H)	1620 x 880 x 1190 mm
Brush system	2 x 43 cm
Brush pressure	0.18 N/cm ²
Working speed	4.5 km/h
Sound level	62 dB(A)
Electrical protection class	Class III
Approvals	CE/CB Test cert.

TASKI® swingo 2100 micro B BMS

Battery Powered Ride on Scrubber Drier

Medium battery powered ride on

swingo 2100 micro B Kit 4

CODE	
D7523421ANZ-KIT4	1 x TASKI swingo 2100 micro B BMS
	4 x Battery traction 6V, 180Ah
	2 x Standard scrubbing brush 28 cm

swingo 2100 micro B Kit 5

CODE	
D7523421ANZ-KIT5	1 x TASKI swingo 2100 micro B BMS
	4 x Battery traction 6V, 180Ah
	2 x Pad drive harpoon grip 28 cm

swingo 2100 micro B Kit 6

CODE	
D7523421ANZ-KIT6	1 x TASKI swingo 2100 micro B BMS
	4 x Battery traction 6V, 180Ah
	2 x Standard scrubbing brush 28 cm
	2 x Pad drive harpoon grip 28 cm

swingo 2100 micro B Optional Accessories

CODE	
D7514962	Battery traction 6V 180Ah (4 req'd)
D7519395	Scrubbing brush standard 28 cm
D7510632	Scrubbing brush washed concr. 28cm
D7510633	Scrubbing brush abrasive 28 cm
D7510634	Pad drive harpoon grip 28 cm
D7524425	TASKI intelliTrail hardware
D7523412	TASKI intelliDose 2100 Mirco

Unrivalled performance

The new TASKI swingo 2100micro offers unrivalled performance, benefiting from the combination of speed, small footprint, agility and large tank size. A totally new design of offset cleaning function allows reduction of manual work and seamless cleaning in large and small areas with the highest possible cleaning result and supporting a low total cost of ownership. The small footprint of the machine allows fitting into all common elevators enabling the opportunity to use the machine on all floors of a site.

Advanced design

Performance has only real value when safety is not compromised. TASKI swingo 2100micro combines great overview, ergonomic working and high safety standards, benefiting from a protective tank design, active sitting concept and many other safety features. Simple and efficient machine preparation and maintenance increases operational efficiency and reduces need for time consuming operator training.

Intelligent total solution

TASKI swingo 2100micro revolutionises today's cleaning process and improves your operational efficiency. The combination of a large variety of options, accessories and tools (TASKI IntelliDose, TASKI IntelliTrail, TASKI AquaStop, ToolHolder concept) allows individual adaptation to your needs, helping you achieve improvement of your total cost of ownership.



Technical data	
Theoretical performance	3,025m²/h
Working width	55 cm
Squeegee width	63 cm
Solution tank (nominal)	75L
Recovery tank (nominal)	75L
Nominal consumption	1,440 W
Rated voltage	24 V
Battery autonomy (nominal)	<4 hours
Machine weight ready for use	380 kg
Dimensions (L x W x H)	1380 x 580 x 1280mm
Brush system	2 x 28 cm
Brush pressure	0.45 N/cm²
Working speed	5.5 km/h
Sound level	70 dB(A)
Electrical protection class	Class II
Approvals	GS/CB



TASKI® Auto Scrubber Driers

TASKI® swingo XP-R B BMS

Battery Powered Stand on Scrubber Drier

Large battery powered stand on

swingo XP-R Kit 4

CODE	
D7523416ANZ-KIT4	1 x TASKI swingo XP-R B BMS
	4 x Battery traction 6V, 180Ah
	2 x Standard scrubbing brush 38 cm

swingo XP-R Kit 5

CODE	
D7523416ANZ-KIT5	1 x TASKI swingo XP-R B BMS
	4 x Battery traction 6V, 180Ah
	2 x Pad drive harpoon grip 38 cm

swingo XP-R Kit 6

CODE	
D7523416ANZ-KIT6	1 x TASKI swingo XP-R B BMS
	4 x Battery traction 6V, 180Ah
	2 x Standard scrubbing brush 38 cm
	2 x Pad drive harpoon grip 38 cm

swingo XP-R Optional Accessories

CODE	
D7514962	Battery traction 6V, 180Ah
D7522220	Pad drive harpoon grip 38 cm
D7522221	Standard scrubbing brush 38 cm
D7522222	Scrubbing brush washed concrete 38 cm
D7522223	Scrubbing brush abrasive 38 cm
D7523342	Scrubbing brush water saving 38 cm
D7524425	TASKI intelliTrail hardware
D7516242	TASK intelliDose XP-R

Productivity Extended

The XP-R is a battery operated scrubber driers which performs with unsurpassed agility offering the manoeuvrability of a much smaller machine and unbeatable cleaning performance. With total 360 degrees visibility around the machine and a larger solution tank both lead to increased productivity up to 10%.

Next Generation Technology

Next generation electronics and software providing best-in-class driving experience. The XP-R is compatible with TASKI intelliTrail intelligent GPS fleet tracking system. It's rugged, ergonomic design maintains a professional image.

Ease of Maintenance and Safety

Yellow maintenance points for easy everyday maintenance and automatic cut out if operator steps off machine leads to excellent cleaning and drying results for safe floors.

Direct Savings

Reduced water and energy consumption compared to standard scrubbers. TASKI swingo XP-R is engineered for sustainability through conservative use of water, chemicals and energy use.



Technical data	
Theoretical performance	4,500 m²/h
Working width	75 cm
Squeegee width	95 cm
Solution tank (nominal)	113 L
Recovery tank (nominal)	140 L
Rated voltage	24 V
Battery capacity	180 Ah/C5
Battery autonomy (nominal)	3.25 hours
Machine weight ready for use w/240Ah batteries, 75 kg driver	452 kg
Dimensions (L x W x H) (height above driver's seat)	1310 x 950 x 1300 mm
Door pass through width	80 cm
Brush system	2 x 38 cm
Brush pressure	0.13 - 0.25 N/cm²
Cleaning speed/ transportation speed	6 km/h
Sound level	69 dB(A)

TASKI® swingo 5000B

Battery Powered Ride on Scrubber Drier

Large battery powered ride on

swingo 5000 Kit 7

CODE	
D7519000ANZ-KIT7	1 x TASKI Swingo 5000B
	1 x Swingo 5000B external battery charger
	1 x Swingo 5000B battery tray
	4 x Pad drive harpoon grip 28 cm

swingo 5000 Kit 8

CODE	
D7519000ANZ-KIT8	1 x TASKI Swingo 5000B
	1 x Swingo 5000B external battery charger
	1 x Swingo 5000B battery tray
	4 x Standard scrubbing brush 28 cm

swingo 5000 Kit 9

CODE	
D7519000ANZ-KIT9	1 x TASKI Swingo 5000B
	1 x Swingo 5000 external battery charger
	1 x Swingo 5000 battery tray
	4 x Pad drive harpoon grip 28 cm
	4 x Standard scrubbing brush 28 cm

swingo 5000 Optional Accessories

CODE	
D7519395	Scrubbing brush standard 28 cm (4 req'd)
D6023561	Swingo 5000 battery with tray, cables &
D6023553	Swingo 5000 external battery charger
D7510634	Pad drive harpoon grip 28 cm (4 req'd)
D7510632	Scrubbing brush washed concr. 28cm
D7510633	Scrubbing brush abrasive 28 cm
D7524425	TASKI IntelliTrail hardware
D4131647	Retro fit kit intelliTrail 5000
D7518212	TASKI intelliDose 5000

Unmatched productivity

The patented Intelliflow system ensures always the right amount of cleaning solution on the floor and leads to significant water savings. These, in combination with the large 200 L tank and a high cleaning speed of 7.5 Km/h radically increase productivity and reduce the number of time-consuming tank filling stops.

Powerful cleaning and drying results

The new and patented W-shaped squeegee follows the floor profile and allows perfect water pick-up even in curves, while turning and on uneven or structured floors. Special squeegee blades and a direct suction line allow pick-up of small debris without clogging. This results in both exceptional cleaning and immediate drying results, an hence a consistently high and improved floor appearance.

Total reliability

Engineered for durability an hard cleaning tasks, the TASKI swingo 5000 is constructed with high tech material and long life components that increase machine uptime and reduce repair cost. All components which need frequent maintenance are colour coded in yellow and can be removed easily without tools.

Intelligence

The low entrance, an adjustable seat with high seat back and a new accelerator pedal allows a safe and ergonomic operation. A good overview while cleaning and an excellent squeegee deflection allow the operator to clean close along walls and around obstacles. The special ECO mode reduces noise and allows day time cleaning even in noise sensitive areas.



Technical data	
Theoretical performance	7875 m²/h
Working width	105 cm
Squeegee width	129 cm
Solution tank (nominal)	200 L
Recovery tank (nominal)	210 L
Rated voltage	24 V
Battery capacity	240-360 Ah/C5
Battery autonomy (nominal)	4.5-6.5 hours
Machine weight ready for use w/240Ah batteries, 75 kg driver	790 kg
Dimensions (L x W x H) (height above driver's seat)	1780 x 1090 x 1400 mm
Turning circle	200 cm
Ramp with full tank w/o cleaning	15%
Brush system	4 x 28 cm
Brush pressure	60-90 kg
Cleaning speed/ transportation speed	7.5 km/h / 8.0 km/h
Sound level	67 dB(A)
Electrical protection class	III
Splash water protection class	IPX3
Approvals	CE/CB Test certificate

Diversey



TASKI®

Accessories



Twister Diamond Floor Pads

Just add Water



About Twister

Twister is a revolutionary method for everyday machine cleaning of any type of floor. With billions of microscopic diamonds, the Twister pads clean and polish your floor at the same time, without chemicals. It's the easy, cost efficient and environmentally friendly approach to professional cleaning, producing astonishing results every time.

How does Twister work?

Diamond is the hardest material on earth and remains effective throughout the lifespan of the pad. These hard diamonds when embedded into a flexible pad have the ability to micro-polish any floor type, making the floor more resistant to dirt! The increased floor quality achieved with Twister pads results in extended lifespan of both floor and pad. Lasting 3 times longer than a standard floor pad! The difference between the alternative colours is the size or mix of the diamonds. Depending on the diamond mix impregnated in the pad, various applications can be performed.




Twister Pad Selection Guide

Resilient Hard Floors	Daily cleaning			Deep cleaning		
	High traffic		Low traffic			
Terazzo, limestone, marble						
Polished concrete						
Granite						
Ceramic tiles - Unglazed						
Coated resilient floors						
Non-Resilient Hard Floors	Daily cleaning			Deep cleaning		
	High traffic		Low traffic			
PVC, Vinyl						
Linoleum						
Rubber						
Epoxy						
Wooden Floors (Coated only)						
Coated non-resilient floors including VCT						

Twister Diamond Floor Pads

Just add Water


Twister™ - diamond pads for auto-scrubbers and burnishing machines.




Twister™ by DI Pad Green	Pack	Size	SKU
Daily cleaning of all coated (polished) floors and low traffic non-resilient floors. Use water and Twister Green for daily cleaning to maintain high gloss and cleanliness	2pc	11"(28cm)	D5871006
	2pc	13"(33cm)	D5871014
	2pc	14"(35cm)	D5871018
	2pc	16"(40cm)	D5871025
	2pc	17"(43cm)	D5871029
	2pc	20"(50cm)	D5871037



Twister™ by DI Pad Blue*	Pack	Size	SKU
Daily cleaning of uncoated floors in high traffic areas. Use water and Twister™ Blue for daily cleaning in high traffic areas to maintain high gloss and cleanliness.	2pc	11"(28cm)	D7519287
	2pc	13"(33cm)	D7519289
	2pc	14"(35cm)	D7519291
	2pc	16"(40cm)	D7521244
	2pc	17"(43cm)	D7519294
	2pc	20"(50cm)	D7519296




Twister™ by DI Pad Pink*	Pack	Size	SKU
Daily cleaning of uncoated floors in high traffic areas for a brilliant gloss. Use water and Twister™ Pink for daily cleaning in high traffic areas to maintain brilliance and cleanliness.	2pc	11"(28cm)	D7524527
	2pc	13"(33cm)	D7524529
	2pc	14"(35cm)	D7524530
	2pc	17"(43cm)	D7524533
	2pc	20"(50cm)	D7524536



Twister™ by DI Pad Orange	Pack	Size	SKU
Daily cleaning of unglazed ceramic tiles. Use water and Twister Orange for daily cleaning of ceramic tiles to maintain gloss and cleanliness. Deep cleaning of resilient non-polished floors in high traffic areas. Clean the floor with water and Twister Orange. Make 6-10 passes. Move to daily cleaning pad. Chemical free cut back of coated floors. Deep clean to remove the top layer of the floor finish using water and Twister Orange.	2pc	11"(28cm)	D7519286
	2pc	13"(33cm)	D7519288
	2pc	14"(35cm)	D7519290
	2pc	16"(40cm)	D7521245
	2pc	17"(43cm)	D7519293
	2pc	20"(50cm)	D7519295



Twister™ by DI Pad White	Pack	Size	SKU
Deep Cleaning of coated and non-resilient floors. Step 1 - clean the floor with water and Twister White, make 6-10 passes.	2pc	11"(28cm)	D5871004
	2pc	13"(33cm)	D5871012
	2pc	14"(35cm)	D5871016
	2pc	16"(40cm)	D5871023
	2pc	17"(43cm)	D5871027
	2pc	20"(50cm)	D5871035



Twister™ by DI Pad Yellow	Pack	Size	SKU
Deep Cleaning of coated and non-resilient floors. Step 2 - clean the floor with water and Twister Yellow, make 6-10 passes. Move to daily cleaning pad.	2pc	11"(28cm)	D5871005*
	2pc	13"(33cm)	D5871013
	2pc	14"(35cm)	D5871017
	2pc	16"(40cm)	D5871024
	2pc	17"(43cm)	D5871028
	2pc	20"(50cm)	D5871036*

Diversey

Just add
WATER



**Just add
water**

**For everyday
machine cleaning of
any type of floor**
– without chemicals

\$\$\$

Traditional
Consumable

Twister diamond
pads & water
is all you need to
save **money**

\$\$\$

Twister®
Pad




Scan QR code to find out more!



Accessories

TASKI® IntelliTrail™ Fleet tracking solution



TASKI IntelliTrail brings you:

- Total visibility of your assets
- Monitoring of working time
- Negligent use
- Alerts when machine move too far
- Extra support to reduce total cost of fleet

Cost reduction

- Simplified administration, no need for administrating locations of machines, accessible at all times by logging onto our site
- Reduced total cost of ownership incl. ability to determine the right size of fleet required, operating costs and reduced labour costs
- Prevent machine theft by triggering an alarm when the machine leaves a predefined area = Geo-fence
- Fleet capacity optimization through operating time tracking

Quality proof

- Identify the need of training for a user having difficulties to handle a machine
- Show the period of the cleaning activity

A number of options

- Control spend on service and maintenance; machine service reminder; improved preventative maintenance
- Give visibility and build trust to your customer



Intellitrail-Ready machines

(TASKI machines manufactured 2015 and beyond, with sticker noting 'IntelliTrail ready')

TASKI models: 755, 1255, 1650, 1850, XP-R, 2100, 5000

CODE	
D7524425	1 x TASKI IntelliTrail box
500021571	Intellitrail monthly fee / machine
500021583	TASKI IntelliTrail Retrofit intervention (Service fee for Installation)

NOT Intellitrail ready machines

(TASKI machines manufactured before 2015 and without the Intellitrail-Ready sticker)

CODE	
D7524425	1 x TASKI IntelliTrail Device
D4131930	65000-16 INTELLITRAIL SET 355_455 1EA
D4131643	65000-11 IntelliTrail set 755_1 (Retrofit set for Swingo 755, 1255 power)
D4131644	65000-11 IntelliTrail set 1650_ (Retrofit set for Swingo 1650, 1850)
D4131647	65000-14 IntelliTrail set 4000_ (Retrofit set for Swingo 5000)
500021571	Intellitrail monthly fee / machine
500021583	TASKI IntelliTrail Retrofit intervention (Service fee for Installation)

Non-TASKI Machines

Other non-battery powered TASKI Equipment and Non-TASKI Floor Care Equipment (Retrofitting required)

CODE	
D7524429	1 x Non TASKI Tracker
D7524014ANZ	1 x NTT charger
500021571	Intellitrail monthly fee / machine
500021583	TASKI IntelliTrail Retrofit intervention (Service fee for Installation)

TASKI® IntelliDose™

Dilution Control System

for TASKI Swingo Auto-Scrubbers

IntelliDose Systems

CODE	
D7517125	TASKI Intellidose for Swingo 755 and Swingo 1255
D7516240	TASKI Intellidose for Swingo 1650 and Swingo 1850
D7523412	TASKI Intellidose for Swingo 2100
D7516242	TASKI Intellidose for Swingo XP-R
D7518212	TASKI Intellidose for Swingo 5000

Superior chemistry and advanced technology allow machines to clean up to 30,000m² with just one pouch!

From the leading expert in superior, sustainable performance, TASKI IntelliDose is a chemical dilution system for scrubber driers that will help you to achieve consistently high cleaning results, control your costs and simplify your machine operation.

TASKI IntelliDose brings you:

- Consistency and quality of cleaning result
- Cost control
- Simplicity and safety
- Environmental benefits

Consistency and quality of cleaning result

Ensures always the right product and dilution rate for each task and floor type. This ensures best cleaning results and avoids potential floor damage caused by wrong product.

Cost control

The dilution control guarantees highest accuracy of the dosage with no over- and under-dosing possibility. As a result chemical consumption and costs are predictable. It is also possible to freeze dosage at preferred level by supervisor or Diversey Care technician.

Simplicity and Safety

Easy operation and simple pouch changes. Use of closed pouches ensures no operator contact with open chemicals and handling of heavy canisters is not needed any more.

Environmental benefits

Reduced chemical consumption and packaging material used. Tank of machine is only filled with water - as result no waste of un-used solution when draining the tank after use.



Technical data

Pouch capacity	1.5 L
Dilution rate at '1 drop' setting on the display	0.2%
Dilution rate at '2 drops' setting on the display	0.3%
Dilution rate at '3 drops' setting on the display	0.5%
Cleaning solution per pouch at '1 drop' setting on the display	750 L
Cleaning solution per pouch at '2 drops' setting on the display	500 L
Cleaning solution per pouch at '3 drops' setting on the display	300 L
Pouch connection	Click-Lock
Dilution pump	Peristaltic pump
Dilution control	IntelliFlow system

Available for TASKI Swingo scrubber drier models 755, 1255, 1650, 1850, 2100, XP-R and 5000 (models with traction drive only). TASKI IntelliDose system needs to be mounted to machine ex-works or by a Diversey Care technician. Retro-fitting of existing machines is only possible if these machines are marked as "Ready for TASKI IntelliDose" (sticker on machine).

Floor cleaning range IntelliDose Dispensing Pouches

To be used in TASKI IntelliDose automatic on-board chemical dilution system for TASKI scrubber driers.



Floor Cleaning Range

CODE	DESCRIPTION	PACK SIZE	DILUTION
	TASKI Jontec 300 ID	2 x 1.5L	0.2%, 0.3% and 0.5%
	TASKI Jontec Tensol	2 x 1.5L	
	TASKI Jontec	2 x 1.5L	



AUSTRALIA

Product Catalogue

2020

Diversey's purpose is to protect and care for people every day. Diversey has been, and always will be, a pioneer and facilitator for life. We constantly deliver revolutionary cleaning and hygiene technologies that provide total confidence to our customers across all of our global sectors, including: cleaning products, systems and services that efficiently integrate chemicals, machines and sustainability programs. This makes us unique among leading global hygiene and cleaning companies. Everything we do has our customers' needs at its heart and is based on the belief that cleaning and hygiene are life essentials.

With over 95 years of expertise, we safeguard our customers' businesses, contributing to productivity improvements, lower total operating costs and brand protection. Diversey is head-quartered in Fort Mill, SC, USA. For more information, visit

www.diversey.com or follow us on social media.



Diversey Australia Pty Ltd,

29 Chifley St, Smithfield NSW 2164 AUSTRALIA

Customer Service: 1800 647 779

diversey.com taski.com