

Diversey



NEW ZEALAND

Floor Care Catalogue



Guide to Floor Care

Floor Care Leadership You Can Count On

‘Leading the industry in comprehensive floor care solutions for more than a hundred years.’

Diversey differentiates itself by being a solution provider, not a product provider. We design innovative solutions that exceed performance expectations and help our customers meet their floor care goals through years of floor care knowledge and leadership.

By combining innovative chemicals, application tools, machines and unparalleled support, Diversey solutions deliver more sustainable, reliable and better quality results at the lowest total cost of ownership.

Floor care is not just the application of a floor finish but the installation of a system.

A floor care system is a combination of the products, equipment, procedures and labour to protect and maintain the floor appearance.



The system chosen will depend on a number of factors including:

- Floor type
- Traffic load
- Gloss level required
- Equipment available
- Labour budget / maintenance hours available
- Product Selection

CONTENTS

Coated Floors - Programs & Product

| | |
|---|----|
| - Best Practice - Coated Floors | 5 |
| - Recommended Floor Maintenance Programs..... | 6 |
| - Product Range Selection Guide..... | 8 |
| - Strippers, Floor Sealers and Finishes | 9 |
| - Maintainers..... | 10 |

Hard Floors - Chemical Product Range

| | |
|------------------------------------|----|
| - Floor Cleaners - Daily | 11 |
| - Floor Cleaners - Heavy Duty..... | 12 |

Hard Floor - Pads & Machines

Twister Diamond Pads

| | |
|---------------------------------|-------|
| - Best Practice - 3 Steps | 14 |
| - Pad Selection Guide | 15 |
| - Method Guide | 16 |
| - Lifespan Guide | 18 |
| - Pad Range | 18-19 |

Floor Care Machines

| | |
|--|-------|
| - How to choose a machine | 20 |
| - Single Disc Machines and Auto Scrubber Driers..... | 21-23 |
| - Dilution Control & Fleet Tracking | 23 |

Carpet Care

| | |
|-------------------------------|----|
| - Chemical Product Range..... | 25 |
| - Vacuum Cleaners | 26 |
| - Carpet Care Machines | 27 |



COATED FLOORS

- Chemicals

Best Practice - Coated Floors

There are three (3) steps in a coated floor care program – floor prepare, protect and maintain. Floor care begins with a clean floor, ready to take the application of a new temporary coating. This clean floor can be achieved either through stripping or through a recoat program.



Step 1 PREPARE

Stripping is carried out when the appearance of the floor can no longer be restored using daily or periodic maintenance. All Diversey floor strippers have been developed to give an effective and fast result, removing all types of floor coatings. Our range includes traditional alkaline strippers and heavy duty strippers specifically formulated to remove multiple coats from burnished floors.

Chemical free stripping can also be achieved with a Twister X-treme pad.

Twister Pad Recommendation



Twister Extreme - Stripping

Chemical Free Stripping. Deep clean with water and Twister Xtreme until floor finish is removed, approx. 1-2 passes per layer of floor finish.
Stain and Etch repair. Deep clean with water and Twister Xtreme until stains and etches are removed.

Step 2 PROTECT

Protecting the floor requires applying a sacrificial coating on the floor to extend the life of the floor. Diversey sealers and finishes are formulated with the highest quality polymers for:

- Superior wet look gloss
- Suitability to local conditions
- Diamond-like brilliance and clarity
- Compliance with Australian and New Zealand Slip Resistance Standards (AS/NZS4586) for a safe result
- High scuff and scratch
- Excellent durability
- Ease of application and maintenance resistance

Step 3 MAINTAIN

Daily cleaning removes soils from the surface of the coating and help stop discolouration. The selection of the correct cleaning product together with the right equipment is essential to the long term care of the coating. A choice of neutral and heavy duty cleaners are available to suit all situations from daily to periodic cleaning, whether applied manually or by machine.

Our range also includes maintenance cleaners with wax emulsion and surfactant cleaners that not only clean but also repair the floor finish and restore the shine in one step.

Twister Pad Recommendations

Twister Green - Daily Cleaning



Daily cleaning of all coated (polished) floors and low traffic non-resilient floors. Use water and Twister Green for daily cleaning to maintain high gloss and cleanliness

Twister Grey(Supergloss 10,000) - Burnishing



Daily burnishing of coated floors. For a brilliant gloss after cleaning burnish coated floors with Twister Gray (<3500rpm).

Coated Floors

Recommended Floor Maintenance Program



Diversey has a range of floor strippers, polishes, cleaners and maintainers to suit most floor surfaces and maintenance programs.

| Action | High Traffic | Moderate Traffic | Low Traffic |
|---|--|--|---|
| Strip & Seal frequency | 12 months | 12 – 18 months | 18 – 24 months |
| No. of coats recommended | 2 coats sealer + 4-6 top coats or 6-8 top coats Maximum: 4 coats in 8 hour shift Follow up top up coats within 5 days | 2 sealer + 3 top coats or 5 top coats Maximum: 4 coats in 8 hour shift Follow up top up coats within 8 days | 2 sealer + 2 top coats or 4 top coats Maximum: 4 coats in 8 hour shift Follow up top up coats within 10 days |
| Drying time between coat (temperature, humidity & ventilation may affect drying time) | Allow 30 – 45 mins from touch dry | Allow 30 – 45 mins from touch dry | Allow 30 – 45 mins from touch dry |
| Cleaning | Daily | Daily or as required | As required |
| Cut Back & Recoat | Minimum 2 top coats on a quarterly or monthly rotation | Minimum 2 top coats every 6 months (as required) | Minimum 2 top coats every 6 months (as required) |
| Buffing/ burnishing machine speed | Minimum 3000 rpm | 1500 – 3000 rpm | Minimum 175-1500 rpm |

Daily Maintenance

Daily floor cleaner for mopping and mechanical scrubber

Use any of the following daily cleaning products : Taski View Quick, Taski Stride, Taski Asset JF, Taski Jontec Asset. (See page 8 for more product information).
Clean with a Twister Green Pad.



Weekly Floor Maintenance

High Traffic areas

1. Three times a week add Taski Revive floor maintainer to water in scrubber tank as per product label. Clean with a Twister Green Pad.
2. All other days add daily neutral floor cleaner.
3. 3 times per week (minimum) burnish floors using Twister Grey (Super Gloss 10,000) with an ultra high speed burnisher.



Moderate traffic

1. Twice a week add Taski Revive floor maintainer to water in scrubber tank as per product label. Clean with a Twister Green Pad.
2. All other days add daily neutral floor cleaner.
3. 1- 2 times per week (minimum) burnish floors using Twister Grey (Super Gloss 10,000) with an ultra high speed burnisher.



Low traffic

1. Once a week add Taski Revive floor maintainer to water in scrubber tank as per product label. Clean with a Twister Green Pad.
2. All other days add daily neutral floor cleaner.
3. 1- 2 times per week/fortnight (minimum) burnish floors using Twister Grey (Super Gloss 10,000) with an ultra high speed burnisher.
4. For maintaining small to medium floor areas use Snapback to spray and polish areas that are normally mopped (where auto scrubber is not used) and polish floor with a single disc machine eg. Ergodisc 400.



Quarterly Maintenance

Cut back and Recoats floors for Moderate and High traffic areas

1. **Chemical Cutback:** Use Taski Reveal for deep floor cleaning as per recommended product label.
Chemical Free Cutback: Remove the top layer of floor polish using water and Twister Orange.
2. Clean and cut back top coat polish and apply 2 coats of fresh polish in all areas.
3. Large floor areas recommended to have monthly rotational floor cut back and recoating program.



Coated Floors Product Range

Our product range caters to your floor care program and budget

| Product | Dilution ratio + (Dry time) | Coverage | pH(Neat) | pH(Diluted) | Low / Medium Speed 175-1500RPM | | | | | High Speed / Ultra High Speed 1500-3000RPM | | | | | No Buffing | | | |
|-------------------------------------|--|----------------|----------|----------------------|-----------------------------------|----------------------------------|---------------------------|-----------------------------|----------|---|----------------------------------|---------------------------|-----------------------------|----------|----------------------------|---------|---------|---------------------------------------|
| | | | | | Resilient | Non-Resilient Surfaces - Stone** | | | | Resilient | Non-Resilient Surfaces - Stone** | | | | Unbuffed Floors & Surfaces | | | |
| | | | | | Vinyl/Vinyl Composite Tile | Linoleum** | Polished Marble / Granite | Unpolished Marble / Granite | Terrazzo | Concrete | Vinyl / Vinyl Composite Tile | Polished Marble / Granite | Unpolished Marble / Granite | Terrazzo | Concrete | Ceramic | Rubber* | Linoleum & Matt Finish floors |
| | | | | | | | | | | | | | | | | | | Alkaline Resistant, Washable Surfaces |
| Strippers | | | | | | | | | | | | | | | | | | |
| TASKI® Pro Strip™ HD | 1:10 Light build up / 1:4 Heavy build up | 30-60m²/L | 13.0 | 13.0(1:2 dilution) | x | | | x | x | x | x | | x | x | x | | | |
| TASKI® Strip Eze™ | 1:6 Light build up / 1:2 Heavy build up | 20-50m²/L | 13.5 | 13.2(1:2 dilution) | x | | | x | x | x | x | | x | x | x | | | |
| Sealers | | | | | | | | | | | | | | | | | | |
| TASKI® Jontec™ Technique | Use neat (Dry time 30-45min) | 30-40m²/L | 8.5 | N/A | x | | | x | | | x | | | | | | | |
| TASKI® Plaza™ Plus | Use neat (Dry time 45min) | 40-60m²/L | 8.4 | N/A | x | | | x | x | x | x | | x | x | x | | | |
| Finishes/Polish | | | | | | | | | | | | | | | | | | |
| TASKI® Pinnacle™ | Use neat (Dry time 30-45min) | 50-60m²/L | 8.5 | N/A | | | | | | | x | | x | x | x | | | |
| TASKI® Vectra™ | Use neat (Dry time 30-45min) | 50-60m²/L | 8.8 | N/A | x | x | | x | x | x | | | | | | | x | |
| Maintainers | | | | | | | | | | | | | | | | | | |
| TASKI® Jontec™ Tensol™ ID | 1:200, 1:333, 1:500 | 3300-12450m²/L | 8.9 | 8.8 (1:9 dilution) | | x | x | | | x | | x | | | | x | x | x |
| TASKI® Revive™ | 1:60 Mop / 1:30 Autoscrubbing | 1000-1500m²/L | 8.9 | 8.20(1:30 dilution) | | | | | | | x | x | | x | x | | | |
| TASKI® Snapback™ | 1:60 Mop / 1:4 Spray buff | 1000-1500m²/L | 12.7 | 11.82(1:4 dilution) | x | x | | | x | x | | | | | | | | |
| Cleaners | | | | | | | | | | | | | | | | | | |
| TASKI® Jontec™ 300 ID | 1:200, 1:333, 1:500 | | 8.3 | 7.5 (1:100 dilution) | x | x | x | x | x | x | x | x | x | x | x | x | x | x |
| TASKI® View Quick™ | Manual: 1:100 Light soil / 1:60 Medium soil 1:40 Heavy soil Autoscrubber: 1:120 Light Soil / 1:80 Medium soil 1:60 Heavy soil / 1:40 Deep scrub | | 11.0 | 9.4(1:40 dilution) | x | x | x | x | x | x | x | x | x | x | x | x | x | x |
| TASKI® Stride™ Citrus J-Flex™ | 1:256 | | 7.0 | 7.3(1:256 dilution) | x | x | x | x | x | x | x | x | x | x | x | x | x | x |
| TASKI® Stride™ HC J-Fill™ | 1:750 Light soil / 1:375 Heavy soil | | 7.2 | 7.4(1:375 dilution) | x | x | x | x | x | x | x | x | x | x | x | x | x | x |
| TASKI® Stride™ HC Citrus SmartDose™ | 1:375 Mop Bucket / 1:750 Autoscrubber | | 7.2 | 6.5(1:375 dilution) | x | x | x | x | x | x | x | x | x | x | x | x | x | x |
| TASKI® Jontec™ Forward® ID | 1:200, 1:333, 1:500 | | 11.0 | 8.5 (1:200 dilution) | x | x | x | x | x | x | x | x | x | x | x | x | x | x |
| TASKI® Reveal™ | Manual: 1:80 Light soil / 1:40 Heavy soil Autoscrubber: 1:120 Light Soil / 1:60 Heavy soil / 1:40 Deep scrub | | 12.0 | 11.1(1:40 dilution) | x | | | | x | x | x | | x | x | x | | | x |

*Rubber floors are sensitive to alkaline products. Proceed with caution. Check with the floor manufacturer for recommendations on how to maintain and look for products that indicate the product is safe for rubber floors. ** Non-resilient surfaces and Linoleum floors must be sealed first before applying finish.



Strippers

| TASKI® Pro Strip™ HD | Pack size | Code |
|---|-----------|---------|
| High performance stripper for the removal of tough sealer finishes. Formulated for rapid bite in and deep penetration of multiple layers of sealer/finishes found in UHS floorcare programs including vinyl composite tile, terrazzo and concrete floors. | 2x5L | 5751137 |

| TASKI® Strip Eze™ | Pack size | Code |
|---|-----------|---------|
| Deep penetrating non-ammoniated stripper for resilient and non-resilient floors. Economical stripper for all general purpose stripping. | 2x5L | 5487081 |

Floor Sealers

| TASKI® Jontec™ Technique | Pack size | Code |
|---|-----------|---------|
| A stain resistant floor sealer for use on all internal resilient floors such as vinyl and porous composite tiles. Technique is a semi permanent sealer that enhances the appearance of old floors when used with a Diversey finish according to directions. | 2x5L | 7513198 |

| TASKI® Plaza™ Plus | Pack size | Code |
|--|-----------|---------|
| Floor sealer, suitable for highly alkaline surfaces making it suitable for most terrazo floors and porous concrete floors. Top coat with a Diversey finish to provide a superior depth of gloss. | 2x5L | 5623653 |

Finishes

| TASKI® Pinnacle™ | Pack size | Code |
|--|-----------|---------|
| Heavy duty premium performance UHS floor finish that provides exceptional “wet look” gloss, low marking and ease of maintenance. Easy to apply and maintain. | 2x5L | 5519645 |

| TASKI® Vectra™ | Pack size | Code |
|--|-----------|---------|
| High performance fast curing floor finish for use on all internal resilient floors such as vinyl and porous composite tiles. Vectra delivers diamond like brilliance and clarity across a wide variety of surfaces. Designed for low speed applications. | 2x5L | 5687631 |

‘Leading the industry in comprehensive floor care solutions for more than a hundred years.’

Coated Floors Product Range

Maintainers



| TASKI® Jontec™ Tensol™ ID F3d | Pack size | Code |
|---|-----------|---------|
| Highly concentrated floor cleaner/maintainer, without film build up. Ideal for cleaning and maintenance of protected and unprotected water resistant hard floors. Creates a slip-resistant and dirt repellent floor. To be used in TASKI scrubber driers equipped with TASKI IntelliDose on-board chemical dilution system. | 2x1.5L | 7515723 |
| TASKI® Revive™ | Pack size | Code |
| High performance cleaner / maintainer that enhances the appearance of UHS floor finishes. Produces a brilliant gloss whilst removing scuffs, scratches and dirt. | 2x5L | 5687542 |
| TASKI® Snapback™ | Pack size | Code |
| Spray buff that enhances the appearance floor finishes with low-medium speed maintenance programs. Produces a brilliant gloss whilst removing scuffs, scratches and dirt. Cleans and shines, saving time and money by doing two jobs in one. | 2x5L | 5687606 |



‘By combining innovative chemicals, application tools, machines and unparalleled support, Diversey solutions deliver more sustainable, reliable and better quality results at the lowest total cost of ownership.’

Hard Floors Daily & Periodic Cleaners Product Range

Floor Cleaners – Daily



| TASKI® View Quick™ | Pack size | Code |
|--|-------------------------------|------------------|
| Concentrated, no-rinse daily cleaner with a pleasant rose fragrance for lightly soiled, sealed and unsealed floors. Film-free drying that leaves no dulling residue on surface. Ideal for hospitals, school and retail establishments. | 2x5L | 5687649 |
| TASKI® Stride™ HC Citrus J-Fill™ | Pack size | Code |
| Neutral cleaner with a citrus fragrance specially formulated for the daily cleaning of floors, washrooms and other washable surfaces. Super-concentrated, for use with J-Fill dispensing units. Green Seal certified. | 2x2.5L Ctn 6 750ml Bottle Kit | 904716 D1228005 |
| TASKI® Stride™ Citrus J-Flex™ | Pack size | Code |
| Neutral cleaner with a citrus fragrance specially formulated for the daily cleaning of floors, washrooms and other washable surfaces. Super-concentrated, attach J-Flex to a hose to dispense ready to use solution. Green Seal certified. | 1x5L Ctn 6 750ml Bottle Kit | 4029089 D1228005 |
| TASKI® Jontec™ 300 ID F4c | Pack size | Code |
| Highly concentrated, low foaming neutral cleaner for all water-resistant hard floors. The perfume also incorporates an odour neutralising technology for effective malodour neutralisation and provides a long lasting, fresh fragrance. To be used in TASKI scrubber driers equipped with TASKI IntelliDose onboard chemical dilution system. | 2x1.5L | 7515721 |
| TASKI® Stride™ HC Citrus SmartDose™ | Pack size | Code |
| Neutral cleaner with a citrus fragrance specially formulated for the daily cleaning of floors, washrooms and other washable surfaces. Super-concentrated, SmartDose delivers accurate dosing without equipment or water connection. | 2x1.4 L | 95122613 |



Hard Floors

Daily & Periodic Cleaners

Product Range

Floor Cleaners – Heavy Duty



| TASKI® Jontec™ Forward® ID | Pack size | Code |
|---|-----------|---------|
| Highly concentrated, low foaming heavy duty alkaline floor cleaner. Removes heavy soil, dirt and grease from all water resistant, nonprotected hard floors (except unsealed wood). To be used in TASKI scrubber driers equipped with TASKI IntelliDose on-board chemical dilution system. | 2x1.5L | 7515722 |



| TASKI® Reveal™ | Pack size | Code |
|---|-----------|---------|
| Heavy duty cleaner designed to remove most types of dirt and soils and is suitable for deep scrubbing of UHS floor finishes. Also suitable for other hard surfaces such as walls, tables and modern washable surfaces. Ammoniated formula leaves no dulling residues. | 2x5L | 5687526 |



| TASKI® Reveal™ J-Fill™ | Pack size | Code |
|---|-----------|---------|
| Heavy duty cleaner designed to remove most types of dirt and soils and is suitable for deep scrubbing of UHS floor finishes. Also suitable for other hard surfaces such as walls, tables and modern washable surfaces. Ammoniated formula leaves no dulling residues. Super-concentrated, for use with J-Fill dispensing units. | 2x5L | HH15297 |




HARD FLOORS
- Pads and Machines

Hard Floors Twister Pads




Twister diamond pads and water is all you need to produce clean and shiny floors you will save both money and the environment. Thanks to the results Twister produces, not only will the life span of the floors increase, but using Twister will also reduce your need for consumables. This diminishes your transportation and waste management costs related to standard daily floor cleaning pads and chemicals.

Best Practice - 3 Step Process



Using Twister every day provides a high and even floor quality 365 days per year.



Pad choice

It is essential that the correct pads or brushes are used for each specific task.

Brushes perform better than pads on uneven floors because they penetrate into the undulations where a pad would not reach, making them particularly effective on safety flooring.

Twister Pad Selection Guide

| Non-Resilient Hard Floors | Daily cleaning | | Deep Cleaning/ Renovation |
|---------------------------------------|----------------|------------------|------------------------------|
| | High traffic | Moderate traffic | |
| Terazzo, limestone, marble | | | |
| Polished concrete | | | |
| Granite | | | |
| Ceramic tiles - Unglazed | | | |
| Coated non-resilient floors | | | |
| Resilient Hard Floors | Daily cleaning | | Deep Cleaning/ Renovation |
| | High traffic | Moderate traffic | |
| PVC, Vinyl | | | |
| Linoleum | | | |
| Rubber | | | |
| Epoxy | | | |
| Wooden Floors (Coated only) | | | |
| Coated resilient floors including VCT | | | |

Hard Floors

Twister Pads


Brilliance 
High gloss 
Gloss 
Sheen 

Moderate Traffic
= <4000 visitors/day
High Traffic
= >4000 visitors/day

Chemical free daily cleaning

Maintains gloss and cleanliness of floors in moderate and high traffic areas




Moderate Traffic Areas - all floors - Twister Green 
Use water and Twister Green for daily cleaning in moderate traffic areas to maintain high gloss and cleanliness. (Lifespan up to 30,000m²)




High Traffic Areas - uncoated floors - Twister Pink 
Use water and Twister Pink for daily cleaning in high traffic areas to maintain brilliance and cleanliness. (Lifespan up to 45,000m²)



High Traffic Areas - uncoated floors - Twister Blue 
Use water and Twister Blue for daily cleaning in high traffic areas to maintain high gloss and cleanliness. (Lifespan up to 45,000m²)



High Traffic Areas - homogenous ceramic tiles - Twister Orange 
Use water and Twister Orange for daily cleaning of ceramic tiles to maintain gloss and cleanliness. (Lifespan up to 45,000m²)



All coated floors - Twister Green 
Use water and Twister Green for daily cleaning to maintain high gloss and cleanliness. (Lifespan up to 35,000m²)

Renovation of coated floors in moderate and high traffic areas



Step 1 – Twister White 
Clean the floor with water and Twister White. Make 6-10 passes.



Step 2 – Twister Yellow 
Clean the floor with water and Twister Yellow. Make 6-10 passes.



Step 3 – Twister Green 
Clean the floor with water and Twister Green. Make 6-10 passes.



Step 4 (Optional) – Twister Green 
High speed polish the floor with Twister Green (<3000 RPM).

Method Guide - Twister Pads

Renovation of non-resilient uncoated floors in high traffic areas



Step 1 – Twister Orange 
Clean the floor with water and Twister Orange. Make 6-10 passes.



Step 2 – Twister Blue 
Clean the floor with water and Twister Blue. Make 6-10 passes.



Step 3 (Optional) – Twister Pink 
Clean the floor with water and Twister Pink. Make 6-10 passes.



Step 4 (Optional) – Twister Pink 
High speed polish the floor with Twister Pink (<3000 RPM).

Renovation of resilient uncoated floors in moderate to high traffic areas




Step 1 – Twister White 
Clean the floor with water and Twister White. Make 6-10 passes.



Step 2 – Twister Yellow 
Clean the floor with water and Twister Yellow. Make 6-10 passes.



Step 3 – Twister Green 
Clean the floor with water and Twister Green. Make 6-10 passes.



Step 4 – Twister Blue 
Clean the floor with water and Twister Blue or Pink. Make 6-10 passes.



Step 5 (Optional) – Twister Green 
High speed polish the floor with Twister Green or Pink (<3000 RPM).

Surface preparation

Preparation of the floor surface for either renovation or for the application of floor finish



Chemical free deep cleaning
Deep clean to remove the top layer of the floor finish using water and Twister Orange.



Chemical free stripping
Deep clean with water and Twister Extreme Red until the floor finish is removed. Approx. 1-2 passes per each layer of floor finish.




Stain and etch repair
Deep clean with water and Twister Extreme Red until stains and etches are removed.


Hard Floors

Twister Pads


Lifespan Guide



1 New Pad



2 Slightly worn pad but still contains diamonds. Still OK to use.



3 Pad is really faded but still contains diamonds. Still OK to use.



4 Time to dispose of pad (no diamonds or colour visible)

Twister™ - diamond pads for auto-scrubbers and burnishing machines.



| Twister™ by DI Pad Green | Pack | Size | SKU |
|--|------|-----------|----------|
| Daily cleaning of all coated (polished) floors and low traffic non-resilient floors. Use water and Twister Green for daily cleaning to maintain high gloss and cleanliness | 2pc | 11"(28cm) | D5871006 |
| | 2pc | 12"(30cm) | D5871010 |
| | 2pc | 13"(33cm) | D5871014 |
| | 2pc | 14"(35cm) | D5871018 |
| | 2pc | 15"(38cm) | D5871021 |
| | 2pc | 16"(40cm) | D5871025 |
| | 2pc | 17"(43cm) | D5871029 |
| | 2pc | 18"(45cm) | D5871031 |
| | 2pc | 20"(50cm) | D5871037 |
| | 2pc | 21"(53cm) | D7521204 |
| | 2pc | 24"(61cm) | D7521223 |
| | 2pc | 27"(68cm) | D7521227 |



| Twister™ by DI Pad Blue | Pack | Size | SKU |
|---|------|-----------|----------|
| Daily cleaning of uncoated floors in high traffic areas. Use water and Twister™ Blue for daily cleaning in high traffic areas to maintain high gloss and cleanliness. | 2pc | 11"(28cm) | D7519287 |
| | 2pc | 12"(30cm) | D7521240 |
| | 2pc | 13"(33cm) | D7519289 |
| | 2pc | 14"(35cm) | D7519291 |
| | 2pc | 15"(38cm) | D7521242 |
| | 2pc | 16"(40cm) | D7521244 |
| | 2pc | 17"(43cm) | D7519294 |
| | 2pc | 18"(45cm) | D7521246 |
| | 2pc | 20"(50cm) | D7519296 |
| | 2pc | 21"(53cm) | D7521250 |
| | 2pc | 24"(61cm) | D7521252 |



| Twister™ by DI Pad Pink | Pack | Size | SKU |
|---|------|-----------|----------|
| Daily cleaning of uncoated floors in high traffic areas for a brilliant gloss. Use water and Twister™ Pink for daily cleaning in high traffic areas to maintain brilliance and cleanliness. | 2pc | 11"(28cm) | D7524527 |
| | 2pc | 12"(30cm) | D7524528 |
| | 2pc | 13"(33cm) | D7524529 |
| | 2pc | 14"(35cm) | D7524530 |
| | 2pc | 15"(38cm) | D7524531 |
| | 2pc | 16"(40cm) | D7524532 |
| | 2pc | 17"(43cm) | D7524533 |
| | 2pc | 18"(45cm) | D7524534 |
| | 2pc | 20"(50cm) | D7524536 |
| | 2pc | 21"(53cm) | D7524537 |




| Twister™ by DI Pad Orange | Pack | Size | SKU |
|---|------|-----------|----------|
| Daily cleaning of unglazed ceramic tiles. Use water and Twister Orange for daily cleaning of ceramic tiles to maintain gloss and cleanliness. Deep cleaning of non-resilient floors in high traffic areas. Clean the floor with water and Twister Orange. Make 6-10 passes. Move to daily cleaning pad. Chemical free cut back of coated floors. Deep clean to remove the top layer of the floor finish using water and Twister Orange. | 2pc | 11"(28cm) | D7519286 |
| | 2pc | 12"(30cm) | D7521241 |
| | 2pc | 13"(33cm) | D7519288 |
| | 2pc | 14"(35cm) | D7519290 |
| | 2pc | 15"(35cm) | D7521243 |
| | 2pc | 16"(40cm) | D7521245 |
| | 2pc | 17"(43cm) | D7519293 |
| | 2pc | 18"(45cm) | D7521247 |
| | 2pc | 20"(50cm) | D7519295 |




| Twister™ by DI Pad Grey (Supergloss 10,000) | Pack | Size | SKU |
|---|------|-----------|----------|
| Daily burnishing of coated floors. For a brilliant gloss after cleaning burnish coated floors with Twister Gray (<3500rpm). | 2pc | 20"(50cm) | D7523234 |
| | 2pc | 27"(68cm) | D7523535 |



| Twister™ by DI Pad White | Pack | Size | SKU |
|---|------|-----------|----------|
| Deep Cleaning of coated and resilient floors. Step 1 - clean the floor with water and Twister White, make 6-10 passes. | 2pc | 11"(28cm) | D5871004 |
| | 2pc | 12"(30cm) | D5871008 |
| | 2pc | 13"(33cm) | D5871012 |
| | 2pc | 14"(35cm) | D5871016 |
| | 2pc | 16"(40cm) | D5871023 |
| | 2pc | 17"(43cm) | D5871027 |
| | 2pc | 18"(45cm) | D7521194 |
| | 2pc | 20"(50cm) | D5871035 |
| | 2pc | 21"(53cm) | D7521202 |



| Twister™ by DI Pad Yellow | Pack | Size | SKU |
|--|------|-----------|----------|
| Deep Cleaning of coated and resilient floors. Step 2 - clean the floor with water and Twister Yellow, make 6-10 passes. Move to daily cleaning pad. | 2pc | 11"(28cm) | D5871005 |
| | 2pc | 12"(30cm) | D5871009 |
| | 2pc | 13"(33cm) | D5871013 |
| | 2pc | 14"(35cm) | D5871017 |
| | 2pc | 15"(38cm) | D5871020 |
| | 2pc | 16"(40cm) | D5871024 |
| | 2pc | 17"(43cm) | D5871028 |
| | 2pc | 18"(45cm) | D5871030 |
| | 2pc | 20"(50cm) | D5871036 |
| | 2pc | 21"(53cm) | D7521203 |



| Twister™ by DI Pad Xtreme | Pack | Size | SKU |
|--|------|-----------|----------|
| Chemical Free Stripping. Deep clean with water and Twister Xtreme until floor finish is removed, approx. 1-2 passes per layer of floor finish. Stain and Etch repair. Deep clean with water and Twister Xtreme until stains and etches are removed. | 2pc | 11"(28cm) | D7524511 |
| | 2pc | 12"(30cm) | D7524512 |
| | 2pc | 13"(33cm) | D7524513 |
| | 2pc | 14"(35cm) | D7524514 |
| | 2pc | 15"(38cm) | D7524515 |
| | 2pc | 16"(40cm) | D7523647 |
| | 2pc | 17"(43cm) | D7523648 |
| | 2pc | 18"(45cm) | D7524516 |
| | 2pc | 20"(50cm) | D7523650 |
| | 2pc | 21"(53cm) | D7524517 |

Hard Floors Machines



scan the code to
link to our TASKI® app
in the iTunes® store

How to choose which machine to buy?

There are a number of criteria involved in the decision regarding which machine to buy:

- What will the machine be used for
- The initial cost of buying the machine
- The economy in terms of the cost in use of the machine
- The degree of operator training required to use the machine
- The availability of the machine, parts and back-up service

Why use machines?

1. By using the correct machine it is possible to reduce the time required to maintain a floor and therefore reduce the labour cost
2. The final results are improved through machine use
3. When used correctly, machines ensure the most efficient consumption of chemicals

TASKI®

10 reasons TASKI® auto scrubbers stand out

1. Water Recovery

Auto Scrubbers use an innovatively designed squeegee to pick up every drop of water at any speed. This design means it can be pick up water on all four sides, and it lasts four times longer than gum rubber

2. Maintenance Points

These coloured maintenance points make it easy for workers to conduct regular maintenance and inspection on machines

3. Ergonomics

Ergonomically designed to make them easy and comfortable to use, which improves worker efficiency

4. Maneuverability and Agility

Auto Scrubbers use patented all-wheel steering that enables them to maneuver into areas that would normally require a much smaller machine

5. Recovery Tank Cleaning

The open design of the recovery tank allows for easy access and cleaning

6. Automatic Mounting for Brushes and Pads

There's no need to bend over to attach brushes or pads, which improves productivity and reduces worker strain

7. Recycles Solution up to Four Times

Ride-on Auto Scrubbers can recycle solution up to four times – reducing chemical waste and increasing productivity

8. Straight to the Tank Vacuum Hose

Solution recovery is improved with a hose that goes straight to the recovery tank, without any bends and turns that cause it to lose suction

9. IntelliDose Onboard Chemical Dispensing

Choose from three chemical dilution levels, and the ability to do water-only cleaning without having to return to a chemical mixing station

10. IntelliFlow Controlled Solution Dosing


Only TASKI Auto Scrubbers directly link the cleaning solution flow to the machine's wheel speed. This removes the need for the operator to manage the flow and maximizes the machine's productivity

Single Disc Machines

TASKI®

TASKI® ergodisc 400

High-speed (400 rpm) single-disc machine that offers cost efficient high speed cleaning. The ergodisc 400 is especially suited for spray cleaning and buffing.



1 x 43cm

Refer to Page 18-19 to choose
the right pad for your floor




ergodisc 400

| Code | |
|-------------|---|
| D8003890ANZ | 1 x TASKI ergodisc 400 |
| D7510030 | 1 x High speed driving disc |
| D8504380 | 1 x Suction unit 230V |
| D7515786 | 1 x Suction Skirting Splash protection 43cm |

TASKI® ergodisc 2000

Ultra-high speed ensures shiny, slip-resistant floors in a fraction of the usual time. Perfect dust retention as a result of the innovative guided airflow technique leads to improved air quality and better polishing results, since dust/residue build-up in pad affects the gloss.



1 x 50cm

Refer to Page 18-19 to choose
the right pad for your floor



ergodisc 2000

| Code | |
|-------------|------------------------------|
| D7519535ANZ | 1 x TASKI ergodisc 2000 EURO |
| | 1 x Disposable dust bag |
| | 1 x Built-in pad drive 50cm |

Auto Scrubber Driers

TASKI® swingo 150E

Ultra-compact 33cm upright auto scrubber features a lightweight, compact design perfect for easy, quick cleanup in confined areas. The functional design of the TASKI swingo 150 E machine is similar to conventional upright-vacs; the machine requires limited training and is simple to use.



swingo 150E Kit

| Code | |
|-------------|--------------------------------------|
| D7516209ANZ | 1 x TASKI swingo 150E EURO |
| | 1 x cylindrical scrubbing brush 33cm |

TASKI® swingo 350E/BMS

Ultra-compact 38cm auto scrubber is designed with a low machine profile and a handle that folds backwards for easy access under tables or racks. Electric or Li-ion battery available.



swingo 350E Electric

| Code | |
|-------------|--------------------------------|
| D7518528ANZ | 1 x TASKI swingo 350E |
| D7516863 | 1 x Cylindrical brush standard |

swingo 350B Lithium-Ion Battery

| Code | |
|-------------|----------------------------------|
| D7516860ANZ | 1 x TASKI swingo 350B |
| D7523988 | 1 x Li-ion (Lithium Ion) Battery |
| D7516863 | 1 x Cylindrical brush standard |

Hard Floors Machines

TASKI®

TASKI® swingo 455B BMS

Compact battery 43cm auto scrubber combines performance with simple, ergonomic handling.



swingo 455B

| Code | |
|-------------|---|
| D7518367ANZ | 1 x TASKI Swingo 455B BMS |
| D8505540 | 1 x Battery traction 12V, 50Ah x2 req'd |
| D8504750 | 1 x Standard scrubbing brush 43cm |
| D7510829 | 1 x Pad drive harpoon grip 43cm |
| D8504800 | 1 x Scrubbing brush washed concr. 43cm |
| D8504780 | 1 x Scrubbing brush abrasive 43cm |

1 x 43cm

Refer to Page 18-19 to choose the right pad for your floor

TASKI® swingo 955 BMS

The swingo 955B is very easy to handle, the dual-axle system allows turning on the spot and offers maximum agility and manoeuvrability for use in confined and tightly congested areas. The brush unit with the 2 brushes gives unbeaten cleaning performance and efficiency, especially when picking up of debris. The brush unit is off set to the right allowing for easy cleaning along walls and shelves.



swingo 955B

| Code | |
|-------------|------------------------------------|
| D7517125ANZ | 1 x Taski Intellidose Swingo 955 |
| D7510634 | 2 x Driving disc 28 cm |
| D7519395 | 2 x Standard scrubbing brush 28 cm |
| D7520152 | 2 x Battery traction 12V |

2 x 28cm

Refer to Page 18-19 to choose the right pad for your floor

TASKI® swingo 1650B BMS

Large walk-behind 65cm auto scrubber provides long run times and brushes that perfectly follow the floor profile for outstanding soil removal.



swingo 1650B

| Code | |
|-------------|---|
| D7515883ANZ | 1 x TASKI swingo 1650B BMS |
| D7514962 | 1 x Battery traction 6V, 175Ah x4 req'd |
| D7515516 | 1 x Scrubbing brush standard 33cm x1, 2 req'd |
| D7515515 | 1 x Pad drive harpoon grip 33cm x1, 2 req'd |

1 x 33cm

Refer to Page 18-19 to choose the right pad for your floor

TASKI® swingo 5000B

Large ride-on automatic scrubber drier with a large 200L tank and cleaning speed of 7.5km/h to increase productivity and reduce the number of time consuming tank filling stops. The unique all-wheel steering makes the machine easy to manoeuvre in congested areas.



swingo 5000B


| Code | |
|-------------|---|
| D7519000ANZ | 1 x TASKI swingo 5000B |
| D7519395 | 4 x Standard scrubbing brush 28 cm |
| D6023561 | Swingo 5000 Battery with tray, cables & plugs |
| D6023553 | External battery charger |

4 x 28cm

Refer to Page 18-19 to choose the right pad for your floor

TASKI® swingo 2100 micro BMS

An evolution in micro ride on scrubber driers. The TASKI swingo 2100micro combines compact design with an unchallenged performance and high flexibility for operations beyond traditional boundaries.



2 x 28cm

Refer to Page 18-19 to choose the right pad for your floor




swingo 2100 micro B

| Code | |
|-------------|--|
| D7523421ANZ | 1 x TASKI swingo 2100 micro B BMS |
| D7514962 | 1 x Battery traction 6V, 180Ah, 4 req'd |
| D7519395 | 1 x Standard scrubbing brush 28cm, 2 req'd |
| D7510634 | 1 x Pad drive harpoon grip 28cm, 2 req'd |

TASKI® swingo XP-R BMS

Delivering the comfort of stand-on cleaning with unmatched visibility around the machine. This battery operated scrubber drier performs with unsurpassed agility offering the manoeuvrability of a much smaller machine and unbeatable cleaning performance.



2 x 38cm

Refer to Page 18-19 to choose the right pad for your floor



swingo XP-R

| Code | |
|-------------|--|
| D7523416ANZ | 1 x TASKI swingo XP-R B BMS |
| D7514962 | 1 x Battery traction 6V, 180Ah, 4 req'd |
| D7522221 | 1 x Standard scrubbing brush 38cm, 2 req'd |
| D7522220 | 1 x Pad drive harpoon grip 38cm, 2 req'd |

Dilution Control System

TASKI® IntelliDose

A dosing unit for TASKI swingo machines which works in conjunction with IntelliFlow to deliver superior results in chemical dosing. This system calculates and delivers the optimal amount of chemical for any task or floor type, ensuring superior cleaning while controlling and reducing chemical consumption. For use with Jontec floor cleaning range, see page 31.



IntelliDose Systems

| Code | |
|----------|---|
| D7517125 | TASKI IntelliDose for swingo 755 and swingo 1255 |
| D7516240 | TASKI IntelliDose for swingo 1650 and swingo 1850 |
| D7523412 | TASKI IntelliDose for swingo 2100 |
| D7516242 | TASKI IntelliDose for swingo XP-R |
| D7518212 | TASKI IntelliDose for swingo 5000 |

Fleet Tracking Solution

TASKI® IntelliTrail

A web based GPS tracking solution which enables locating, monitoring and aids in fleet management. TASKI IntelliTrail allows full transparency of machine/s in your fleet. The GPS tracking unit tracks each machine allowing 24/7 visibility of location and usage information.



IntelliTrail-Ready machines

(TASKI® machines manufactured 2015 and beyond, with sticker noting 'IntelliTrail ready')
TASKI® models: 755, 1255, 1650, 1850, XP-R, 2100, 5000

| Code | |
|-----------|---|
| D7524425 | 1 x TASKI IntelliTrail box |
| 500021571 | Intellitrail monthly fee / machine |
| 500021583 | TASKI IntelliTrail retrofit intervention (Service fee for installation) |

Competitor Machines

Other non-battery powered TASKI® Equipment and Non TASKI® Floor Care Equipment (Retrofitting required)

| Code | |
|-------------|---|
| D7524429 | 1 x Non TASKI tracker |
| D7524014ANZ | 1 x NTT charger |
| 500021571 | Intellitrail monthly fee / machine |
| 500021583 | TASKI IntelliTrail retrofit intervention (Service fee for installation) |



CARPET CARE

- Chemicals and Machines

Carpet Care

Chemical Product Range

| | | |
|-----------------------|---|--|
| Daily cleaning | Dust and soil removal: For best results vacuum daily | General Purpose Spotter <ul style="list-style-type: none">Powerful cleaner, lifts out tough spots and stains, even the most stubborn stains |
| | Stain removal: Stains on carpets always need special attention. Our General Purpose spotter removes stains from carpet. | |
| Intermediate cleaning | Revitalising the carpet: Intermediate cleaning revitalises the carpets and extend the cleaning cycle between deep cleaning. The dry foam shampoo method allows the area to be opened to traffic within a short time. The product is also adapted for encapsulation cleaning, traditional wet shampooing and carpet pad methods. | TASKI Tapi Shampoo <ul style="list-style-type: none">Carpet shampoo adapted for any method (wet and dry shampooing as well as bonnet method)Leaves a fresh fragrance due to the "ONT" technologySafe to use for all carpet cleaning methods including encapsulation |
| | | |
| Deep cleaning | Extraction cleaning: Restorative or extraction cleaning is the most thorough and effective method for removing soil from carpets. It involves deep cleaning down into the carpets pile. Extraction cleaning is carried out periodically due to longer drying times that require areas to be closed for traffic. | TASKI Tapi Extract <ul style="list-style-type: none">Loosens incrusted dirt without damaging the fibresLeaves a fresh fragrance due to the "ONT" technologyLow foaming formulation for use with any extraction cleaning machine or spray device |
| | | |

A complete range of carpet solutions


Our carpet solutions tackle spots, stains and enable you to achieve a deep clean creating a lasting first impression. From high-performance shampoos to high-pressure extractors, our carpet cleaning systems puts any carpet on the road to clean.

Carpet Care Selection Guide

| Product | Description | Wool | Synthetic |
|-------------------------|--|------|-----------|
| TASKI® Tapi Extract* | Extraction cleaner, carpets and upholstery | x | x |
| TASKI® Tapi Shampoo* | Shampoo for intermediate cleaning of carpet and upholstery | x | x |
| General Purpose Spotter | Stain remover | x | x |
| TASKI® Tapi Gum | Removes chewing gum on carpets and upholstery. | x | x |
| TASKI® Jontec Best** | Heavy duty cleaner | | x |

Always test material/product compatibility in a small inconspicuous place before using any cleaning/maintenance product.
TASKI® Tapi products are WoolSafe Certified
*Incorporates Odour Neutralising Technology (ONT) for effective malodour neutralisation and long lasting, fresh fragrance.
** may be used as an alternative to Taski® Tapi Shampoo for heavy soiling.

Carpet Cleaning

| General Purpose Spotter | | Pack size | Code |
|--|--|-----------|-----------|
|  Removes tough stains, protects against resoiling and deodorises carpets. | | 6x946ml | 904192 |
| TASKI® Tapi Defoam | | Pack size | Code |
|  Defoamer recommended for use in spray extraction machines and wet vacuum cleaner. Prevents build up of foam in the pick up tank. | | 6x1L | 100835157 |
| TASKI® Tapi Extract | | Pack size | Code |
|  Carpet and upholstery cleaner for extraction cleaning of carpets and upholstery. Incorporates Odour Neutralising Technology (ONT) for effective malodour neutralisation and long lasting, fresh fragrance. WoolSafe approved. | | 2x5L | 101100322 |
| TASKI® Tapi Gum | | Pack size | Code |
|  Aerosol freeze spray for chewing gum removal. Removes chewing gum on carpets and upholstery. | | 6x500ml | 100835156 |
| TASKI® Tapi Shampoo | | Pack size | Code |
|  Carpet shampoo for the intermediate cleaning of carpet an upholstery. Incorporates the Odour Neutralising Technology (ONT) for effective malodour neutralisation and long lasting fragrance. WoolSafe approved. | | 2x5L | 101100200 |

Vacuum Cleaners

TASKI® AERO 8/15 Plus

The new TASKI AERO tub vacuum cleaners are highly efficient and use a 585W state-of-the-art vacuum motor, which delivers the same cleaning performance as vacuums with 900W or more. This is achieved through an ingenious airflow system. As a result, the vacuum cleaner saves significant amounts of energy and reduces CO2 emissions without compromising on cleaning results in any way. Thanks to the innovative and patented TASKI whisper technology, the TASKI AERO is extremely quiet. This low noise level means it can be operated in any environment at any time of day or night. (Hepa Filter optional accessory, 15 Plus model includes Eco button for reduce noise level).



Aero 8

| Code | |
|-------------|--------------------------------|
| D7524247ANZ | 1 x TASKI Aero 8 |
| | 1 x Disposable fleece dust bag |
| | 1 x Tube telescopic |
| | 1 x Motor pre filter cloth |
| | 1 x Exhasut filter cassette |
| | 1 x Angled tub plastic |



Aero 15 Plus

| Code | |
|-------------|--------------------------------|
| D7524250ANZ | 1 x TASKI Aero 15 Plus |
| | 1 x Disposable fleece dust bag |
| | 1 x Tube telescopic |
| | 1 x Motor pre filter cloth |
| | 1 x Exhasut filter cassette |
| | 1 x Angled tub plastic |

TASKI® jet 38/jet 50

High-performance upright 38/50cm vacuum cleaner utilises industry-leading five-stage filtration system consisting of double filter paper dust bag, washable filter, exhaust air filter and carbon brush filter. The dual motor system provides excellent air flow, while the high speed brushes mechanically remove dirt within the fibres of the carpet.



jet 50

| Code | |
|-------------|--------------------------------|
| D7516256ANZ | 1 x TASKI jet 50 (50 cm width) |
| D8502160 | 1 x Disposable paper dust bag |
| (Included) | 1 x Dust brush nozzle |
| (Included) | 1 x Crevice |

TASKI® vacumat 22

Cord electric wet/dry vacuum cleaner designed for multi-functional use for any type of dry vacuuming on hard and soft floors, as well as for basic wet cleaning in combination with TASKI single disc machines for spillage cleaning, or day-to-day cleaning.



vacumat 22

| Code | |
|-------------|--------------------------------------|
| D8004270ANZ | 1 x TASKI vacumat 22 |
| D8504480 | 1 x Wet Kit |
| D7514888 | 1 x Disposable dust bag (pack of 10) |

Carpet Care Machines

TASKI® procarpet 45

TASKI procarpet 45 allows users to select the cleaning application that best fits their needs based on turnaround time and soil levels. The machine can be set-up for deep cleaning extraction for heavy soils or restorative type cleaning application and also be set-up for interim cleaning using our specifically formulated encapsulation chemical. Large 45L tank capacity reduces the number of refills.



procarpet 45

| Code | |
|-------------|--|
| D7522027ANZ | 1 x TASKI procarpet 45 |
| D7522972 | 1 x Encapsulation brush |
| D7522181 | 1 x Extraction brush |
| D8505160 | 1 x Accessory kit (wand/hose/floor tool) |



‘Deep cleaning through spray extraction is the ultimate way of thoroughly cleaning your carpets. It increases the lifetime of your carpets by removing ingrained dirt whilst maintaining the high appearance levels of your carpet.’



Diversey's purpose is to protect and care for people every day. Diversey has been, and always will be, a pioneer and facilitator for life. We constantly deliver revolutionary cleaning and hygiene technologies that provide total confidence to our customers across all of our global sectors, including: cleaning products, systems and services that efficiently integrate chemicals, machines and sustainability programs. This makes us unique among leading global hygiene and cleaning companies. Everything we do has our customers' needs at its heart and is based on the belief that cleaning and hygiene are life essentials. With over 95 years of expertise, we safeguard our customers' businesses, contributing to productivity improvements, lower total operating costs and brand protection. Diversey is head-quartered in Fort Mill, SC, USA. For more information, visit

www.diversey.com or follow us on social media.



Contact our Diversey customer service for further information:

P: 0800 803 615 customerservices.nz@diversey.com

24 Bancroft Cres, Glendene, Auckland 0602, NEW ZEALAND

diversey.com taski.com



*This product meets Green Seal™ Standard GS-37 based on effective performance, concentrated volume, minimized/ recycled packaging and protective limits on: VOCs and human & environmental toxicity.
GreenSeal.org

©2020 Diversey. All rights reserved.