



# TASKI®

## swingo 250 Micro

### Description

The TASKI swingo 250 Micro is a real breakthrough in floor cleaning excellence. The swingo 250 Micro is a brilliant replacement for mopping, delivering scrubber drier performance with the convenience, ease, and simplicity of a mop. Now everyone can achieve a professional floor cleaning result.

### Key features and Benefits

- More soilage removed for one pass cleaning
- More cleaning pressure for visibly cleaner floors
- Superior water pickup for safer floors
- Reduced labour for significantly reduced cleaning costs
- Significantly less water and chemical used for greater sustainability
- Safer and more ergonomic for less effort and fatigue
- Robust powerful battery and motor technology for performance and reduced TCO

**More effective cleaning results:** TASKI scrubber driers remove up to 5 times more soilage than mopping. A combination of increased cleaning pressure and superior water recovery means floors are visibly cleaner when compared to a mopped floor.

**Superior cleaning pressure:** Up to 10 times cleaning pressure means mechanical cleaning is far superior to manual cleaning. Powerful and efficient digital motors ensure the swingo 250 Micro quickly removes stubborn soilage in one pass. Test results show the use of Twister pads can improve results further and even restore neglected floors.

**Superior water pickup:** Even the best wet mopping systems leave an unsafe level of water residue. Wet floors mean high risk of slip fall. A powerful digital vacuum motor ensures up to 65% more soiled water is recovered. The swingo 250 Micro's curved squeegee ensures water is safely funnelled centrally and vacuumed efficiently leaving floors safely clean and dry.

**Reduction in cleaning costs:** Mopping is a tiring and labour intensive method. With labour over 80% of total cleaning costs, the swingo 250 Micro's time saving can reduce total cleaning costs by up to 80%.

**Water & chemical reduction:** The swingo 250 Micro's super efficient water distribution means that 6,500L of water and associated chemicals are saved every year. That's a 80% reduction compared to mopping. The swingo 250 Micro is not just a more efficient answer, it's also a more sustainable solution.

**Safer & more ergonomic:** With its safe parking position, low handle weight and convenient transport mode the swingo 250 Micro is so simple to use. The foot operated brush and squeegee levers means no bending over and the parking mode means the machine can be safely positioned if unattended.

**Robust powerful battery & motor technology:** With 2 x 80 mins batteries and just 1hr recharge time continuous cleaning is now a reality. NX-Li-Ion battery technology delivers 2,500 cycles and combined with the latest maintenance free digital motors the swingo 250 Micro will last longer and will have a lower total cost of ownership (TCO).



TASKI®


**TASKI®**

# swingo 250 Micro

## Specifications

Technical data			
Productivity (m <sup>2</sup> /hr)	1,320	Coverage per charge (m <sup>2</sup> )	2150
Working width (cm)	44	Nominal consumption (Watts)	500
Squeegee width (cm)	52	Rated voltage (V)	37v
Solution tank (L)	2.2	Brush rotation speed (rpm)	140
Recovery tank (L)	3	Pad pressure (g/cm <sup>2</sup> )	20.10
Solution flow (ml/min)	70-330	Machine weight empty w/out batteries (kg/lb)	21 / 46.3
Coverage per tank (maximum)	682 / 7,341	Machine weight empty with batteries & water (kg/lb)	25 / 55.1
Battery capacity/autonomy 1 battery (mins)	60-80	Dimensions (L x W x H mm)	450x520x1200
Battery capacity/autonomy 2 battery (mins)	160	Sound pressure level (dB(A))	≤68.5
Battery recharge time (hrs)	1 (80%)	Vibration Level ( m/s <sup>2</sup> )	HAV ≤2.5
Battery recharge time (hrs)	2 (100%)	Approvals	IPX3

*The above data is typical of normal production and should not be taken as a specification.*

Code	Product Name	Description	Availability
D7524889ANZ	TASKI Swingo 250 Micro ANZ	Kit includes the machine, NX Li-Ion battery 37V 8100m 8.1Ah (x2), NX Charger 100-240V/50/60Hz, Brush 225mm(x2)	ANZ
D7524889ANZ-KIT9	TASKI Swingo 250 Micro ANZ KIT 9	Kit includes the machine, NX Li-Ion battery 37V 8100m 8.1Ah (x2), NX Charger 100-240V/50/60Hz, Brush 225mm(x2), Disc drive 225mm (x2)	AU

## Accessories/Additional Tools

Code	Product Name	Availability
D7524891	NX Li-Ion battery 37V 8100m 8.1Ah	ANZ
D7524894	Disc drive 225mm	ANZ
D7524892ANZ	NX Charger 100-240V/50/60Hz	ANZ
D7524893	Brush 225mmx2	ANZ



Diversey™

**TASKI®**

## swingo 250 Micro

### Specifications

#### Technical data

Productivity (m <sup>2</sup> /hr)	1,320	Coverage per charge (m <sup>2</sup> )	2150
Working width (cm)	44	Nominal consumption (Watts)	500
Squeegee width (cm)	52	Rated voltage (V)	37v
Solution tank (L)	2.2	Brush rotation speed (rpm)	140
Recovery tank (L)	3	Pad pressure (g/cm <sup>2</sup> )	20.10
Solution flow (ml/min)	70-330	Machine weight empty w/out batteries (kg/lb)	21 / 46.3
Coverage per tank (maximum)	682 / 7,341	Machine weight empty with batteries & water (kg/lb)	25 / 55.1
Battery capacity/autonomy 1 battery (mins)	60-80	Dimensions (L x W x H mm)	450x520x1200
Battery capacity/autonomy 2 battery (mins)	160	Sound pressure level (dB(A))	≤68.5
Battery recharge time (hrs)	1 (80%)	Vibration Level ( m/s <sup>2</sup> )	HAV ≤2.5
Battery recharge time (hrs)	2 (100%)	Approvals	IPX3

*The above data is typical of normal production and should not be taken as a specification.*