

# Diversey

**TASKI®**

The ULTIMATE  
Cleaning Machines

## NEW ZEALAND TASKI Product Catalogue 2023



# The TASKI® Advantage

- Highly efficient and ergonomically designed
- Patented squeegee technology for excellent drying results
- Battery Management System with built-in-charger
- On-board Controlled Solution Dosing System- reduced water and chemical consumption
- Easy to operate and maintain

The TASKI logo consists of the word "TASKI" in a bold, white, sans-serif font, with a registered trademark symbol (®) to its upper right. It is set against a solid orange square background.

TASKI by Diversey offers integrated cleaning and hygiene solutions for floor care which provide a package of products, tools, training and service. From vacuum cleaners, single disc machines to auto scrubbers and robotic cleaners, TASKI provides an unparalleled level of performance across a range of applications.

TASKI's leading-edge machines clean effectively while reducing water, chemical and energy consumption. Our machines are incredibly durable and have undertaken some of the industry's most rigorous testing in the harshest of conditions.


TASKI- delivering cost-effective, superior results every time!



scan the code to  
link to our TASKI® app  
in the iTunes® store



scan the code to  
link to our website:  
**taski.com**





## Warranty

- Two years - single disc machines and scrubber driers on parts and labour
- One year - Vacuums and carpet cleaning machines

## Existing contracts/sites

- Advice on equipment – for best productivity, performance and cost in use
- Demonstration of equipment
- Training to ensure safe, effective and productive use
- Assistance with problem solving

## New contracts and mobilisation


- Working with sales/business development
- Surveying sites – survey to include: equipment type/volume/allocation
- Agree roll out procedures
- Support/train at start up
- Provide contract manuals, contact details and support material
- Custom made fleet management systems available via IntelliTrail®



The **ULTIMATE**  
Cleaning Machines™



**TASKI** procarpet 30



⚠ ATTENTION: Do not use the machine before you have read and understood the operating instructions!  
© 2018 Diversey, Inc. All Rights Reserved. 674/79 MASTER 03/18



[www.diversey.com](http://www.diversey.com)

## Support material

- User Guides
- Productivity guides
- Web based information visit:

**[diversey.co.nz](http://diversey.co.nz)**  
**[or taski.com](http://taski.com)**



## Product Catalogue

# Contents

<b>Vacuum Cleaners</b>	
TASKI Aero 8 Plus	6
TASKI Aero 15 Plus - RUN OUT	7
TASKI Jet 50	8
TASKI Aero 3500	9
TASKI Vacumat 22 -Wet Kit	10
<b>Carpet Care</b>	
TASKI Aquamat 10.1	12
TASKI Procarpet 45	13
Carpet Care Products	14
<b>Single Disc Machines</b>	
TASKI Ergodisc 400	16
TASKI Ergodisc Duo	17
<b>Auto Scrubber Driers</b>	
<b>COMING SOON ULTIMAXX</b>	19
TASKI Swingo 250 Micro	20
TASKI Swingo 350B	21
TASKI Swingo 455B BMS	22
TASKI Swingo 955B BMS	23
TASKI Swingo 1650B BMS	24
TASKI Swingo XP-R B BMS	25
TASKI Swingo 2100 B	26
TASKI Swingo 5000 B	27
<b>Accessories</b>	
Twister	29
TASKI IntelliTrail	31



# Diversey

**TASKI®**

The **ULTIMATE**  
Cleaning Machines



## Vacuum Cleaners



## TASKI® Vacuum Cleaners

### TASKI® Aero 8 Plus

#### Dry Tub Vacuum

Mains powered tub vacuum cleaner

#### Aero 8 Plus

CODE	
D7525322ANZ	1 x TASKI Aero 8 Plus
Machine comes with 1 fleece bag, exhaust filter, motor filter cloth and accessories kit	

#### Aero 8 Plus Optional Accessories

CODE	
D7524288	Disp. fleece bags 10pc
D7524289	Filter paper bags 10pc
D7524305	Disp. filter fleece (5 pack)
D7524822	HEPA microfilter (1 pack)
D7524303	exhaust filter pads (10 pack)
D7524299	crevice/dusting brush 32mm
D7524290	combi roller floor nozzle 32mm
D7524291	combi sliding nozzle 32mm
D7524292	combi ultra flat nozzle 32mm
D7524293	turbo vacuum brush
D7524295	telescopic tube 32mm
D7524297	suction hose 2.2m
D7524298	suction hose 4.5m

#### Advanced features in a unique combination

The TASKI AERO 8 PLUS offers a unique combination of features for unrivalled efficiency and ease of use. The combination of integrated cable winding, full dust bag indicator and eco mode guarantees highly productive and excellent cleaning in any environment and at any time of day. All these features are based on reliable tried and tested technologies.

#### Sustainable high-efficiency concept with Eco function

The TASKI AERO 8 PLUS tub vacuum cleaner is highly efficient with a 585W state-of-the-art vacuum motor, which delivers the same cleaning performance as vacuums with 900W or more. In addition, the TASKI AERO 8 PLUS has an eco button which reduces energy consumption to 295W. As a result, the vacuum cleaner saves significant amounts of energy and reduces CO<sub>2</sub> emissions without compromising on cleaning results at all.

#### Ultra-silent TASKI whisper technology

Thanks to an innovative and patented TASKI whisper technology system, the TASKI AERO 8 PLUS is extremely quiet. This low noise level means it can be operated in any environment at any time of day or night. With the eco-mode button, noise emissions can be reduced to a minimum, setting a new standard in professional cleaning.

#### Designed and tested according to operational best practice

The product is designed for very frequent professional cleaning in any environment. Every aspect of the product is based on an extensive customer and process evaluation with the aim of delivering the highest cleaning quality and best operating efficiency. In terms of ergonomic design, the TASKI AERO 8 PLUS is unmatched, with a foot pedal switch, two park positions and a high-quality user friendly accessories set as standard.



Technical data	
Canister capacity	13 L
Bag type (paper/fleece)	Both
Nominal consumption	585 W
Voltage	240 V
Weight with cable	7.7 kg
Sound level	53 dB(A) 50 dB(A)-(ECO)
Vacuum	17.41 kPa
Maximum air flow	33 L/sec
Filtration (stages)	3
Cable length	12.5 m
Hose length	2.2 m
Suction tubes	Metal telescopic
Floor tool width	280 mm
Dimensions	426 x 313 x 388 mm
Protection class	Class II
Microfilter (HEPA) option	YES
Approvals	CE Mark and Regulatory Compliance Mark



# Stock on RUN OUT

**TASKI®** Vacuum  
Cleaners

## TASKI® Aero 15 PLUS

### Dry Tub Vacuum

Mains powered tub vacuum cleaner

#### Aero 15 Plus

CODE	
D7524250ANZ	1 x TASKI Aero 15 Plus
	1 x Disposable fleece dust bag
	1 x Tube telescopic
	1 x Motor pre filter cloth
	1 x Exhaust filter cassette
	1 x Angled tub plastic

#### Aero 15 Plus Optional Accessories

CODE	
D7524290	Roller nozzle
D7524291	Sliding nozzle
D7524292	Flat hard floor nozzle
D7524295	Telescopic tube
D7524297	Suction hose
D7524304	HEPA H13
D7524288	Fleece bag
D7524289	Paper bag
D7524305	Filter fleece (5 piece)
D7524299	Acc. Kit

#### TASKI AERO 15 PLUS brings you:

- Sustainable high-efficiency concept with Eco function which reduces energy and sound levels when activated
- Ultra-silent TASKI whisper technology

#### Compact and robust TASKI design

The functional, compact and robust design allows for storage in small spaces or cupboards. The integrated ergonomic handle also makes it very easy to carry and provides a simple and convenient manual cable tidy.

#### Sustainable high-efficiency concept

The new TASKI AERO tub vacuum cleaners are highly efficient and use a 585W state-of-the-art vacuum motor, which delivers the same cleaning performance as vacuums with 900W or more. This is achieved through an ingenious airflow system. As a result, the vacuum cleaner saves significant amounts of energy and reduces CO<sub>2</sub> emissions without compromising on cleaning results in any way.

#### Ultra-silent TASKI whisper technology

Thanks to the innovative and patented TASKI whisper technology, the TASKI AERO is extremely quiet. This low noise level means it can be operated in any environment, any time, day or night. Eco-button function reduces sound by 3db.



Technical data	
Canister capacity	15 L
Bag type (paper/fleece)	Both
Nominal consumption	585 W
Voltage	240 V
Weight with cable	8 kg
Sound level	53 dB(A) 50 dB(A)-(ECO)
Vacuum	17.41 kPa
Maximum air flow	33 L/sec
Filtration (stages)	3
Cable length	12.5 m
Hose length	2.2 m
Suction tubes	Metal telescopic
Floor tool width	280 mm
Dimensions	426 x 313 x 425 mm
Protection class	Class II
Microfilter (HEPA) option	YES
Approvals	CE





**Vacuum  
Cleaners**



## TASKI® Jet 50

### Upright Vacuums

Mains powered professional upright vacuum cleaner

#### Jet 50

CODE	
D7516256ANZ	1 x TASKI jet 50 (50 cm width)
D8502160	1 x Disposable paper dust bag
(Included)	1 x Dust brush nozzle
(Included)	1 x Crevice

#### Jet 50 Optional Accessories

CODE	
D6136419	Jet 38 & 50 reusable cloth bag (ea.)
D8502160	Double filter paper dust bag (pk of 10)
D8505180	HEPA filter

### Power and efficiency

The dual motor system of TASKI Jet 50 provides excellent air flow while the high speed brushes mechanically remove dirt within the fibres of the carpet. This delivers a superior cleaning result and enhanced appearance of the clean floor. The machine is lightweight and easily manoeuvrable which allows a very productive and ergonomic cleaning operation.

### Versatility

The TASKI Jet 50 can be used in a horizontal position to clean underneath beds and furniture. Thanks to its flexible hose, a telescopic tube and a crevice/dusting nozzle it can also be used in areas above the floor. The brush height is easily adjustable for efficient vacuuming on different types of carpet.

### Improved air quality

The TASKI Jet 50 utilises a modern 5-stage filtration system consisting of double filter paper dust bag, washable filter, exhaust air filter and carbon brush filter. An optional HEPA-filter is also available.

### Easy and ergonomic transportation

The TASKI Jet 50 are very operator friendly due to the robust and ergonomic handle which is also height adjustable in two positions. The compact design, lightweight and ergonomically designed carrying handle allows easy transportation from room to room and over steps or stairs.



Technical data	
Working width	50 cm
Dust bag capacity	4 L, dry
Weight with cable	8.3 kg
Sound level	69 dB(A)
Nominal consumption	920 W
Vacuum	16 kPa
Maximum air flow	45 L/s
Dimensions (L x W x H)	260 x 500 x 1200 mm
Cable length	10 m
Brush speed	4500 rpm
Brush adjustment	variable 1-10 mm
Filtration	5-stage
Protection class	Class II
Approvals	CE/CB Test cert./ NEMKO/cETLus





## TASKI® Vacuum Cleaners

### TASKI® Aero 3500

#### Ride on Vacuum

Battery powered ride on vacuum and sweeping for hard floors

##### Aero 3500

CODE	
D7524870ANZ	1 x TASKI Aero 3500 with brushes
D7524877	2 x Roller Brushes
D7524878	1 x Side Broom
D7524872	1 x Fleece Bag
D7524879	1 x Exhaust Filter and Filer Cloth, 1 x Accessory Kit including floor nozzle, hand nozzle and telescopic tube
D7514962	4 x Battery Traction 6V

##### Aero 3500 Optional Accessories

CODE	
D7524874	MopBox Support AERO 3500
D7524875	ToolHolder Base AERO 3500
D7524872	Fleece bag AERO 3500 10 pc
D7524873	HEPA Filter H13 AERO 3500
D7524877	Rollerbrush AERO 3500 1pc
D7524878	Side broom AERO 3500 1pc
D7524879	Exhaust Filter AERO 3500 5pc

TASKI AERO 3500 Micro facilitates both vacuuming and sweeping for hard or soft floors. It delivers unmatched productivity and excellent cleaning results.

- Unmatched productivity with great cleaning results
- TASKI whisper technology and improved air quality
- Versatile machine for different floor types

##### Unmatched productivity with great cleaning results

Two counter rotating cylinder brushes work in combination with an efficient brushless vacuum turbine to collect fine dust and bigger debris at the same time. Bigger debris is collected in the hopper and fine dust goes to the dust bag. The digital motor is highly efficient and thus increases the autonomy of the machine. Furthermore, there is no wear and tear on the motor, drastically improving its expected lifespan.

The brushes can be easily adjusted with the press of a button to ensure the best cleaning results on soft and hard floors.

##### TASKI whisper technology and improved air quality

High quality filtration in combination with the unique airflow design based on the TASKI whisper patent guarantees best air quality and low noise emissions. Optional HEPA H13 filter available for best air quality.

##### Versatile machine for different floor types

The machine has an active seating concept allowing fast hop on/off. It comes with hand tool accessories that allows manual cleaning in small areas in a 3-6m radius around the machine. The seat and steering wheel are height adjustable and enable an ergonomic use of the machine.



Technical data	
Productivity rate (theoretical)	3575 m2/h
Productivity with single battery	12'100 m2
Cylindrical brush working width	50 cm
Side brush working width	65 cm
Cleaning speed	< 5.5 km/h
Side broom offset	10 cm
Turning radius	1.80 m
Outer dimensions	138 x 58 x 128 cm
Dust bag capacity	15 l
Debris hopper capacity	3 l
Operating time	<4 h
Brush system	double cylindrical brush
HEPA filtration	optional H13
Sound pressure level (db(A))	68
Hand tool for manual vacuuming	2 m hose
Tool holder	available as option



**Vacuum  
Cleaners**



## TASKI® Vacumat 22

### Wet Tub Vacuum

Mains powered wet and dry tub vacuum cleaner

#### Vacumat 22

CODE	
D8004270ANZ	1 x TASKI vacumat 22
D8504480	1 x Wet kit

#### Vacumat 22 Optional Accessories

CODE	
D8504480	Wet kit

#### True versatility

Due to a large variety of options the vacuum cleaner can be used for basic cleaning in combination with TASKI single disc machines; spillage cleaning or day to day cleaning.

#### Increased productivity

High suction power combined with excellent manoeuvrability and large container capacity increase the efficiency of operation.

#### Robustness and durability

A specially designed mechanical float system with a dual filter guarantees double protection of the motor unit and significantly prolonged service life. The canister which is resistant to shocks and chemicals ensures high durability.



Technical data	
Container capacity: wet	22L
Container capacity: dry	28L
Container volume	45L
Weight with cable	10.5 kg
Sound level	64 dB(A)
Nominal consumption	1000 W
Vacuum	22 kPa
Maximum air flow	60 L/s
Dimensions (L x W x H)	390 x 630 x 440 mm
Cable length	10 m
Suction hose length	2.2 m
Castors	5
Castor diameter	50 mm
Protection class	Class II
Approvals	CE/CB Test cert./CSA

# Diversey

**TASKI®**

The **ULTIMATE**  
Cleaning Machines



## Carpet Care Machines





**Carpet  
Care**

## TASKI® aquamat 10.1

### Spray Extraction

Compact spray extraction machine

#### aquamat 10.1

CODE	
D8003300ANZ	1 x TASKI aquamat 10.1
D8505140	1 x Accessory kit (wand/hose/floor tool)

#### aquamat 10.1 Optional Accessories

CODE	
D8505140	Accessory kit (hose, wand, floor tool)
D8505150	Upholstery nozzle 12 cm (optional)

#### Excellent deep cleaning results

Deep cleaning through spray extraction is the ultimate way of thoroughly cleaning your carpets. It increases the lifetime of your carpets by removing engrained dirt whilst maintaining high appearance levels of your carpet.

#### Quick and effective spot cleaning

Keep this machine at hand to tackle any accidents. Together with the optional hand tool accessory and professional stain removal products, disruptions are minimised and efficiently cleaned.

#### Ease of transportation

Due to its modular design, lightweight and compact size, the TASKI aquamat 10.1 can easily be transported between locations.

#### Complete range of accessories

The spray device can be used to pre-spray carpet detergent before deep cleaning, maximising cleaning results. The optional 12 cm hand nozzle facilitates deep cleaning of upholstery, stairs and other hard to reach areas. The carpet pile brush lifts the carpet fibres and gives the entire surface a uniform, even appearance and reduces drying time.



Technical data	
Solution tank	10 L
Recovery tank	10 L
Maximum air flow	41 L/s
Vacuum	18 kPa
Dimensions (L x W x H)	380 x 380 x 600 mm
Weight	12 kg
Nominal consumption	900 W
Sound level	66 dB(A)
Cable length	10 m
Protection class	Class II
Approvals	CE/CB Test cert./ÖVE/SEV





## TASKI® Procarpet 45

### Encapsulation and Extraction

Dual technology carpet cleaning machine

#### Procarpet 45

CODE	
D7522027ANZ	1 x TASKI procarpet 45
D7522972	1 x Encapsulation brush
D7522181	1 x Extraction brush
D8505160	1 x Accessory kit (wand/hose/floor tool)

#### Procarpet 45 Optional Accessories

CODE	
D7522972	procarpet 45 Encapsulation brush (1 each)
D7522181	procarpet 45 Extraction brush (1 each)
D8505150	Upholstery nozzle 12 cm (optional)
D8505160	Accessory kit

#### Reliability and high performance

TASKI Procarpet 45 has been designed with the reliability found on all our floor care machines. TASKI has developed this machine using our expertise in vacuum pick-up and chemical application to design a high performance carpet cleaning with excellent results.

#### Flexible application

TASKI Procarpet 45 allows users to select the cleaning application that best fits their needs based on turnaround time and soil levels. The machine can be set-up for deep cleaning extraction for heavy soils or restorative type cleaning application and also be set-up for interim cleaning using our specifically formulated encapsulation chemical.

#### Lower total cost of ownership

The machine allows customers to control all carpet cleaning activities and select the application that best fits their needs. Utilising interim cleaning will help to extend the time between deep cleaning activities keeping carpets looking better longer without extended dry times.

#### Simple and easy to use

The machine can be changed from deep extraction to interim clean simply by changing the chemicals and flipping a switch. Using the machine in a push or pull motion allowing the end user flexibility in their application. A large variety of accessories allows covering added cleaning tasks.



Technical data	
Productivity (extraction)	300 m <sup>2</sup> /hr
Productivity (encapsulation)	445 m <sup>2</sup> /hr
Working width	45 cm
Solution tank	45 L
Recovery tank	45 L
Cord length	15 m
Rated voltage	230V/50 Hz
Dimensions (L x W x H)	820 x 560 x 860 mm
Machine Weight (empty)	55 kg
Sound level	<70 dB(A)
Brush motor	650 W
Vacuum motor	1000 W
Brush speed	1000 rpm
Brush pressure	10-17 kg



## Carpet Care



### Carpet Care Selection Guide

Product	Description	Wool	Synthetic
TASKI® Tapi Extract*	Extraction cleaner, carpets and upholstery	x	x
TASKI® Tapi Shampoo*	Shampoo for intermediate cleaning of carpet and upholstery	x	x
General Purpose Spotter	Stain remover	x	x
TASKI® Tapi Gum	Removes chewing gum on carpets and upholstery.	x	x
TASKI® Jontec Best**	Heavy duty cleaner		x

Always test material/product compatibility in a small inconspicuous place before using any cleaning/maintenance product.

TASKI® Tapi products are WoolSafe Certified

\*Incorporates Odour Neutralising Technology (ONT) for effective malodour neutralisation and long lasting, fresh fragrance.

\*\* may be used as an alternative to Taski® Tapi Shampoo for heavy soiling.



TASKI® Tapi Extract	Pack size	Code
Carpet and upholstery cleaner for extraction cleaning of carpets and upholstery. Incorporates Odour Neutralising Technology (ONT) for effective malodour neutralisation and long lasting, fresh fragrance. WoolSafe approved.	2x5L	101100322



TASKI® Tapi Gum	Pack size	Code
Aerosol freeze spray for chewing gum removal. Removes chewing gum on carpets and upholstery.	6x500ml	100835156



TASKI® Tapi Shampoo	Pack size	Code
Carpet shampoo for the intermediate cleaning of carpet and upholstery. Incorporates the Odour Neutralising Technology (ONT) for effective malodour neutralisation and long lasting fragrance. WoolSafe approved.	2x5L	101100200



General Purpose Spotter	Pack size	Code
Removes tough stains, protects against resoiling and deodorises carpets.	6x946ml	904192

# Diversey

**TASKI®**

The **ULTIMATE**  
Cleaning Machines



## Single Disc Machines





## Single Disc Machines

### TASKI® Ergodisc 400

#### Single Disc Machine

High speed single disc machine –  
for cost efficient high speed cleaning

#### Ergodisc 400

CODE	
D8003890ANZ	1 x TASKI ergodisc 400
D7510030	1 x High speed driving disc
D7515786	1 x Suction skirt 43 cm

#### Ergodisc 400 Optional Accessories

CODE	
D7510030	High speed driving disc
D7515786	Suction skirt 43 cm

#### Improved Ergonomics

Better working conditions improve productivity through features such as: anatomically formed grip, adjustable handle bar height, low vibration level, low noise level and soft start characteristics.

#### Safe Working Environment

Creates a safer working environment by providing hand protection due to closed handle, electrical safety due to double insulation and double safety lock for better protection.

#### Simplicity

Ease of use results in improved efficiency through training and operation, attaching accessories with no tools required, easy storage/transport enabled by a foldable handle and movable weight.

#### Versatility

Multi-purpose, cost efficient machine which is adaptable to many different cleaning tasks and offers a full range of accessories.



Technical data	
Working width	43 cm
Speed	400 rpm
Weight	34 kg
Engine height	38 cm
Nominal consumption	1100 W
Voltages available	230 V/50 Hz
Cable length	15 m
Sound level	57 dB(A)
Protection class	Class II
Approvals	CE/CB Test Cert./ÖVE/SEV





## Single Disc Machines

### TASKI® ergodisc Duo

## Mains Powered Multi-speed Single Disc Machine

Ultra-high-speed burnisher

#### ergodisc Duo Kit

CODE	
D8004020ANZ	1 x TASKI ergodisc duo

#### ergodisc Duo Optional Accessories

CODE	
D8504410	Driving disc 43 cm, standard

#### Powerful Machine

The ergodisc duo is a multi-speed single disc machine and offers the advantages of two powerful machines in one. It can be used for several cleaning tasks like wet scrubbing, stripping, buffing, spray cleaning, shampooing, wood treatment, crystallisation and grinding.

#### Foam generator

The foam generator, with integrated compressor, allows economic dry foam carpet cleaning. A short drying time allows fast re-use of the area.

#### Vacuum unit and suction skirt

The combination of vacuum unit and suction skirt is an ideal solution to prevent dust emission into the air. During spray cleaning, the skirt also acts as a splash protector.

#### Water tank

The best accessory for wet scrubbing and deep cleaning. The tank fits perfectly onto the machine and has a big opening for easy filling.

#### Robustness

TASKI ergodisc is an innovative range of single disc machines. The use of high-tech materials creates robust, shock absorbing machines with an extended lifetime and low service costs.



Technical data	
Working width	43 cm
Speed	165/330 rpm
Weight	48 kg
Engine height	42.5 cm
Nominal consumption	1100 W
Voltages available	230V/50Hz
Cable length	15 m
Sound level	57 dB(A)
Protection class	Class II
Approvals	CE/CB Test Cert./SEV

# Diversey



**TASKI®**

## Auto Scrubber Driers



- Walk behind auto scrubbers
- Stand-on auto scrubbers
- Ride-on auto scrubbers



# LAUNCHING SOON!

TASKI®

# ULTIMAXX



A cleaning machine that is as unique and flexible as your business!

Driven by smart and intelligent technological advances, the **ULTIMAXX 1900** scrubber is the first model of the range and sets a new benchmark for walk-behind scrubber dryers.

**"Click in" Modular brush system**



**IntelliTouch**

Multi touch interface makes planning and analysing your daily clean planning and analysing your daily clean



**IntelliZone**

Allows users to switch on and go. Predefined, user-assigned, cleaning methods and parameters




**Whisper Quiet**

Cutting-edge technology delivers low sound, less than 60db(A)




**IntelliDose**

Patented dosing system delivers operational efficiencies exceeding **40%**




**IntelliFlow**

Reduce water consumption by as much as **76%**



**IntelliScrub**

Dynamically adjust brush pressure to extend battery autonomy time by more than **40%**



**IntelliTrail & IntelliPredict**

Deliver savings of up to **25%** in service and downtime costs.



**IntelliKey**

NFC technology to control access and the rights of individual users





## Auto Scrubber Driers

# TASKI® swingo 250 Micro

## Battery Powered (Lithium Ion) Small

Ultra-compact automatic walk behind Scrubber Drier

### swingo 250 Micro

CODE	
D7524889ANZ	1 x TASKI Swingo 250 Micro
D7524891	2 x Li-ion battery
D7524892ANZ	1 x External charger
D7524894	2 x Disc drive disc 225mm
D7524893	2 x Standard scrubbing brush 225mm

### Performance

More effective cleaning results TASKI scrubber driers remove up to 5 times more soilage than mopping. A combination of increased cleaning pressure and superior water recovery means floors are visibly cleaner when compared to a mopped floor.

### Superior cleaning pressure

Up to 10 times cleaning pressure means mechanical cleaning is far superior to manual cleaning. Powerful and efficient digital motors ensure the swingo 250 Micro quickly removes stubborn soilage in one pass.

Test results show the use of Twister pads can improve results further and even restore neglected floors.

### Superior water pickup

Even the best wet mopping systems leave an unsafe level of water residue. Wet floors mean high risk of slip fall. A powerful digital vacuum motor ensures up to 65% more soiled water is recovered. The swingo 250 Micro's curved squeegee ensures water is safely funnelled centrally and vacuumed efficiently leaving floors safely clean and dry.

### Reduction in cleaning costs

Mopping is a tiring and labour intensive method. With labour over 80% of total cleaning costs, the swingo 250 Micro's time saving can reduce total cleaning costs by up to 80%.

### Water & chemical reduction

The swingo 250 Micro's super efficient water distribution means that 6,500L of water and associated chemicals are saved every year. That's a 80% reduction compared to mopping. The swingo 250 Micro is not just a more efficient answer, it's also a more sustainable solution.

### Robust powerful battery & motor technology:

With 2 x 80 mins batteries and just 1hr recharge time continuous cleaning is now a reality. NX-Li-Ion battery technology delivers 2,500 cycles and combined with the latest maintenance free digital motors the swingo 250 Micro will last longer and will have a lower total cost of ownership (TCO).



Technical data	
Productivity	1,320 m2/hr
Working width	44 cm
Squeegee width	52 mm
Solution tank	2.2 L
Recovery tank	3 L
Nominal consumption	1,100 W
Solution flow (ml/min)	70-330
Coverage per tank (maximum)	682 / 7,341
Battery capacity/autonomy 2 battery (mins)	160
Battery recharge time (hrs)	1 (80%)
Battery recharge time (hrs) 2	(100%)
Coverage per charge	(m2) 2150
Nominal consumption	500 W
Rated voltage	37v
Machine weight ready for use	25 kg
Dimensions	L x W x H) 450x520x1200
Brush rotation speed (rpm)	140
Pad pressure (g/cm2)	20.10
Sound pressure level (dB(A))	≤68.5
Vibration Level ( m/s2) HAV	≤2.5
Approvals	IPX3
Cord length	25m





## Auto Scrubber Driers

# TASKI® Swingo 350B

## Battery Powered (Lithium Ion) Cylindrical Scrubber Drier

Ultra-compact automatic walk behind

### Swingo 350B

CODE	
D7516860ANZ	1 x TASKI swingo 350B
D7523988	1 x Li-ion (Lithium Ion) battery
D7516863	1 x Cylindrical brush standard

### Swingo 350B Optional Accessories

CODE	
D7516863	Cylindrical brush standard 38 cm
D7516864	Cylindrical brush hard 38cm
D7523988	Li-ion (Lithium Ion) battery (1 required)



### Accessibility in confined areas

Due to the very low height of the machine body and the handle which can be folded backwards the machine can reach under obstacles such as tables or racks. The roller brush, which is offset to the side, allows edge-close cleaning as well as access to corners. The wiping blade in front of the brush helps to remove the cleaning solution also when moving the machine backwards.

### Cleaning and drying effectiveness

Compared to manual cleaning the machine delivers significantly higher hygiene levels and improves the floor appearance as well as consistency of result. This is achieved through maximum scrubbing action and the innovative V-shaped squeegee which leads to excellent drying results, even on difficult floors such.

### Safety and simplicity

Due to the system's perfect drying results the risk of slip-falls caused by wet floors is reduced to the minimum. This makes TASKI Swingo 350E/B the perfect solution for use in day-time operations, even in high traffic areas. The ergonomically designed, height adjustable handle with hand protection allows for the safe and comfortable use of the machine.

### Reliability and robustness

The machine is very robust and durable and can withstand even the toughest cleaning tasks, making it one of the most reliable machines of its type in the marketplace today.

Technical data	350B
Theoretical performance	1140 m <sup>2</sup> /h (12,271 ft <sup>2</sup> /h)
Working width	380 mm
Squeegee width	555 mm
Solution tank	10 L
Recovery tank	10 L
Nominal consumption	1100 W
Rated voltage	24 V
Battery autonomy (nominal)	45 minutes
Machine weight ready for use	67 kg
Dimensions (L x W x H)	790 x 450 x 430 mm
Brush system	Roller brush
Brush pressure	Maximum 17 kg
Cable length of integrated battery charger	3 m
Electrical protection class (bms/non-bms)	Class II
Approvals	CE/CB Test cert.
Cord length	N/A



## **TASKI®** Auto Scrubber Driers

### **TASKI® Swingo 455B**

## Battery Powered Medium Scrubber Drier

Medium battery powered walk behind  
scrubber drier

#### **Swingo 455B**

CODE	
D7518367ANZ	1 x TASKI Swingo 455B BMS
D8505540	2 x Battery traction 12V, 50Ah
D8504750	1 x Standard scrubbing brush 43 cm
D7510829	1 x Pad drive harpoon grip 43 cm

#### **Swingo 455B Optional Accessories**

CODE	
D7510829	Pad drive harpoon grip 43 cm
D8504750	Scrubbing brush standard 43 cm
D8504800	Scrubbing brush washed concr. 43 cm
D8504780	Scrubbing brush abrasive 43 cm
D8505540	Battery traction 12V 50Ah (2 req'd)

#### **Performance**

Winning is all about performance and the TASKI Swingo 455 B BMS has it all. Great results are achieved through the brush following the floor's profile and this, combined with a u-shaped squeegee and direct suction set-up ensure all dirt is removed from the floor. Performance is also about pace and the TASKI Swingo 455 B BMS is incredibly easy to handle due to its dual-axle system.

#### **Simplicity and ergonomic**

Keeping things simple and comfortable makes life easier and the TASKI Swingo 455B BMS can help. With its intuitive controls, operator training is reduced to a minimum. The incorporation of a proven and ergonomically designed handle and dual-axle system ensure that the machine is comfortable to use and easy to control, thus reducing operator fatigue.

#### **Easy maintenance**

Colour coded yellow maintenance points mean easy training and reduced downtime. The incorporation of an easy to remove recovery tank makes the TASKI Swingo 455 B BMS simple to use and keep clean. Fewer parts to maintain and easy accessibility make the machine extremely service friendly.



Technical data	
Theoretical performance	1290 m <sup>2</sup> /h
Working width	43 mm
Squeegee width	69 mm
Solution tank (nominal)	25 L
Recovery tank (nominal)	22 L
Nominal consumption	900 W
Rated voltage	24 V
Battery capacity	50 Ah/C5
Battery autonomy (nominal)	1.5 hours
Machine weight ready for use	120 kg
Dimensions (L x W x H) (machine only)	1100 x 480 x 920 mm
Brush pressure	32 kg
Sound level	68 dB(A)



## Auto Scrubber Driers

### TASKI® Swingo 955B

## Battery Powered Medium Scrubber Drier

Medium battery powered walk behind

### Swingo 955B

CODE	
D7523531ANZ	1 x Taski Intellidose Swingo 955
D7510634	2 x Driving disc 28 cm
D7519395	2 x Standard scrubbing brush 28 cm
D8505550	2 x Battery traction 12V

### Swingo 955B Optional Accessories

CODE	
D7510634	Driving disc 28 cm
D7519395	Scrubbing brush nylon Standard 28 cm
D8505550	Battery traction 12V

### Agility and highest cleaning performance

The Swingo 955 B is very easy to handle, the dual-axle system allows turning on the spot and offers maximum agility and manoeuvrability for use in confined and tightly congested areas. The brush unit with the 2 brushes gives unbeaten cleaning performance and efficiency, especially when picking up of debris. The brush unit is off set to the right allowing for easy cleaning along walls and shelves.

### Lowest total cost of ownership

The small size of the machine makes it agile and easy to handle. This, combined with its wide working width means time savings can be made during cleaning operations. This and the low investment cost mean very low total cost of ownership for you.

### Excellent cleaning and drying results

The machine's patented brush follows the floor profile and delivers nearly even pressure allocation along the full working width, which leads to excellent soil removal. The patented V-shaped squeegee enables excellent water pick-up on the floor. The proven three wheel concept means squeegee adjustments are no longer needed.

### Simple to use and easy maintenance

All components needing frequent maintenance are colour-coded in yellow and can be removed easily without tools. The dashboard is self explanatory and displays all relevant information. These features allow trouble-free operation and require minimum operator training.



Technical data	
Theoretical performance	2475 m <sup>2</sup> /h
Working width	55 cm
Squeegee width	80 cm
Solution tank (nominal)	40 L
Recovery tank (nominal)	40 L
Nominal consumption	1000 W
Rated voltage	24 V
Battery capacity	70 Ah/CE
Battery autonomy (nominal)	2 hours
Machine weight ready for use	179 kg
Dimensions (L x W x H)	1180 x 600 x 1150 mm
Brush system	2 x 28 cm
Brush pressure	40kg
Working speed	4.5 km/h
Sound level	<70 dB(A)





## Auto Scrubber Driers

### TASKI® Swingo 1650B

## Battery Powered Large Scrubber Drier

Large battery powered walk behind

### Swingo 1650B

CODE	
D7515891ANZ	1 x TASKI swingo 1650B BMS
D7514962	4 x Battery traction 6V, 180Ah
D7515516	2 x Standard scrubbing brush 33 cm
D7515515	2 x Pad drive harpoon grip 33 cm

### Swingo 1650B Optional Accessories

CODE	
D7515515	Pad drive harpoon grip 33 cm
D7515516	Scrubbing brush standard 33 cm
D7514962	Battery traction 6V, 175Ah
D7523390	TASKI IntelliTrail hardware
D4131644	Retro fit kit intelliTrail 1650



### Increased working autonomy

The large 85 L tank and the highly efficient IntelliFlow-system reduce water consumption by up to 40%. Clean up to 2,500m<sup>2</sup> without time-consuming tank filling stops. Reduced energy consumption and high capacity batteries allow a run time of more than four hours before re-charging.

### Excellent results and immediately dry floors

The brushes perfectly follow the floor profile, delivering ideal soil removal. Thanks to the patented W-shaped squeegee design with dual direct suction lines, the machine delivers best-in-class drying result. The machine can be used at any time of the day, while reducing the potential risk of slip-fall accidents caused by wet floors.

### Simplicity and ergonomics

With excellent ergonomics and simple, intuitive controls, the machine reduces operator fatigue and minimises training needs.

### Easy maintenance

All components needing frequent cleaning/maintenance are colour-coded in yellow and can be easily removed within seconds without tools. This makes maintaining the machine self-explanatory and easy – which ensures always best cleaning results and extended machine lifetime.

Technical data	
Practical performance	1650 m <sup>2</sup> /h
Theoretical performance	2925 m <sup>2</sup> /h
Working width	65cm
Squeegee width	95 cm
Solution tank (nominal)	85 L
Recovery tank (nominal)	85 L
Nominal consumption	1200 W
Rated voltage	24 V
Battery capacity	180 Ah/C5
Battery autonomy (nominal)	Over 4 hrs
Machine weight ready for use	330 kg
Dimensions (L x W x H)	1540 x 600 x 1180 mm
Brush system	2x33 m
Brush pressure (with/without wheel drive)	0.32 N/cm <sup>2</sup>
Working speed	4.5 km/h
Maximum ramp	2.0%
Sound level	62 dB(A)
Electrical protection class	Class II/III
Approvals	CE/CB Test cert.





## Auto Scrubber Driers

### TASKI® Swingo XP-R B

## Battery Powered Stand on Scrubber Drier

Large battery powered stand on

#### Swingo XP-R

CODE	
D7523416ANZ	1 x TASKI Swingo XP-R B BMS
D7514962	4 x Battery traction 6V, 180Ah
D7522221	2 x Standard scrubbing brush 38 cm
D7522220	2 x Pad drive harpoon grip 38 cm

#### Swingo XP-R Optional Accessories

CODE	
D7514962	Battery traction 6V, 180Ah
D7522220	Pad drive harpoon grip 38 cm
D7522221	Standard scrubbing brush 38 cm
D7523390	TASKI intelliTrail hardware
D7516242	TASK intelliDose XP-R



#### Productivity Extended

The TASKI Swingo XP-R is a battery operated scrubber driers which performs with unsurpassed agility offering the manoeuvrability of a much smaller machine and unbeatable cleaning performance. With total 360 degrees visibility around the machine and a larger solution tank both lead to increased productivity up to 10%.

#### Next Generation Technology

Next generation electronics and software providing best-in-class driving experience. The XP-R is compatible with TASKI intelliTrail intelligent GPS fleet tracking system. It's rugged, ergonomic design maintains a professional image.

#### Ease of Maintenance and Safety

Yellow maintenance points for easy everyday maintenance and automatic cut out if operator steps off machine leads to excellent cleaning and drying results for safe floors.

#### Direct Savings

Reduced water and energy consumption compared to standard scrubbers. TASKI Swingo XP-R is engineered for sustainability through conservative use of water, chemicals and energy use.

Technical data	
Theoretical performance	4,500 m <sup>2</sup> /h
Working width	75 cm
Squeegee width	95 cm
Solution tank (nominal)	113 L
Recovery tank (nominal)	140 L
Rated voltage	24 V
Battery capacity	180 Ah/C5
Battery autonomy (nominal)	3.25 hours
Machine weight ready for use w/240Ah batteries, 75 kg driver	452 kg
Dimensions (L x W x H) (height above driver's seat)	1310 x 950 x 1300 mm
Door pass through width	80 cm
Brush system	2 x 38 cm
Brush pressure	0.13 - 0.25 N/cm <sup>2</sup>
Cleaning speed/ transportation speed	6 km/h
Sound level	69 dB(A)



## Auto Scrubber Driers

### TASKI® swingo 2100 Micro B

### Battery Powered Ride on Scrubber Drier

Medium battery powered ride on

#### swingo 2100 micro B

CODE	
D7523421ANZ	1 x TASKI swingo 2100 micro B BMS
D7514962	4 x Battery traction 6V, 180Ah
D7519395	2 x Standard scrubbing brush 28 cm

#### swingo 2100 micro B Optional Accessories

CODE	
D7514962	Battery traction 6V 180Ah (4 req'd)
D7519395	Scrubbing brush standard 28 cm
D7510634	Pad drive harpoon grip 28 cm
D7523390	TASKI intelliTrail hardware
D7523412	TASKI intelliDose 2100 Mirco



#### Unrivalled performance

The new TASKI swingo 2100micro offers unrivalled performance, benefiting from the combination of speed, small footprint, agility and large tank size. A totally new design of offset cleaning function allows reduction of manual work and seamless cleaning in large and small areas with the highest possible cleaning result and supporting a low total cost of ownership. The small footprint of the machine allows fitting into all common elevators enabling the opportunity to use the machine on all floors of a site.

#### Advanced design

Performance has only real value when safety is not compromised. TASKI swingo 2100micro combines great overview, ergonomic working and high safety standards, benefiting from a protective tank design, active sitting concept and many other safety features. Simple and efficient machine preparation and maintenance increases operational efficiency and reduces need for time consuming operator training.

#### Intelligent total solution

TASKI swingo 2100micro revolutionises today's cleaning process and improves your operational efficiency. The combination of a large variety of options, accessories and tools (TASKI IntelliDose, TASKI IntelliTrail, TASKI AquaStop, Tool Holder concept) allows individual adaptation to your needs, helping you achieve improvement of your total cost of ownership.

Technical data	
Theoretical performance	3,025m <sup>2</sup> /h
Working width	55 cm
Squeegee width	63 cm
Solution tank (nominal)	75L
Recovery tank (nominal)	75L
Nominal consumption	1,440W
Rated voltage	24 V
Battery autonomy (nominal)	<4 hours
Machine weight ready for use	380 kg
Dimensions (L x W x H)	1380 x 580 x 1280mm
Brush system	2 x 28 cm
Brush pressure	0.45 N/cm <sup>2</sup>
Working speed	5.5 km/h
Sound level	70 dB(A)
Electrical protection class	Class II
Approvals	GS/CB





## Auto Scrubber Driers

# TASKI® swingo 5000B Battery Powered Ride on Scrubber Drier

Large battery powered ride on

swingo 5000

CODE	
D7519000ANZ	1 x TASKI Swingo 5000B
D6023553	1 x Swingo 5000 external battery charger
D6023561	1 x Swingo 5000 battery tray
D7519395	4 x Standard scrubbing brush 28 cm

## swingo 5000 Optional Accessories

CODE	
D7519395	Scrubbing brush standard 28 cm (4 req'd)
D6023561	Swingo 5000 battery with tray, cables & plugs
D6023553	Swingo 5000 external battery charger
D7523390	TASKI IntelliTrail hardware
D4131647	Retro fit kit intelliTrail 5000



### Unmatched productivity

The patented Intelliflow system ensures always the right amount of cleaning solution on the floor and leads to significant water savings.

These, in combination with the large 200 L tank and a high cleaning speed of 7.5 Km/h radically increase productivity and reduce the number of time-consuming tank filling stops.

### Powerful cleaning and drying results

The new and patented W-shaped squeegee follows the floor profile and allows perfect water pick-up even in curves, while turning and on uneven or structured floors. Special squeegee blades and a direct suction line allow pick-up of small debris without clogging. This results in both exceptional cleaning and immediate drying results, and hence a consistently high and improved floor appearance.

### Total reliability

Engineered for durability and hard cleaning tasks, the TASKI swingo 5000 is constructed with high tech material and long life components that increase machine uptime and reduce repair cost. All components which need frequent maintenance are colour coded in yellow and can be removed easily without tools.

### Intelligence

The low entrance, an adjustable seat with high seat back and a new accelerator pedal allows a safe and ergonomic operation. A good overview while cleaning and an excellent squeegee deflection allow the operator to clean close along walls and around obstacles. The special ECO mode reduces noise and allows day time cleaning even in noise sensitive areas.

Technical data	
Theoretical performance	7875 m <sup>2</sup> /h
Working width	105 cm
Squeegee width	129 cm
Solution tank (nominal)	200 L
Recovery tank (nominal)	210 L
Rated voltage	24 V
Battery capacity	240-360 Ah/C5
Battery autonomy (nominal)	4.5-6.5 hours
Machine weight ready for use w/240Ah batteries, 75 kg driver	790 kg
Dimensions (L x W x H) (height above driver's seat)	1780 x 1090 x 1400 mm
Turning circle	200 cm
Ramp with full tank w/o cleaning	15%
Brush system	4 x 28 cm
Brush pressure	60-90 kg
Cleaning speed/ transportation speed	7.5 km/h / 8.0 km/h
Sound level	67 dB(A)
Electrical protection class	III
Splash water protection class	IPX3
Approvals	CE/CB Test certificate



# Diversey

**TASKI®**

The **ULTIMATE**  
Cleaning Machines



## Machine Pads



# Twister Diamond Floor Pads

## Just add Water

### About Twister

Twister is a revolutionary method for everyday machine cleaning of any type of floor. With billions of microscopic diamonds, the Twister pads clean and polish your floor at the same time, without chemicals. It's the easy, cost efficient and environmentally friendly approach to professional cleaning, producing astonishing results every time.

### How does Twister work?

Diamond is the hardest material on earth and remains effective throughout the lifespan of the pad. These hard diamonds when embedded into a flexible pad have the ability to micro-polish any floor type, making the floor more resistant to dirt! The increased floor quality achieved with Twister pads results in extended lifespan of both floor and pad. Lasting 3 times longer than a standard floor pad! The difference between the alternative colours is the size or mix of the diamonds. Depending on the diamond mix impregnated in the pad, various applications can be performed.




Non-Resilient Hard Floors	Daily cleaning			Deep Cleaning/ Renovation		
	High traffic		Moderate traffic			
Terazzo, limestone, marble						
Polished concrete						
Granite						
Ceramic tiles - Unglazed						
Coated non-resilient floors						
Resilient Hard Floors	Daily cleaning			Deep Cleaning/ Renovation		
	High traffic		Moderate traffic			
PVC, Vinyl						
Linoleum						
Rubber						
Epoxy						
Wooden Floors (Coated only)						
Coated resilient floors including VCT						




# Twister Diamond Floor Pads

## Just add Water


Twister™ - diamond pads for auto-scrubbers and burnishing machines.




Twister™ by DI Pad Green	Pack	Size	SKU
Daily cleaning of all coated (polished) floors and low traffic non-resilient floors. Use water and Twister Green for daily cleaning to maintain high gloss and cleanliness	2pc	9"(23cm)	D7521185
	2pc	11"(28cm)	D5871006
	2pc	13"(33cm)	D5871014
	2pc	14"(35cm)	D5871018
	2pc	16"(40cm)	D5871025
	2pc	17"(43cm)	D5871029
	2pc	20"(50cm)	D5871037



Twister™ by DI Pad Blue*	Pack	Size	SKU
Daily cleaning of uncoated floors in high traffic areas. Use water and Twister™ Blue for daily cleaning in high traffic areas to maintain high gloss and cleanliness.	2pc	11"(28cm)	D7519287
	2pc	13"(33cm)	D7519289
	2pc	14"(35cm)	D7519291
	2pc	16"(40cm)	D7521244
	2pc	17"(43cm)	D7519294
	2pc	20"(50cm)	D7519296




Twister™ by DI Pad Pink*	Pack	Size	SKU
Daily cleaning of uncoated floors in high traffic areas for a brilliant gloss. Use water and Twister™ Pink for daily cleaning in high traffic areas to maintain brilliance and cleanliness.	2pc	11"(28cm)	D7524527
	2pc	13"(33cm)	D7524529
	2pc	14"(35cm)	D7524530
	2pc	17"(43cm)	D7524533
	2pc	20"(50cm)	D7524536



Twister™ by DI Pad Orange	Pack	Size	SKU
Daily cleaning of unglazed ceramic tiles. Use water and Twister Orange for daily cleaning of ceramic tiles to maintain gloss and cleanliness. Deep cleaning of resilient non-polished floors in high traffic areas. Clean the floor with water and Twister Orange. Make 6-10 passes. Move to daily cleaning pad. Chemical free cut back of coated floors. Deep clean to remove the top layer of the floor finish using water and Twister Orange.	2pc	11"(28cm)	D7519286
	2pc	13"(33cm)	D7519288
	2pc	14"(35cm)	D7519290
	2pc	16"(40cm)	D7521245
	2pc	17"(43cm)	D7519293
	2pc	20"(50cm)	D7519295



Twister™ by DI Pad White	Pack	Size	SKU
Deep Cleaning of coated and non-resilient floors. Step 1 - clean the floor with water and Twister White, make 6-10 passes.	2pc	11"(28cm)	D5871004
	2pc	13"(33cm)	D5871012
	2pc	14"(35cm)	D5871016
	2pc	16"(40cm)	D5871023
	2pc	17"(43cm)	D5871027
	2pc	20"(50cm)	D5871035



Twister™ by DI Pad Yellow	Pack	Size	SKU
Deep Cleaning of coated and non-resilient floors. Step 2 - clean the floor with water and Twister Yellow, make 6-10 passes. Move to daily cleaning pad.	2pc	11"(28cm)	D5871005*
	2pc	13"(33cm)	D5871013
	2pc	14"(35cm)	D5871017
	2pc	16"(40cm)	D5871024
	2pc	17"(43cm)	D5871028
	2pc	20"(50cm)	D5871036*








## Accessories

## TASKI® IntelliTrail™ Fleet tracking solution



### TASKI IntelliTrail brings you:

- Total visibility of your assets
- Monitoring of working time
- Negligent use
- Alerts when machine move too far
- Extra support to reduce total cost of fleet

### Cost reduction

- Simplified administration, no need for administrating locations of machines, accessible at all times by logging onto our site
- Reduced total cost of ownership incl. ability to determine the right size of fleet required, operating costs and reduced labour costs
- Prevent machine theft by triggering an alarm when the machine leaves a predefined area = Geo-fence
- Fleet capacity optimization through operating time tracking

### Quality proof

- Identify the need of training for a user having difficulties to handle a machine
- Show the period of the cleaning activity

### A number of options

- Control spend on service and maintenance; machine service reminder; improved preventative maintenance
- Give visibility and build trust to your customer



### Intellitrail-Ready machines

(TASKI machines manufactured 2015 and beyond, with sticker noting 'IntelliTrail ready')

**TASKI models: 755, 1255, 1650, 1850, XP-R, 2100, 5000**

CODE	
D7523390	1 x TASKI IntelliTrail box
500021571	Intellitrail monthly fee / machine
500021583	TASKI IntelliTrail Retrofit intervention (Service fee for Installation)

### NOT Intellitrail ready machines

(TASKI machines manufactured before 2015 and without the Intellitrail-Ready sticker)

CODE	
D7524425	1 x TASKI IntelliTrail Device
D4131930	65000-16 INTELLITRAIL SET 355_455 1EA
D4131643	65000-11 IntelliTrail set 755_1 (Retrofit set for Swingo 755, 1255 power)
D4131644	65000-11 IntelliTrail set 1650_ (Retrofit set for Swingo 1650, 1850)
D4131647	65000-14 IntelliTrail set 4000_ (Retrofit set for swingo 5000)
500021571	Intellitrail monthly fee / machine
500021583	TASKI IntelliTrail Retrofit intervention (Service fee for Installation)

### Non-TASKI Machines

Other non-battery powered TASKI Equipment and Non-TASKI Floor Care Equipment (Retrofitting required)

CODE	
D7524429	1 x Non TASKI Tracker
D7524014ANZ	1 x NTT charger
500021571	Intellitrail monthly fee / machine
500021583	TASKI IntelliTrail Retrofit intervention (Service fee for Installation)



**TASKI®** The ULTIMATE  
Cleaning Machines

## NEW ZEALAND TASKI Product Catalogue 2023

Diversey's mission is to protect and care for people through leading hygiene, infection prevention, and cleaning solutions. We develop and deliver innovative products, services, and technologies that save lives and protect our environment. Over the course of 100 years, the Diversey brand has become synonymous with product quality, service, and innovation.

Our fully-integrated suite of solutions combines patented chemicals, dosing and dispensing equipment, cleaning machines, services, and digital analysis. We are a trusted partner; serving more than 85,000 customers in over 80 countries with a network of approximately 8,600 employees globally.

For more information, visit [diversey.co.nz](https://diversey.co.nz)



or follow us on LinkedIn - [diverseyanz](https://diverseyanz)



24 Bancroft Crescent, Glendene, Auckland 0602 NEW ZEALAND

**Customer Service: 0800 803 615**

[diversey.co.nz](https://diversey.co.nz) [taski.com](https://taski.com)