



## TASKI CLEAN AIR J-FILL

Revision: 2023-02-22

Version: 01.1

### SECTION 1: Identification of the substance/mixture and supplier

#### 1.1 Product identifier

**Product name:** TASKI CLEAN AIR J-FILL

#### 1.2 Recommended use and restrictions on use

**Identified uses:**

Deodoriser

**Restrictions of use:**

Uses other than those identified are not recommended

#### 1.3 Details of the supplier

Diversey Australia Pty. Limited

Unit 8, 55 Newton Road, Wetherill Park, NSW, 2164

1-7 Bell Grove, Braeside, VIC 3195

Telephone: 1800 647 779 (toll free)

Email: aucustserv@diversey.com

Website: diversey.com.au

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

Call 1800 033 111 (24hrs)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Serious eye damage, Category 1

Skin sensitisation, Category 1

#### 2.2 Label elements



**Signal word:** Danger

#### Hazard statements:

H318 - Causes serious eye damage.

H317 - May cause an allergic skin reaction.

#### Prevention statement(s):

P233 - Keep container tightly closed.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves, protective clothing and eye or face protection.

#### Response statement(s):

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P363 - Wash contaminated clothing before reuse.

#### Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

## TASKI CLEAN AIR J-FILL

**2.3 Other hazards**

No other hazards known.

**2.4 Classification diluted product:**

Recommended maximum concentration (% w/w): 0.39

Not classified as hazardous

**SECTION 3: Composition/information on ingredients****3.1 Substances / Mixtures**

Ingredient(s)	CAS#	EC number	Weight percent
alkyl alcohol ethoxylate	68439-46-3	[4]	10-30
sodium xylene sulphonate	1300-72-7	215-090-9 / 701-037-1	3-10
d-limonene	5989-27-5	227-813-5	3-10
sodium alkylbenzenesulphonate	68411-30-3	270-115-0	3-10
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	1506-02-1	216-133-4	1-3
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	21145-77-7	244-240-6	1-3
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	127-51-5	204-846-3	1-3
isoeugenol	97-54-1	202-590-7	0.1-1

[4] Polymer.

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

**SECTION 4: First aid measures****4.1 Description of first aid measures****General Information:**

Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident.

**Inhalation:**

Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.

**Skin contact:**

Wash skin with plenty of lukewarm, gently flowing water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice or attention.

**Eye contact:**

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

**Ingestion:**

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.

**Self-protection of first aider:**

Consider personal protective equipment as indicated in subsection 8.2.

**First aid facilities:**

Eyewash facilities should be considered in a workplace where necessary.

**4.2 Most important symptoms and effects, both acute and delayed****Inhalation:**

No known effects or symptoms in normal use.

**Skin contact:**

May cause an allergic skin reaction.

**Eye contact:**

Causes severe or permanent damage.

**Ingestion:**

No known effects or symptoms in normal use.

**4.3 Indication of any immediate medical attention and special treatment needed**

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

**Poison Information Center:**

Call 13 11 26 (Australia Wide).

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

**5.2 Special hazards arising from the substance or mixture**

No special hazards known.

**5.3 Advice for firefighters**

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

**5.4 Hazchem code**

*None allocated*

## TASKI CLEAN AIR J-FILL

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Wear suitable protective clothing, gloves and eye/face protection.

**6.2 Environmental precautions**

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

**6.3 Methods and material for containment and cleaning up**

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

**6.4 Reference to other sections**

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Take off contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

**8.2 Exposure controls**

*The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.*

*Recommended safety measures for handling the undiluted product:*

*Covering activities such as filling and transfer of product to application equipment, flasks or buckets*

**Appropriate engineering controls:**

If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

**Appropriate organisational controls:**

Avoid direct contact and/or splashes where possible. Train personnel.

**Personal protective equipment****Eye / face protection:**

Safety glasses or goggles (AS/NZS 1337.1).

**Hand protection:**

Chemical-resistant protective gloves (AS/NZS 2161.10). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time:  $\geq 480$  min Material thickness:  $\geq 0.7$  mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time:  $\geq 30$  min Material thickness:  $\geq 0.4$  mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

**Body protection:**

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

**Respiratory protection:**

No special requirements under normal use conditions.

## TASKI CLEAN AIR J-FILL

**Environmental exposure controls:** No special requirements under normal use conditions.

*Recommended safety measures for handling the diluted product:*

**Recommended maximum concentration (% w/w):** 0.39

**Appropriate engineering controls:** Use only in well ventilated areas.

**Appropriate organisational controls:** No special requirements under normal use conditions.

**Personal protective equipment**

**Eye / face protection:** No special requirements under normal use conditions.

**Hand protection:** No special requirements under normal use conditions.

**Body protection:** No special requirements under normal use conditions.

**Respiratory protection:** No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

	Method / remark
<b>Physical state:</b> Liquid	
<b>Colour:</b> Clear , Red	
<b>Odour:</b> Perfumed	
<b>Odour threshold:</b> Not applicable	
<b>pH:</b> 8.5 (neat)	ISO 4316
<b>Melting point/freezing point (°C):</b> Not determined	Not relevant to classification of this product
<b>Initial boiling point and boiling range (°C):</b> Not determined	
<b>Flammability (liquid):</b> Not flammable.	
<b>Flash point (°C):</b> > 93.4 °C	closed cup
<b>Sustained combustion:</b> Not applicable. ( UN Manual of Tests and Criteria, section 32, L.2 )	
<b>Evaporation rate:</b> Not determined	Not relevant to classification of this product
<b>Flammability (solid, gas):</b> Not applicable to liquids	
<b>Lower and upper explosion limit/flammability limit (%):</b> Not determined	
<b>Vapour pressure:</b> Not determined	
<b>Relative vapour density:</b> Not determined	Not relevant to classification of this product
<b>Relative density:</b> ≈ 1.04 (20 °C)	OECD 109 (EU A.3)
<b>Solubility in / Miscibility with water:</b> Fully miscible	
<b>Partition coefficient: n-octanol/water</b> No information available.	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

**Autoignition temperature:** Not determined  
**Decomposition temperature:** Not applicable.  
**Viscosity:** Not determined  
**Explosive properties:** Not explosive.  
**Oxidising properties:** Not oxidising.

### 9.2 Other information

**Surface tension (N/m):** Not determined  
**Corrosion to metals:** Not corrosive

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

### 10.2 Chemical stability

Stable under normal storage and use conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

### 10.4 Conditions to avoid

None known under normal storage and use conditions.

## TASKI CLEAN AIR J-FILL

**10.5 Incompatible materials**

None known under normal use conditions.

**10.6 Hazardous decomposition products**

None known under normal storage and use conditions.

**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

Mixture data:.

**Relevant calculated ATE(s):**

ATE - Oral (mg/kg): &gt;2000

Substance data, where relevant and available, are listed below:.

**Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LD <sub>50</sub>	1400	Rat	Weight of evidence	
sodium xylene sulphonate	LD <sub>50</sub>	> 7200	Rat	OECD 401 (EU B.1)	
d-limonene	LD <sub>50</sub>	4400 - 5100	Rat	Method not given	
sodium alkylbenzenesulphonate	LD <sub>50</sub>	1080	Rat	OECD 401 (EU B.1)	
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	LD <sub>50</sub>	1000		Method not given	
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one		No data available			
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one		> 5000	Rat		
isoeugenol		No data available			

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LD <sub>50</sub>	2000 - 5000	Rat	Weight of evidence	
sodium xylene sulphonate	LD <sub>50</sub>	> 2000	Rabbit	OECD 402 (EU B.3)	
d-limonene	LD <sub>50</sub>	> 5000	Rabbit	Method not given	
sodium alkylbenzenesulphonate	LD <sub>50</sub>	> 2000	Rat	OECD 402 (EU B.3)	
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one		No data available			
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one		No data available			
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one		No data available			
isoeugenol		No data available			

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate		No data available			
sodium xylene sulphonate	LC <sub>0</sub>	> 6.41 (mist) No mortality observed	Rat	OECD 403 (EU B.2)	4
d-limonene		No data available			
sodium alkylbenzenesulphonate		No data available			
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one		No data available			
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one		No data available			
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one		No data available			
isoeugenol		No data available			

## TASKI CLEAN AIR J-FILL

**Irritation and corrosivity**

## Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Not irritant		Weight of evidence	
sodium xylene sulphonate	Mild irritant	Rabbit	OECD 404 (EU B.4)	
d-limonene	Irritant	Rabbit	Method not given	
sodium alkylbenzenesulphonate	Irritant	Rabbit	OECD 404 (EU B.4)	
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	No data available			
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	No data available			
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	No data available			
isoeugenol	No data available			

## Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Severe damage	Rabbit	Weight of evidence OECD 437	
sodium xylene sulphonate	Irritant	Rabbit	OECD 405 (EU B.5)	
d-limonene	No data available			
sodium alkylbenzenesulphonate	Corrosive	Rabbit	OECD 405 (EU B.5)	
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	No data available			
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	No data available			
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	No data available			
isoeugenol	No data available			

## Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			
sodium xylene sulphonate	No data available			
d-limonene	No data available			
sodium alkylbenzenesulphonate	Not irritating to respiratory tract			
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	No data available			
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	No data available			
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	No data available			
isoeugenol	No data available			

**Sensitisation**

## Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	Not sensitising		Weight of evidence	
sodium xylene sulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
d-limonene	Sensitising	Guinea pig	Method not given	
sodium alkylbenzenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	No data available			
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	No data available			
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	No data available			
isoeugenol	No data available			

## Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			
sodium xylene sulphonate	No data available			
d-limonene	No data available			
sodium alkylbenzenesulphonate	No data available			
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	No data available			
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	No data available			
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	No data available			
isoeugenol	No data available			

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

## Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)

## TASKI CLEAN AIR J-FILL

alkyl alcohol ethoxylate	No evidence for mutagenicity, negative test results	OECD 473	No data available	
sodium xylene sulphonate	No evidence for mutagenicity, negative test results	OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
d-limonene	No data available		No data available	
sodium alkylbenzenesulphonate	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 476 OECD 473	No data available	
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	No data available		No data available	
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	No data available		No data available	
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	No data available		No data available	
isoeugenol	No data available		No data available	

## Carcinogenicity

Ingredient(s)	Effect
alkyl alcohol ethoxylate	No evidence for carcinogenicity, negative test results
sodium xylene sulphonate	No evidence for carcinogenicity, negative test results
d-limonene	No data available
sodium alkylbenzenesulphonate	No data available
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	No data available
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	No data available
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	No data available
isoeugenol	No data available

## Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alkyl alcohol ethoxylate	NOAEL		> 250	Rat	Not known		No effects on fertility No developmental toxicity
sodium xylene sulphonate	NOAEL	Teratogenic effects	> 936	Rat	Non guideline test		
d-limonene			No data available				
sodium alkylbenzenesulphonate	NOAEL	Teratogenic effects	300	Rat	Non guideline test		No known significant effects or critical hazards
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one			No data available				
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one			No data available				
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one			No data available				
isoeugenol			No data available				

## Repeated dose toxicity

## Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate	NOAEL	80 - 400		OECD 408 (EU B.26)		
sodium xylene sulphonate	NOAEL	763 - 3534	Rat	OECD 408 (EU B.26)	90	
d-limonene		No data available				
sodium alkylbenzenesulphonate		No data available				
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one		No data available				
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one		No data available				
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one		No data available				
isoeugenol		No data available				

## Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate	NOAEL	80		OECD 411 (EU B.28)	90	

## TASKI CLEAN AIR J-FILL

sodium xylene sulphonate	NOAEL	> 440		OECD 411 (EU B.28)	90	
d-limonene		No data available				
sodium alkylbenzenesulphonate		No data available				
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one		No data available				
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one		No data available				
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one		No data available				
isoeugenol		No data available				

## Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
sodium xylene sulphonate		No data available				
d-limonene		No data available				
sodium alkylbenzenesulphonate		No data available				
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one		No data available				
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one		No data available				
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one		No data available				
isoeugenol		No data available				

## Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alkyl alcohol ethoxylate			No data available					
sodium xylene sulphonate	Oral		No data available	Rat	OECD 453 (EU B.33)	24 month(s)	No adverse effects observed	
d-limonene			No data available					
sodium alkylbenzenesulphonate			No data available					
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one			No data available					
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one			No data available					
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one			No data available					
isoeugenol			No data available					

## STOT-single exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol ethoxylate	No data available
sodium xylene sulphonate	No data available
d-limonene	No data available
sodium alkylbenzenesulphonate	No data available
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	No data available
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	No data available
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	No data available
isoeugenol	No data available

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol ethoxylate	No data available
sodium xylene sulphonate	No data available
d-limonene	No data available
sodium alkylbenzenesulphonate	No data available



## TASKI CLEAN AIR J-FILL

1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	No data available
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	No data available
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	No data available
isoeugenol	No data available

**Aspiration hazard**

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

**Potential adverse health effects and symptoms**

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

**SECTION 12: Ecological information****12.1 Toxicity**

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

**Aquatic short-term toxicity**

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LC <sub>50</sub>	5 - 7	<i>Fish</i>	92/69/EEC, C1, semi-static	96
sodium xylene sulphonate	LC <sub>50</sub>	> 1000	<i>Oncorhynchus mykiss</i>	Method not given	96
d-limonene	LC <sub>50</sub>	0.72	<i>Pimephales promelas</i>	OECD 203 (EU C.1)	96
sodium alkylbenzenesulphonate	LC <sub>50</sub>	1.67	<i>Fish</i>	EPA-OPPTS 850.1075	96
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one		No data available			
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one		No data available			
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one		No data available			
isoeugenol		No data available			

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	EC <sub>50</sub>	5.3	<i>Daphnia</i>	92/69/EEC	48
sodium xylene sulphonate	EC <sub>50</sub>	> 1000	<i>Daphnia</i>	Method not given	48
d-limonene	EC <sub>50</sub>	0.36	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48
sodium alkylbenzenesulphonate	LC <sub>50</sub>	2.9	<i>Daphnia</i>	OECD 202 (EU C.2)	48
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one		No data available			
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one		No data available			
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one		No data available			
isoeugenol		No data available			

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	EC <sub>50</sub>	1.4 - 47	<i>Not specified</i>	92/69/EEC	72
sodium xylene sulphonate	EC <sub>50</sub>	> 230	<i>Not specified</i>	EPA OPPTS 850.5400	96
d-limonene	E <sub>r</sub> C <sub>50</sub>	150	<i>Desmodesmus subspicatus</i>	OECD 201 (EU C.3)	72
sodium alkylbenzenesulphonate	E <sub>b</sub> C <sub>50</sub>	47.3	<i>Not specified</i>	Non guideline test	72
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one		No data available			
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	E <sub>b</sub> C <sub>50</sub>	0.468	<i>Pseudokirchneriella subcapitata</i>	OECD 201, static	72
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one		No data available			
isoeugenol		No data available			

## TASKI CLEAN AIR J-FILL

## Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alkyl alcohol ethoxylate		No data available			
sodium xylene sulphonate		No data available			
d-limonene		No data available			
sodium alkylbenzenesulphonate		No data available			
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one		No data available			
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one		No data available			
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one		No data available			
isoeugenol		No data available			

## Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alkyl alcohol ethoxylate	EC <sub>50</sub>	> 140	<i>Bacteria</i>	DIN EN ISO 8192-OECD 209-88/302/EEC	3 hour(s)
sodium xylene sulphonate	E <sub>r</sub> C <sub>50</sub>	> 1000	<i>Activated sludge</i>	OECD 209	3 hour(s)
d-limonene		No data available			
sodium alkylbenzenesulphonate	EC <sub>50</sub>	550	<i>Bacteria</i>	OECD 209	3 hour(s)
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one		No data available			
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one		No data available			
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one		No data available			
isoeugenol		No data available			

## Aquatic long-term toxicity

## Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate	EC <sub>10</sub>	8.983	<i>Not specified</i>	Method not given	21 day(s)	
sodium xylene sulphonate		No data available				
d-limonene		No data available				
sodium alkylbenzenesulphonate	NOEC	0.23	<i>Oncorhynchus mykiss</i>	Method not given	72 day(s)	
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one		No data available				
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one		No data available				
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one		No data available				
isoeugenol		No data available				

## Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate	EC <sub>10</sub>	2.579	<i>Daphnia sp.</i>	Method not given	21 day(s)	
sodium xylene sulphonate		No data available				
d-limonene		No data available				
sodium alkylbenzenesulphonate	NOEC	1.41	<i>Daphnia magna</i>	OECD 211		
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one		No data available				
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one		No data available				
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one		No data available				

## TASKI CLEAN AIR J-FILL

-one		available				
isoeugenol		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

**Terrestrial toxicity**

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

**12.2 Persistence and degradability****Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

**Biodegradation**

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
alkyl alcohol ethoxylate				OECD 301B	Readily biodegradable
sodium xylene sulphonate	Activated sludge, aerobe	CO <sub>2</sub> production	99.8 % in 28 day(s)	OECD 301B	Readily biodegradable
d-limonene			80 % in 28 day(s)	OECD 301D	Readily biodegradable
sodium alkylbenzenesulphonate	Activated sludge, aerobe	CO <sub>2</sub> production	85 % in 28 day(s)	OECD 301B	Readily biodegradable
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one					Not readily biodegradable.
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	Adapted activated sludge		21% in 28 day(s)		Inherently biodegradable.
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one				OECD 301B	Not readily biodegradable.
isoeugenol		Oxygen depletion	79% in 28 day(s)	OECD 301F	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

**12.3 Bioaccumulative potential**

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
alkyl alcohol ethoxylate	3.11 - 4.19	Method not given	High potential for bioaccumulation	
sodium xylene sulphonate	-3.12	Method not given	No bioaccumulation expected	
d-limonene	No data available		High potential for bioaccumulation	
sodium alkylbenzenesulphonate	3.32	Method not given	Low potential for bioaccumulation	
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	No data available			
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	No data available			
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	No data available			
isoeugenol	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alkyl alcohol ethoxylate	< 500		Method not given	High potential for bioaccumulation	
sodium xylene sulphonate	No data available				
d-limonene	683.1		Method not given	High potential for bioaccumulation	
sodium alkylbenzenesulphonate	2-1000		Method not given	High potential for bioaccumulation	

## TASKI CLEAN AIR J-FILL

e					
1-(5,6,7,8-tetrahydro-3,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	No data available				
1-(5,6,7,8-tetrahydro-3,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	No data available				
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	No data available				
isoeugenol	No data available				

**12.4 Mobility in soil**

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
alkyl alcohol ethoxylate	No data available				Potential for mobility in soil, soluble in water
sodium xylene sulphonate	No data available				
d-limonene	No data available				High potential for mobility in soil
sodium alkylbenzenesulphonate	No data available				
1-(5,6,7,8-tetrahydro-3,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	No data available				
1-(5,6,7,8-tetrahydro-3,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	No data available				
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	No data available				
isoeugenol	No data available				

**12.5 Other adverse effects**

No other adverse effects known.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

**Empty packaging****Recommendation:**

Dispose of observing national or local regulations.

**Suitable cleaning agents:**

Water, if necessary with cleaning agent.

**SECTION 14: Transport information****ADG, IMO/IMDG, ICAO/IATA****14.1 UN number or ID number:** Non-dangerous goods**14.2 UN proper shipping name:** Non-dangerous goods**14.3 Transport hazard class(es):** Non-dangerous goods**14.4 Packing group:** Non-dangerous goods**14.5 Environmental hazards:** Non-dangerous goods**Environmentally hazardous:** No**Marine pollutant:** No**14.6 Special precautions for user:** Non-dangerous goods**14.7 Maritime transport in bulk according to IMO instruments:** The product is not transported in bulk tankers. Non-dangerous goods**Other relevant information:****Hazchem code:** None allocated

The product has been classified, labelled and packaged in accordance with the requirements of ADG7.7 Code and the provisions of the IMDG Code.

Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

## TASKI CLEAN AIR J-FILL

<b>National regulations</b>	Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.
<b>Poison schedule</b>	A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
<b>Classification</b>	Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.
<b>Inventory listing(s)</b>	Australian Inventory of Industrial Chemicals: All components are listed on the inventory, or are exempt.

## SECTION 16: Other information

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

**SDS code:** MS31000869

**Version:** 01.1

**Revision:** 2023-02-22

### Additional information:

**Respirators:** In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

**Work practices - solvents:** Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

**Personal protective equipment guidelines:** The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

**Health effects from exposure:** It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Safety Data Sheet which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

### Abbreviations and acronyms:

- DNEL - Derived No Effect Limit
- AUH - Non GHS hazard statement
- PNEC - Predicted No Effect Concentration
- ATE - Acute Toxicity Estimate
- LD50 - Lethal Dose, 50% / Median Lethal dose
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- EC50 - effective concentration, 50%
- NOEL - No observed effect level
- NOAEL - No observed adverse effect level
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)
- EC No. - European Community Number
- OECD - Organisation for Economic Cooperation and Development

**End of Safety Data Sheet**