



CLAX REVOFLOW CLOR 42X1

Revision: 2023-03-22

Version: 01.1

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: CLAX REVOFLOW CLOR 42X1

1.2 Recommended use and restrictions on use

Identified uses:

Bleach

Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

DIVERSEY NEW ZEALAND LTD.

24 Bancroft Crescent, Glendene, Auckland, 0602, New Zealand

Telephone: 0800 803 615 (toll free)

Website: www.diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

Call 0800 243 622 (24 hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Acute aquatic toxicity, Category 1

Acute toxicity, oral, Category 4

Specific target organ toxicity (single exposure), Category 3

Eye irritation, Category 2A

Chronic aquatic toxicity, Category 2

Terrestrial vertebrates, Category 3

2.2 Label elements



Signal word: Warning

Hazard statements:

H302 - Harmful if swallowed.

H335 - May cause respiratory irritation.

H319 - Causes serious eye irritation.

H410 - Very toxic to aquatic life with long lasting effects.

H433 - Harmful to terrestrial vertebrates.

Prevention statement(s):

P233 - Keep container tightly closed.

P261 - Avoid breathing dust.

P261 - Avoid breathing vapours.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

Response statement(s):

P301 + P312 - IF SWALLOWED: Call a POISON CENTRE, doctor or physician if you feel unwell.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

CLAX REVOFLOW CLOR 42X1

Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice or attention.

P312 - Call a POISON CENTRE, doctor or physician if you feel unwell.

P330 - Rinse mouth.

Storage statement(s):

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

No other hazards known.

2.4 Classification diluted product:

Recommended maximum concentration (% w/w): 6.8

Chronic aquatic toxicity, Category 2

2.5 Label elements diluted product**Hazard statements:**

H411 - Toxic to aquatic life with long lasting effects.

SECTION 3: Composition/information on ingredients**3.1 Substances / Mixtures**

Ingredient(s)	CAS#	EC number	Weight percent
sodium dichloroisocyanurate, dihydrate	51580-86-0	220-767-7	>= 60
sodium chloride	7647-14-5	231-598-3	3-10

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

SECTION 4: First aid measures**4.1 Description of first aid measures****General Information:**

Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

Inhalation:

Remove person to fresh air and keep comfortable for breathing.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water. If skin irritation or rash occurs: Get medical advice or attention.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Call a POISON CENTRE, doctor or physician. Get medical attention or advice if you feel unwell.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

First aid facilities:

Eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation:**

May cause respiratory irritation.

Skin contact:

No known effects or symptoms in normal use.

Eye contact:

Causes severe irritation.

Ingestion:

No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

CLAX REVOFLOW CLOR 42X1

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 0800 764 766 (0800 POISON)

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Flood with water. Do not use carbon dioxide, extinguishing powder or foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

2Z

•3Z

2 - Fine water spray

•3 - Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal foam can be used

Z - Full fire kit and breathing apparatus. Contain.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Do not breathe dust or vapour.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Collect mechanically. Ensure adequate ventilation.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

Keep away from heat.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Use personal protective equipment as required. Avoid contact with eyes. Do not breathe dust. Do not breathe vapours. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a dry place. Store in a well-ventilated place. Store in a closed container. Keep only in original packaging. Keep away from heat and direct sunlight. Keep at temperature not exceeding 40 °C. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

CLAX REVOFLOW CLOR 42X1

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions.
Hand protection: No special requirements under normal use conditions.
Body protection: No special requirements under normal use conditions.
Respiratory protection: If exposure to dust cannot be avoided use: half mask (EN 140) with particle filter P2 (EN 143) or full-face mask (EN 136) with particle filter P1 (EN 143) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 6.8

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: No special requirements under normal use conditions.

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions.
Hand protection: No special requirements under normal use conditions.
Body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	Method / remark
Physical state: Solid	
Appearance: Powder	
Colour: Opaque , Medium , White	
Odour: Chlorine	
Odour threshold: Not applicable	
pH: Not applicable	
Dilution pH: ≈ (1%)	ISO 4316
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	Not applicable to solids or gases
Flammability (liquid): Not applicable.	
Flash point (°C): Not applicable.	
Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)	
Evaporation rate: Not determined	Not relevant to classification of this product
Flammability (solid, gas): Not determined	
Lower and upper explosion limit/flammability limit (%): Not determined	
Vapour pressure: Not determined	
Relative vapour density No data available	Not applicable to solids
Relative density: ≈ 1.00 (20 °C)	OECD 109 (EU A.3)
Solubility in / Miscibility with water: Soluble	
Partition coefficient: n-octanol/water No information available.	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined
Decomposition temperature: Not applicable.

CLAX REVOFLOW CLOR 42X1

Viscosity: Not determined

Not applicable to solids or gases

Explosive properties: Not explosive.

Oxidising properties: Not oxidising. After prolonged exposure above 40 °C the product could decompose and release excessive heat.

9.2 Other information

Surface tension (N/m): Not determined

Not applicable to solids or gases

Corrosion to metals: Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

After prolonged exposure above 40 °C the product could decompose and release excessive heat.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:

Relevant calculated ATE(s):

ATE - Oral (mg/kg): 1700

Substance data, where relevant and available, are listed below:

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
sodium dichloroisocyanurate, dihydrate	LD ₅₀	1671	Rat	EPA OPP 81-1	
sodium chloride	LD ₅₀	3000	Rat	Method not given	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
sodium dichloroisocyanurate, dihydrate	LD ₅₀	> 5000	Rat	EPA OPP 81-2	
sodium chloride	LD ₅₀	> 10000	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium dichloroisocyanurate, dihydrate	LC ₅₀	> 0.27	Rat	OECD 403 (EU B.2)	4
sodium chloride	LC ₅₀	> 42	Rat	Method not given	1

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium dichloroisocyanurate, dihydrate	Not irritant		Method not given	
sodium chloride	Not irritant		Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium dichloroisocyanurate, dihydrate	Irritant		Method not given	
sodium chloride	Not corrosive or irritant		Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium dichloroisocyanurate, dihydrate	Irritating to respiratory tract			
sodium chloride	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium dichloroisocyanurate, dihydrate	Not sensitising	Guinea pig	OECD 429 (EU B.42)	
sodium chloride	Not sensitising		Method not given	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium dichloroisocyanurate, dihydrate	No data available			
sodium chloride	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium dichloroisocyanurate, dihydrate	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No evidence of genotoxicity, negative test results	OECD 475 (EU B.11)
sodium chloride	No data available		No data available	

Carcinogenicity

Ingredient(s)	Effect
sodium dichloroisocyanurate, dihydrate	No evidence for carcinogenicity, negative test results
sodium chloride	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium dichloroisocyanurate, dihydrate	NOAEL	Developmental toxicity	190	Rat	OECD 416, (EU B.35), oral		No known significant effects or critical hazards
sodium chloride			No data available				

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium dichloroisocyanurate, dihydrate	NOAEL	115	Rat	Method not given	28	
sodium chloride		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium dichloroisocyanurate, dihydrate		No data available				
sodium chloride		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium dichloroisocyanurate, dihydrate	NOAEL	> 31	Rat	Method not given	28	
sodium chloride		No data available				

CLAX REVOFLOW CLOR 42X1

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium dichloroisocyanurate, dihydrate	Oral	NOAEL	1523	Mouse	OECD 453 (EU B.33)	24 month(s)		
sodium chloride			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium dichloroisocyanurate, dihydrate	Respiratory tract
sodium chloride	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium dichloroisocyanurate, dihydrate	Not applicable
sodium chloride	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information**12.1 Toxicity**

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium dichloroisocyanurate, dihydrate	LC ₅₀	0.23	<i>Lepomis macrochirus</i>	Method not given	96
sodium chloride	LC ₅₀	> 5840	<i>Lepomis macrochirus</i>	Method not given	

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium dichloroisocyanurate, dihydrate	EC ₅₀	0.21	<i>Daphnia magna Straus</i>	ASTM draft method	48
sodium chloride	EC ₅₀	> 3000	<i>Daphnia magna Straus</i>	Method not given	24

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium dichloroisocyanurate, dihydrate	EC ₅₀	< 0.5	<i>Scenedesmus obliquus</i>	Non guideline test	3
sodium chloride	EC ₅₀	2430		Method not given	120

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium dichloroisocyanurate, dihydrate		No data available			
sodium chloride		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium dichloroisocyanurate, dihydrate	EC ₅₀	51		OECD 209	3 hour(s)
sodium chloride		No data available			

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium dichloroisocyanurate, dihydrate	NOEC	1000	<i>Oncorhynchus mykiss</i>	OECD 215	28 day(s)	
sodium chloride		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium dichloroisocyanurate, dihydrate	NOEC	160	<i>Daphnia magna</i>	OECD 211	21 day(s)	
sodium chloride		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium dichloroisocyanurate, dihydrate		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium dichloroisocyanurate, dihydrate	NOEC	1000	<i>Eisenia fetida</i>	OECD 207	14	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium dichloroisocyanurate, dihydrate		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium dichloroisocyanurate, dihydrate		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium dichloroisocyanurate, dihydrate		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium dichloroisocyanurate, dihydrate		No data available				

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium dichloroisocyanurate, dihydrate	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium dichloroisocyanurate, dihydrate	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
sodium		No data available			

dichloroisocyanurate, dihydrate					
---------------------------------	--	--	--	--	--

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
sodium dichloroisocyanurate, dihydrate		Oxygen depletion	2 % in 28d day(s)	OECD 301D	Not readily biodegradable.
sodium chloride					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
sodium dichloroisocyanurate, dihydrate					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
sodium dichloroisocyanurate, dihydrate					No data available

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium dichloroisocyanurate, dihydrate	-0.0056	Method not given	No bioaccumulation expected	
sodium chloride	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium dichloroisocyanurate, dihydrate	No data available				
sodium chloride	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium dichloroisocyanurate, dihydrate	No data available				
sodium chloride	No data available				

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging**Recommendation:**

Dispose of observing national or local regulations.

SECTION 14: Transport information**ADG, IMO/IMDG, ICAO/IATA****14.1 UN number or ID number:** 3077**14.2 UN proper shipping name:**

Environmentally hazardous substance, solid, n.o.s. (sodium dichloroisocyanurate dihydrate)

CLAX REVOFLOW CLOR 42X1

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 9

14.4 Packing group: III**14.5 Environmental hazards:**

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6 Special precautions for user:

Diversey does not recommend to transport this product by means of sea container.

Diversey does not recommend to transport this product by air.

14.7 Maritime transport in bulk according to IMO instruments: The product is not transported in bulk tankers.**Other relevant information:**

Hazchem code: 2Z

•3Z

IMO/IMDG

EmS: F-A, S-F

This product has been classified, labelled and package in accordance with the requirements of the NZ Land Transport Rule: Dangerous Goods, ADG, and the provisions of the IMDG Code.

Transport regulations include special provisions for dangerous goods packed in small quantities classified under UN3077 or UN3082

(a) IMDG 2.10.2.7 exception: Labelling and packaging not subject to this Code when package in single or combination packagings containing a net quantity per single or inner packaging of 5L(kg) or less

(b) ADG 7.6 SP No. AU01 exception: Labelling and packaging not subject to this Code when transported by road or rail in packagings not > 500 kg(L) or IBCs

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR002530.

Group standard

Cleaning Products (Subsidiary Hazard) Group Standard 2020

Substances covered under this Group Standard will not require an approved handler.

Inventory Listing(s)

New Zealand: NZIoC (New Zealand Inventory of Chemicals)

All components are listed on the NZIoC inventory, or are exempt

HSNO Classification

6.1D - Acutely toxic (oral)

6.1E - Acutely toxic (inhalation)

6.4A - Irritating to the eye

9.1B - Ecotoxic in the aquatic environment

9.3C - Harmful to terrestrial vertebrates

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS32000431

Version: 01.1

Revision: 2023-03-22

Abbreviations and acronyms:

- DNEL - Derived No Effect Limit
- AUH - Non GHS hazard statement
- PNEC - Predicted No Effect Concentration
- ATE - Acute Toxicity Estimate
- LD50 - Lethal Dose, 50% / Median Lethal dose
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- EC50 - effective concentration, 50%
- NOEL - No observed effect level
- NOAEL - No observed adverse effect level
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)
- EC No. - European Community Number
- OECD - Organisation for Economic Cooperation and Development

End of Safety Data Sheet