



SUMA RINSE A5

Revision: 2022-08-07

Version: 01.1

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: SUMA RINSE A5

1.2 Recommended use and restrictions on use

Identified uses:

General purpose rinse additive for dishmachines and washer disinfectors.

Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

Diversey Australia Pty. Limited
Unit 8, 55 Newton Road, Whetherill Park, NSW, 2164
1-7 Bell Grove, Braeside, VIC 3195
Telephone: 1800 647 779 (toll free)
Email: aucustserv@diversey.com
Website: diversey.com.au

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)
Call 1800 033 111 (24hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not classified as hazardous

2.2 Label elements

Not applicable

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.1 Substances / Mixtures

Ingredient(s)	CAS#	EC number	Weight percent
alkyl alcohol alkoxyate	111905-53-4	[4]	3-10
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	120313-48-6	[4]	1-3
sodium cumenesulphonate	28348-53-0	239-854-6	1-3

Non-hazardous ingredients are the remainder and add up to 100%.

[4] Polymer.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation:

Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.

Eye contact:

Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical attention.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.

SUMA RINSE A5

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use.
Skin contact: No known effects or symptoms in normal use.
Eye contact: No known effects or symptoms in normal use.
Ingestion: No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 13 11 26 (Australia Wide).

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

None allocated

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

No special measures required.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Do not mix with other products unless advised by Diversey.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

SUMA RINSE A5

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: No special requirements under normal use conditions.

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 166).

Hand protection: No special requirements under normal use conditions.

Body protection: No special requirements under normal use conditions.

Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

	Method / remark
Physical state: Liquid	
Colour: Clear , Blue	
Odour: Product specific	
Odour threshold: Not applicable	
pH: ≈ 5 (neat)	ISO 4316
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	
Flammability (liquid): Not flammable.	
Flash point (°C): > 100 °C	closed cup
Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)	
Evaporation rate: Not determined	Not relevant to classification of this product
Flammability (solid, gas): Not applicable to liquids	
Lower and upper explosion limit/flammability limit (%): Not determined	
Vapour pressure: Not determined	
Relative vapour density No data available	Not relevant to classification of this product
Relative density: ≈ 1.01 (20 °C)	OECD 109 (EU A.3)
Solubility in / Miscibility with water: Not miscible or difficult to mix	
Partition coefficient: n-octanol/water No information available.	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined
Decomposition temperature: Not applicable.
Viscosity: Not determined
Explosive properties: Not explosive.
Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined
Corrosion to metals: Not corrosive

SECTION 10: Stability and reactivity**10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Mixture data:

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alkyl alcohol alkoxylate	LD ₅₀	≥ 1000	Rat	Method not given	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	LD ₅₀	> 2000	Rat	Method not given	
sodium cumenesulphonate	LD ₅₀	> 7000	Rat	Method not given	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alkyl alcohol alkoxylate		No data available			
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available			
sodium cumenesulphonate	LD ₅₀	> 2000	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol alkoxylate		No data available			
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available			
sodium cumenesulphonate	LC ₅₀	> 770	Rat	Method not given	4

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol alkoxylate	Irritant	Rabbit	OECD 404 (EU B.4)	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Irritant	Rabbit	Draize test	
sodium cumenesulphonate	Mild irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol alkoxylate	Irritant	Rabbit	OECD 405 (EU B.5)	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Not corrosive or irritant	Rabbit	Draize test	
sodium cumenesulphonate	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol alkoxylate	No data available			
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			

sodium cumenesulphonate	No data available		
-------------------------	-------------------	--	--

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alkyl alcohol alkoxylate	No data available			
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			
sodium cumenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol alkoxylate	No data available			
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			
sodium cumenesulphonate	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
alkyl alcohol alkoxylate	No data available		No data available	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available		No data available	
sodium cumenesulphonate	No evidence for mutagenicity, negative test results	Method not given	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)

Carcinogenicity

Ingredient(s)	Effect
alkyl alcohol alkoxylate	No data available
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available
sodium cumenesulphonate	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alkyl alcohol alkoxylate			No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated			No data available				
sodium cumenesulphonate	NOAEL	Teratogenic effects	> 3000	Rat	Non guideline test		

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol alkoxylate		No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				
sodium cumenesulphonate	NOAEL	763 - 3534		OECD 408 (EU B.26)	90	

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol alkoxylate		No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				
sodium cumenesulphonate	NOAEL	440	Mouse	Method not given	90	

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol alkoxylate		No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				
sodium cumenesulphonate		No data				

		available			
--	--	-----------	--	--	--

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alkyl alcohol alkoxylate			No data available					
Alcohols, C12-15-branched and linear, ethoxylated propoxylated			No data available					
sodium cumenesulphonate	Dermal	NOAEL	727	Mouse	Method not given	24 month(s)		

STOT-single exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol alkoxylate	No data available
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available
sodium cumenesulphonate	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol alkoxylate	No data available
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available
sodium cumenesulphonate	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol alkoxylate	LC ₅₀	1 - 10	<i>Leuciscus idus</i>	Method not given	48
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	LC ₅₀	> 1-10	<i>Fish</i>	OECD 203 (EU C.1)	96
sodium cumenesulphonate	LC ₅₀	> 1000	<i>Fish</i>	EPA-OPPTS 850.1075	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol alkoxylate	EC ₅₀	1 - 10	<i>Not specified</i>	Method not given	48
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	EC ₅₀	≤ 1	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48
sodium cumenesulphonate	EC ₅₀	> 1000	<i>Daphnia</i>	EPA-OPPTS 850.1010	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol alkoxylate		No data available			
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	EC ₅₀	≤ 1	<i>Desmodesmus subspicatus</i>	OECD 201 (EU C.3)	RM000517/ RM002677 BASF EU RSDS 2021
sodium cumenesulphonate	E _r C ₅₀	310	<i>Not specified</i>		72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alkyl alcohol alkoxylate		No data			

		available			
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available			
sodium cumenesulphonate		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alkyl alcohol alkoxylate	EC ₁₀	> 1000	Activated sludge	DEV-L2	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available			
sodium cumenesulphonate	E _r C ₅₀	> 1000	Bacteria	OECD 209	3 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol alkoxylate		No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				
sodium cumenesulphonate		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol alkoxylate		No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	NOEC	> 0.1-1	<i>Daphnia magna</i>	Method not given	21 day(s)	
sodium cumenesulphonate		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium cumenesulphonate		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium cumenesulphonate		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium cumenesulphonate		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium cumenesulphonate		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium cumenesulphonate		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed

SUMA RINSE A5

sodium cumenesulphonate		No data available			
-------------------------	--	-------------------	--	--	--

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium cumenesulphonate	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium cumenesulphonate	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
sodium cumenesulphonate		No data available			

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
alkyl alcohol alkoxyolate			> 60 % in 28 day(s)	OECD 301F	Readily biodegradable
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Activated sludge, aerobe	CO ₂ production	> 60% in 28 day(s)	OECD 301B	Readily biodegradable
sodium cumenesulphonate	Activated sludge, aerobe	CO ₂ production	100 % in 28 day(s)	OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
sodium cumenesulphonate					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
sodium cumenesulphonate					No data available

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
alkyl alcohol alkoxyolate	No data available			
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			
sodium cumenesulphonate	-1.5	Method not given	Low potential for bioaccumulation	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alkyl alcohol alkoxyolate	No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available				
sodium cumenesulphonate	3.16		QSAR	Low potential for bioaccumulation	

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
alkyl alcohol alkoxyolate	No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available				
sodium cumenesulphonate	No data available				

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

SUMA RINSE A5

13.1 Waste treatment methods**Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging**Recommendation:**

Dispose of observing national or local regulations.

SECTION 14: Transport information**ADG, IMO/IMDG, ICAO/IATA**

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

Other relevant information:

Hazchem code: None allocated

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations**

Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.

Poison schedule

A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Classification

Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.

Inventory listing(s)

Australian Inventory of Industrial Chemicals: All components are listed on the inventory, or are exempt.

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS31000459

Version: 01.1

Revision: 2022-08-07

Additional information:

Respirators: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

Work practices - solvents: Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

Personal protective equipment guidelines: The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Health effects from exposure: It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given

SUMA RINSE A5

that it is impractical to prepare a Safety Data Sheet which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations and acronyms:

- ATE - Acute Toxicity Estimate
- AUH - Non GHS hazard statement
- DNEL - Derived No Effect Limit
- EC No. - European Community Number
- EC50 - effective concentration, 50%
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PNEC - Predicted No Effect Concentration
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)

End of Safety Data Sheet