



Safety Data Sheet

SUMA TOTAL PUR-ECO D2.4 CONC

Revision: 2023-09-14

Version: 01.1

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: SUMA TOTAL PUR-ECO D2.4 CONC

1.2 Recommended use and restrictions on use

Identified uses:

Hard surface cleaner Floor cleaner

Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

DIVERSEY NEW ZEALAND LTD.

24 Bancroft Crescent, Glendene, Auckland, 0602, New Zealand

Telephone: 0800 803 615 (toll free)

Website: www.diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

Call 0800 243 622 (24 hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Serious eye damage, Category 1

2.2 Label elements



Signal word: Danger

Hazard statements:

H318 - Causes serious eye damage.

Prevention statement(s):

P233 - Keep container tightly closed.

P280 - Wear eye or face protection.

Response statement(s):

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

No other hazards known.

2.4 Classification diluted product:

Recommended maximum concentration (% w/w): 0.53

Not classified as hazardous

SECTION 3: Composition/information on ingredients**3.1 Substances / Mixtures**

| Ingredient(s) | CAS# | EC number | Weight percent |
|--|-------------|-----------|----------------|
| alkyl alcohol ethoxylate | 69011-36-5 | [4] | 10-30 |
| alkyl polyglucoside | 110615-47-9 | 600-975-8 | 3-10 |
| trisodium citrate | 68-04-2 | 200-675-3 | 3-10 |
| sodium cumenesulphonate | 28348-53-0 | 239-854-6 | 1-3 |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | 68585-34-2 | [4] | 1-3 |

Non-hazardous ingredients are the remainder and add up to 100%.

[4] Polymer.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

SECTION 4: First aid measures**4.1 Description of first aid measures**

| | |
|--|---|
| Inhalation: | Get medical attention or advice if you feel unwell. |
| Skin contact: | Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention. |
| Eye contact: | Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician. |
| Ingestion: | Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell. |
| Self-protection of first aider: | Consider personal protective equipment as indicated in subsection 8.2. |
| First aid facilities: | Eyewash facilities should be considered in a workplace where necessary. |

4.2 Most important symptoms and effects, both acute and delayed

| | |
|----------------------|---|
| Inhalation: | No known effects or symptoms in normal use. |
| Skin contact: | No known effects or symptoms in normal use. |
| Eye contact: | Causes severe or permanent damage. |
| Ingestion: | No known effects or symptoms in normal use. |

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 0800 764 766 (0800 POISON)

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

None allocated

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear eye/face protection.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dike to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Avoid contact with eyes. Do not breathe spray. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: Safety glasses or goggles (AS/NZS 1337.1).
Hand protection: No special requirements under normal use conditions.
Body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 0.53

Appropriate engineering controls: Use only in well ventilated areas.

Appropriate organisational controls: No special requirements under normal use conditions.

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions.
Hand protection: No special requirements under normal use conditions.
Body protection: No special requirements under normal use conditions
Respiratory protection: Trigger spray bottle application: No special requirements under normal use conditions. Apply technical measures to comply with the occupational exposure limits, if available.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

SUMA TOTAL PUR-ECO D2.4 CONC

Physical state: Liquid**Colour:** Clear , Colourless**Odour:** Characteristic**Odour threshold:** Not applicable**pH:** ≈ 8 (neat)**Dilution pH:** ≈ 8 (1%)**Melting point/freezing point (°C):** Not determined**Initial boiling point and boiling range (°C):** Not determined**Method / remark**

ISO 4316

ISO 4316

Not relevant to classification of this product

Flammability (liquid): Not flammable.**Flash point (°C):** Not determined**Sustained combustion:** Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Evaporation rate: Not determined

Not relevant to classification of this product

Flammability (solid, gas): Not applicable to liquids**Lower and upper explosion limit/flammability limit (%):** Not determined**Vapour pressure:** Not determined**Relative vapour density** No data available

Not relevant to classification of this product

Relative density: ≈ 1.05 (20 °C)

OECD 109 (EU A.3)

Solubility in / Miscibility with water: Fully miscible**Partition coefficient: n-octanol/water** No information available.

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined**Decomposition temperature:** Not applicable.**Viscosity:** ≈ 75

DM-006 Viscosity - Additional

Explosive properties: Not explosive.**Oxidising properties:** Not oxidising.**9.2 Other information****Surface tension (N/m):** Not determined**Corrosion to metals:** Not corrosive**SECTION 10: Stability and reactivity****10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**Mixture data: .**Relevant calculated ATE(s):**

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) |
|--|------------------|---------------|---------|------------------------|-------------------|
| alkyl alcohol ethoxylate | LD ₅₀ | > 300-2000 | Rat | OECD 423 (EU B.1 tris) | |
| alkyl polyglucoside | LD ₅₀ | > 5000 | Rat | OECD 401 (EU B.1) | |
| sodium cumenesulphonate | LD ₅₀ | > 7000 | Rat | Method not given | |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | LD ₅₀ | > 2000 | Rat | OECD 401 (EU B.1) | |

Acute dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) |
|--|------------------|---------------|---------|-------------------|-------------------|
| alkyl alcohol ethoxylate | LD ₅₀ | > 2000 | Rabbit | Method not given | |
| alkyl polyglucoside | LD ₅₀ | > 5000 | Rabbit | OECD 402 (EU B.3) | |
| sodium cumenesulphonate | LD ₅₀ | > 2000 | Rabbit | Method not given | |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | LD ₅₀ | > 2000 | Rat | OECD 402 (EU B.3) | |

Acute inhalative toxicity

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|------------------|-------------------|---------|------------------|-------------------|
| alkyl alcohol ethoxylate | | No data available | | | |
| alkyl polyglucoside | | No data available | | | |
| sodium cumenesulphonate | LC ₅₀ | > 770 | Rat | Method not given | 4 |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | | No data available | | | |

Irritation and corrosivity

Skin irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|---------------|---------|-------------------|---------------|
| alkyl alcohol ethoxylate | Not irritant | Rabbit | OECD 404 (EU B.4) | |
| alkyl polyglucoside | Irritant | Rabbit | OECD 404 (EU B.4) | 4 hour(s) |
| sodium cumenesulphonate | Mild irritant | Rabbit | OECD 404 (EU B.4) | |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | Irritant | Rabbit | OECD 404 (EU B.4) | |

Eye irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|---------------|---------|-------------------|---------------|
| alkyl alcohol ethoxylate | Severe damage | Rabbit | Method not given | |
| alkyl polyglucoside | Severe damage | Rabbit | OECD 405 (EU B.5) | |
| sodium cumenesulphonate | Irritant | Rabbit | OECD 405 (EU B.5) | |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | Severe damage | Rabbit | OECD 405 (EU B.5) | |

Respiratory tract irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|-------------------|---------|--------|---------------|
| alkyl alcohol ethoxylate | No data available | | | |
| alkyl polyglucoside | No data available | | | |
| sodium cumenesulphonate | No data available | | | |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | No data available | | | |

Sensitisation

Sensitisation by skin contact

| Ingredient(s) | Result | Species | Method | Exposure time (h) |
|--|-----------------|------------|--------------------------|-------------------|
| alkyl alcohol ethoxylate | Not sensitising | Guinea pig | Method not given | |
| alkyl polyglucoside | Not sensitising | Guinea pig | OECD 406 (EU B.6) / GPMT | |
| sodium cumenesulphonate | Not sensitising | Guinea pig | OECD 406 (EU B.6) / GPMT | |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | Not sensitising | Guinea pig | OECD 406 (EU B.6) | |

Sensitisation by inhalation

| Ingredient(s) | Result | Species | Method | Exposure time |
|--------------------------|-------------------|---------|--------|---------------|
| alkyl alcohol ethoxylate | No data available | | | |
| alkyl polyglucoside | No data available | | | |
| sodium cumenesulphonate | No data available | | | |

| | | | |
|--|-------------------|--|--|
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | No data available | | |
|--|-------------------|--|--|

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**Mutagenicity**

| Ingredient(s) | Result (in-vitro) | Method (in-vitro) | Result (in-vivo) | Method (in-vivo) |
|--|---|--------------------------------|---|--------------------|
| alkyl alcohol ethoxylate | No evidence of genotoxicity, negative test results | Method not given | No evidence of genotoxicity, negative test results | Method not given |
| alkyl polyglucoside | No evidence for mutagenicity, negative test results | OECD 471 (EU B.12/13) OECD 473 | No evidence for mutagenicity, negative test results | OECD 474 (EU B.12) |
| sodium cumenesulphonate | No evidence for mutagenicity, negative test results | Method not given | No evidence for mutagenicity, negative test results | OECD 474 (EU B.12) |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | No data available | | No data available | |

Carcinogenicity

| Ingredient(s) | Effect |
|--|--|
| alkyl alcohol ethoxylate | No evidence for carcinogenicity, weight-of-evidence |
| alkyl polyglucoside | No evidence for carcinogenicity, weight-of-evidence |
| sodium cumenesulphonate | No evidence for carcinogenicity, negative test results |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | No data available |

Toxicity for reproduction

| Ingredient(s) | Endpoint | Specific effect | Value (mg/kg bw/d) | Species | Method | Exposure time | Remarks and other effects reported |
|--|----------|--|--------------------|---------|---|---------------|--|
| alkyl alcohol ethoxylate | NOAEL | Teratogenic effects | > 50 | Rat | Not known | | No known significant effects or critical hazards |
| alkyl polyglucoside | NOAEL | Developmental toxicity Maternal toxicity | 1000 | Rat | OECD 414 (EU B.31), oral OECD 421, oral | | No evidence for reproductive toxicity |
| sodium cumenesulphonate | NOAEL | Teratogenic effects | > 3000 | Rat | Non guideline test | | |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | | | No data available | | | | |

Repeated dose toxicity**Sub-acute or sub-chronic oral toxicity**

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--|----------|--------------------|---------|--------------------|----------------------|--------------------------------------|
| alkyl alcohol ethoxylate | | No data available | | | | |
| alkyl polyglucoside | NOAEL | 100 | Rat | OECD 408 (EU B.26) | | |
| sodium cumenesulphonate | NOAEL | 763 - 3534 | | OECD 408 (EU B.26) | 90 | |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | NOAEL | No data available | Rat | OECD 408 (EU B.26) | 90 | |

Sub-chronic dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--|----------|--------------------|---------|------------------|----------------------|--------------------------------------|
| alkyl alcohol ethoxylate | | No data available | | | | |
| alkyl polyglucoside | | No data available | | | | |
| sodium cumenesulphonate | NOAEL | 440 | Mouse | Method not given | 90 | |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | | No data available | | | | |

Sub-chronic inhalation toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--|----------|--------------------|---------|--------|----------------------|--------------------------------------|
| alkyl alcohol ethoxylate | | No data available | | | | |
| alkyl polyglucoside | | No data available | | | | |
| sodium cumenesulphonate | | No data available | | | | |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | | No data available | | | | |

SUMA TOTAL PUR-ECO D2.4 CONC

Chronic toxicity

| Ingredient(s) | Exposure route | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time | Specific effects and organs affected | Remark |
|--|----------------|----------|--------------------|---------|------------------|---------------|--------------------------------------|--------|
| alkyl alcohol ethoxylate | Oral | NOAEL | 50 | Rat | Method not given | 24 month(s) | Effects on organ weights | |
| alkyl polyglucoside | | | No data available | | | | | |
| sodium cumenesulphonate | Dermal | NOAEL | 727 | Mouse | Method not given | 24 month(s) | | |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | | | No data available | | | | | |

STOT-single exposure

| Ingredient(s) | Affected organ(s) |
|--|-------------------|
| alkyl alcohol ethoxylate | Not applicable |
| alkyl polyglucoside | No data available |
| sodium cumenesulphonate | No data available |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | No data available |

STOT-repeated exposure

| Ingredient(s) | Affected organ(s) |
|--|-------------------|
| alkyl alcohol ethoxylate | Not applicable |
| alkyl polyglucoside | No data available |
| sodium cumenesulphonate | No data available |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | No data available |

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|------------------|--------------|--------------------------|------------------------|-------------------|
| alkyl alcohol ethoxylate | LC ₅₀ | 1 - 10 | <i>Cyprinus carpio</i> | OECD 203 (EU C.1) | 96 |
| alkyl polyglucoside | LC ₅₀ | 1 - 10 | <i>Fish</i> | ISO 7346 | |
| sodium cumenesulphonate | LC ₅₀ | > 1000 | <i>Fish</i> | EPA-OPPTS 850.1075 | 96 |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | LC ₅₀ | > 1 - 10 | <i>Brachydanio rerio</i> | OECD 203, flow-through | 96 |

Aquatic short-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|------------------|--------------|-----------------------------|--------------------|-------------------|
| alkyl alcohol ethoxylate | EC ₅₀ | 1 - 10 | <i>Daphnia magna</i> Straus | OECD 202, static | 48 |
| alkyl polyglucoside | EC ₅₀ | 7 | <i>Daphnia magna</i> Straus | Method not given | 48 |
| sodium cumenesulphonate | EC ₅₀ | > 1000 | <i>Daphnia</i> | EPA-OPPTS 850.1010 | 48 |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | EC ₅₀ | > 1 - 10 | <i>Daphnia magna</i> Straus | OECD 202, static | 48 |

Aquatic short-term toxicity - algae

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|--------------------------------|--------------|--------------------------------|----------------------------|-------------------|
| alkyl alcohol ethoxylate | EC ₅₀ | 1 - 10 | <i>Desmodesmus subspicatus</i> | OECD 201, static | 72 |
| alkyl polyglucoside | EC ₅₀ | 10 - 100 | <i>Not specified</i> | 88/302/EEC, Part C, static | |
| sodium cumenesulphonate | E _r C ₅₀ | 310 | <i>Not specified</i> | | 72 |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | EC ₅₀ | > 1 - 10 | | OECD 201, static | 72 |

Aquatic short-term toxicity - marine species

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (days) |
|--|----------|-------------------|---------|--------|----------------------|
| alkyl alcohol ethoxylate | | No data available | | | |
| alkyl polyglucoside | | No data available | | | |
| sodium cumenesulphonate | | No data available | | | |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | | No data available | | | |

Impact on sewage plants - toxicity to bacteria

| Ingredient(s) | Endpoint | Value (mg/l) | Inoculum | Method | Exposure time |
|--|--------------------------------|--------------|---------------------------|--------------------|---------------|
| alkyl alcohol ethoxylate | EC ₁₀ | > 10000 | Activated sludge | DIN 38412 / Part 8 | 17 hour(s) |
| alkyl polyglucoside | EC ₀ | > 100 | Bacteria | OECD 209 | |
| sodium cumenesulphonate | E _r C ₅₀ | > 1000 | Bacteria | OECD 209 | 3 hour(s) |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | EC ₁₀ | > 10000 | <i>Pseudomonas putida</i> | | |

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|--|----------|-------------------|---------------|----------|---------------|------------------|
| alkyl alcohol ethoxylate | | No data available | | | | |
| alkyl polyglucoside | NOEC | 1 - 10 | Not specified | OECD 204 | 14 day(s) | |
| sodium cumenesulphonate | | No data available | | | | |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | | No data available | | | | |

Aquatic long-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|--|----------|-------------------|--------------------|----------|---------------|------------------|
| alkyl alcohol ethoxylate | | No data available | | | | |
| alkyl polyglucoside | NOEC | 1 - 10 | <i>Daphnia sp.</i> | OECD 202 | | |
| sodium cumenesulphonate | | No data available | | | | |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | | No data available | | | | |

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw sediment) | Species | Method | Exposure time (days) | Effects observed |
|-------------------------|----------|---------------------------|---------|--------|----------------------|------------------|
| alkyl polyglucoside | | No data available | | | | |
| sodium cumenesulphonate | | No data available | | | | |

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--------------------------|----------|-----------------------|-----------------------|--------|----------------------|------------------|
| alkyl alcohol ethoxylate | NOEC | 220 | <i>Eisenia fetida</i> | | | |
| alkyl polyglucoside | | No data available | | | | |
| sodium cumenesulphonate | | No data available | | | | |

Terrestrial toxicity - plants, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--------------------------|----------|-----------------------|-------------------------|----------|----------------------|------------------|
| alkyl alcohol ethoxylate | NOEC | 10 | <i>Lepidium sativum</i> | OECD 208 | | |
| alkyl polyglucoside | | No data available | | | | |
| sodium cumenesulphonate | | No data | | | | |

| | | | | | | |
|--|--|-----------|--|--|--|--|
| | | available | | | | |
|--|--|-----------|--|--|--|--|

Terrestrial toxicity - birds, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure time (days) | Effects observed |
|-------------------------|----------|-------------------|---------|--------|----------------------|------------------|
| alkyl polyglucoside | | No data available | | | | |
| sodium cumenesulphonate | | No data available | | | | |

Terrestrial toxicity - beneficial insects, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|-------------------------|----------|-----------------------|---------|--------|----------------------|------------------|
| alkyl polyglucoside | | No data available | | | | |
| sodium cumenesulphonate | | No data available | | | | |

Terrestrial toxicity - soil bacteria, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|-------------------------|----------|-----------------------|---------|--------|----------------------|------------------|
| alkyl polyglucoside | | No data available | | | | |
| sodium cumenesulphonate | | No data available | | | | |

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

| Ingredient(s) | Half-life time | Method | Evaluation | Remark |
|-------------------------|-------------------|--------|------------|--------|
| alkyl polyglucoside | No data available | | | |
| sodium cumenesulphonate | No data available | | | |

Abiotic degradation - hydrolysis, if available:

| Ingredient(s) | Half-life time in fresh water | Method | Evaluation | Remark |
|-------------------------|-------------------------------|--------|------------|--------|
| alkyl polyglucoside | No data available | | | |
| sodium cumenesulphonate | No data available | | | |

Abiotic degradation - other processes, if available:

| Ingredient(s) | Type | Half-life time | Method | Evaluation | Remark |
|-------------------------|------|-------------------|--------|------------|--------|
| alkyl polyglucoside | | No data available | | | |
| sodium cumenesulphonate | | No data available | | | |

Biodegradation

Ready biodegradability - aerobic conditions

| Ingredient(s) | Inoculum | Analytical method | DT ₅₀ | Method | Evaluation |
|--|--------------------------|----------------------------|---------------------|-----------|-----------------------|
| alkyl alcohol ethoxylate | Activated sludge, aerobe | CO ₂ production | > 60 % in 28 day(s) | OECD 301B | Readily biodegradable |
| alkyl polyglucoside | Activated sludge, aerobe | BOD removal | 88% in 28 day(s) | OECD 301D | Readily biodegradable |
| sodium cumenesulphonate | Activated sludge, aerobe | CO ₂ production | 100 % in 28 day(s) | OECD 301B | Readily biodegradable |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | Activated sludge, aerobe | CO ₂ production | > 60 % in 28 day(s) | OECD 301B | Readily biodegradable |

Ready biodegradability - anaerobic and marine conditions, if available:

| Ingredient(s) | Medium & Type | Analytical method | DT ₅₀ | Method | Evaluation |
|-------------------------|---------------|-------------------|------------------|--------|-------------------|
| alkyl polyglucoside | | | | | No data available |
| sodium cumenesulphonate | | | | | No data available |

Degradation in relevant environmental compartments, if available:

| Ingredient(s) | Medium & Type | Analytical method | DT ₅₀ | Method | Evaluation |
|-------------------------|---------------|-------------------|------------------|--------|-------------------|
| alkyl polyglucoside | | | | | No data available |
| sodium cumenesulphonate | | | | | No data available |

SUMA TOTAL PUR-ECO D2.4 CONC

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

| Ingredient(s) | Value | Method | Evaluation | Remark |
|--|-------------------|------------------|-----------------------------------|--------|
| alkyl alcohol ethoxylate | 4.09 | QSAR | No bioaccumulation expected | |
| alkyl polyglucoside | ≤ 0.07 | Method not given | No bioaccumulation expected | |
| sodium cumenesulphonate | -1.5 | Method not given | Low potential for bioaccumulation | |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | No data available | | | |

Bioconcentration factor (BCF)

| Ingredient(s) | Value | Species | Method | Evaluation | Remark |
|--|-------------------|---------|--------|-----------------------------------|--------|
| alkyl alcohol ethoxylate | - | | | No bioaccumulation expected | |
| alkyl polyglucoside | No data available | | | | |
| sodium cumenesulphonate | 3.16 | | QSAR | Low potential for bioaccumulation | |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | No data available | | | | |

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

| Ingredient(s) | Adsorption coefficient Log Koc | Desorption coefficient Log Koc(des) | Method | Soil/sediment type | Evaluation |
|--|--------------------------------|-------------------------------------|------------------|--------------------|------------------------------|
| alkyl alcohol ethoxylate | No data available | | | | Immobile in soil or sediment |
| alkyl polyglucoside | 1.7 | | Method not given | | |
| sodium cumenesulphonate | No data available | | | | |
| Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) | No data available | | | | |

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging**Recommendation:**

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**ADG, IMO/IMDG, ICAO/IATA****14.1 UN number or ID number:** Non-dangerous goods**14.2 UN proper shipping name:** Non-dangerous goods**14.3 Transport hazard class(es):** Non-dangerous goods**14.4 Packing group:** Non-dangerous goods**14.5 Environmental hazards:** Non-dangerous goods**14.6 Special precautions for user:** Non-dangerous goods**14.7 Maritime transport in bulk according to IMO instruments:** Non-dangerous goods**Other relevant information:****Hazchem code:** None allocated**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR002530.

Group standard

Cleaning Products (Subsidiary Hazard) Group Standard 2020

Inventory Listing(s)

New Zealand: NZIoC (New Zealand Inventory of Chemicals)

All components are listed on the NZIoC inventory, or are exempt

SUMA TOTAL PUR-ECO D2.4 CONC

HSNO Classification

8.3A - Corrosive to ocular tissue

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS32000367

Version: 01.1

Revision: 2023-09-14

Abbreviations and acronyms:

- ATE - Acute Toxicity Estimate
- AUH - Non GHS hazard statement
- DNEL - Derived No Effect Limit
- EC No. - European Community Number
- EC50 - effective concentration, 50%
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PNEC - Predicted No Effect Concentration
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)

End of Safety Data Sheet