



Revision: 2023-11-30 **Version:** 01.1

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: TASKI CREW SHOWER TUB & TILE J-FILL

1.2 Recommended use and restrictions on use

Identified uses: Hard surface cleaner Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

DIVERSEY NEW ZEALAND LTD.

24 Bancroft Crescent, Glendene, Auckland, 0602, New Zealand

Telephone: 0800 803 615 (toll free)

Website: www.diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

Call 0800 243 622 (24 hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin corrosion, Category 1C Serious eye damage, Category 1 Acute aquatic toxicity, Category 3

2.2 Label elements



Signal word: Danger

Hazard statements:

H314 - Causes severe skin burns and eye damage.

H402 - Harmful to aquatic life.

Prevention statement(s):

P233 - Keep container tightly closed.

P260 - Do not breathe vapours.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P280 - Wear protective gloves, protective clothing and eye or face protection.

Response statement(s):

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P363 - Wash contaminated clothing before reuse.

Storage statement(s):

P405 - Store locked up.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

No other hazards known.

2.4 Classification diluted product:

Recommended maximum concentration (% w/w): 2.4

Skin irritation, Category 3

2.5 Label elements diluted product

Signal word: Warning.

Hazard statements:

H316 - Causes mild skin irritation.

SECTION 3: Composition/information on ingredients

3.1 Substances / Mixtures

[4] Polymer.

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

SECTION 4: First aid measures

4.1 Description of first aid measures

General Information: If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is

irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose

resuscitation. Use Ambu bag or ventilator.

Inhalation: Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if

you feel unwell.

Skin contact: Take off immediately all contaminated clothing and wash it before reuse. Immediately call a

POISON CENTRE, doctor or physician.

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE,

doctor or physician.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or

physician.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

First aid facilities: Shower and eyewash facilities should be considered in a workplace where necessary. Eyewash

facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use.

Skin contact: Causes severe burns.

Eye contact: Causes severe or permanent damage.

Ingestion: Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of

oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 0800 764 766 (0800 POISON)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

2X

- 2 Fine water spray
- X Liquid-tight chemical protective clothing and breathing apparatus. Contain.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Dilute with plenty of water. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders). Ensure adequate ventilation.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe vapours. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin

contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection:

Hand protection:

Safety glasses or goggles (AS/NZS 1337.1). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur. Chemical-resistant protective gloves (AS/NZS 2161.10). Verify instructions regarding permeability

and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions,

such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material

thickness: ≥ 0.7 mm Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min

Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen.

Body protection: Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may

occur (EN 14605).

Respiratory protection: Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or

aerosols should be avoided.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 2.4

Use only in well ventilated areas. Ensure that foam equipment does not generate respirable Appropriate engineering controls:

particles.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions. Hand protection: No special requirements under normal use conditions. Body protection: No special requirements under normal use conditions

Respiratory protection: Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or

aerosols should be avoided.

No special requirements under normal use conditions. **Environmental exposure controls:**

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Method / remark

Physical state: Liquid Colour: Clear , Dark , Red

Odour: Fresh

Odour threshold: Not applicable

pH: (1%)

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C):

Not relevant to classification of this product

Flammability (liquid): Not flammable. Flash point (°C): Not applicable.

Sustained combustion: The product does not sustain combustion (UN Manual of Tests and Criteria, section 32, L.2)

Evaporation rate: Not determined Flammability (solid, gas): Not determined

Lower and upper explosion limit/flammability limit (%): Not determined

Vapour pressure: Not determined Relative density: ≈ 1.13 (20 °C) Relative vapour density: Not determined. Particle characteristics: No data available.

Solubility in / Miscibility with water: Fully miscible

Partition coefficient: n-octanol/water No information available.

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined Decomposition temperature: Not applicable.

Viscosity: Not determined

Explosive properties: Not explosive. Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined Corrosion to metals: Not corrosive

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with alkali. Keep away from products containing chlorine-based bleaching agents or sulphites.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >5000

ATE - Inhalatory, vapours (mg/l): 88

Result: Skin corrosive 1C Method: Weight of Evidence

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
Citric acid	LD 50	5400-11700	Rat	Method not given	
glycolic acid	LD 50	2040	Rat	EPA OPP 81-1	
alkyl alcohol ethoxylate	LD 50	1400	Rat	Weight of evidence	
sodium N-(2-carboxyethyl)-N-dodecyl-ß-alaninate	LD 50	3130	Rat	OECD 401 (EU B.1)	24
4-tert-butylcyclohexyl acetate		3370	Rat	Method not given	
pentyl salicylate		2000			
p-Methylacetophenone		No data available			
sodium acrylate	LD 50	> 5000	Rat	OECD 401 (EU B.1)	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
Citric acid	LD 50	> 2000	Rat	Method not given	
glycolic acid		No data available			
alkyl alcohol ethoxylate	LD 50	2000 - 5000	Rat	Weight of evidence	
sodium N-(2-carboxyethyl)-N-dodecyl-ß-alaninate	LD 50	> 5000	Rabbit	OECD 402 (EU B.3)	24
4-tert-butylcyclohexyl acetate		No data available			
pentyl salicylate		No data available			
p-Methylacetophenone		No data available			
sodium acrylate		No data available			

Acute inhalative toxicity

	Ingredient(s)	Endpoint	Value	Species	Method	Exposure
			(mg/l)			time (h)

Citric acid		No data available			
glycolic acid	LC 50	3.6 (mist) (dust)	Rat	OECD 403 (EU B.2)	4
alkyl alcohol ethoxylate		No data available			
sodium N-(2-carboxyethyl)-N-dodecyl-ß-alaninate		No data available			
4-tert-butylcyclohexyl acetate		No data available			
pentyl salicylate		No data available			
p-Methylacetophenone		No data available			
sodium acrylate		No data available			-

Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Citric acid	Not irritant	Rabbit	OECD 404 (EU B.4)	
glycolic acid	Corrosive	Rabbit	OECD 404 (EU B.4)	
alkyl alcohol ethoxylate	Not irritant		Weight of evidence	
sodium N-(2-carboxyethyl)-N-dodecyl-ß-alaninate	Irritant	Rabbit	OECD 431 (EU B.40 bis)	3 minute(s)
4-tert-butylcyclohexyl acetate	No data available			
pentyl salicylate	No data available			
p-Methylacetophenone	No data available			
sodium acrylate	No data available			

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Citric acid	Severe damage Irritant	Rabbit	OECD 405 (EU B.5)	
glycolic acid	Severe damage	Rabbit	OECD 405 (EU B.5)	
alkyl alcohol ethoxylate	Severe damage	Rabbit	Weight of evidence OECD 437	
sodium N-(2-carboxyethyl)-N-dodecyl-ß-alaninate	Severe damage	Rabbit	OECD 405 (EU B.5)	24 hour(s)
4-tert-butylcyclohexyl acetate	No data available			
pentyl salicylate	No data available			
p-Methylacetophenone	No data available			
sodium acrylate	No data available			

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Citric acid	No data available			
glycolic acid	No data available			
alkyl alcohol ethoxylate	No data available			
sodium N-(2-carboxyethyl)-N-dodecyl-ß-alaninate	No data available			
4-tert-butylcyclohexyl acetate	No data available			
pentyl salicylate	No data available			
p-Methylacetophenone	No data available			
sodium acrylate	No data available			

Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
Citric acid	Not sensitising	Guinea pig	Method not given	
glycolic acid	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
alkyl alcohol ethoxylate	Not sensitising		Weight of evidence	
sodium N-(2-carboxyethyl)-N-dodecyl-ß-alaninate	Not sensitising	Guinea pig	Method not given	
4-tert-butylcyclohexyl acetate	No data available			
pentyl salicylate	No data available			
p-Methylacetophenone	No data available			
sodium acrylate	No data available			

Sensitisation by inhalation

Result	Species	Method	Exposure time
No data available			
	No data available	No data available	No data available

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
Citric acid	No data available	1	No evidence of genotoxicity, negative test results	Method not given
glycolic acid	No evidence of genotoxicity, negative test results		No evidence for mutagenicity No evidence of genotoxicity, negative test results	OECD 474 (EU B.12)
alkyl alcohol ethoxylate	No evidence for mutagenicity, negative test results	OECD 473	No data available	
sodium N-(2-carboxyethyl)-N-dodecyl-ß-alaninate	No data available		No data available	
4-tert-butylcyclohexyl acetate	No data available		No data available	
pentyl salicylate	No data available		No data available	
p-Methylacetophenone	No data available		No data available	
sodium acrylate	No data available		No data available	

Carcinogenicity

Ingredient(s)	Effect
Citric acid	No evidence for carcinogenicity, negative test results
glycolic acid	No evidence for carcinogenicity, weight-of-evidence
alkyl alcohol ethoxylate	No evidence for carcinogenicity, negative test results
sodium N-(2-carboxyethyl)-N-dodecyl-ß-alaninate	No data available
4-tert-butylcyclohexyl acetate	No data available
pentyl salicylate	No data available
p-Methylacetophenone	No data available
sodium acrylate	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
Citric acid			No data available				No evidence for reproductive toxicity
glycolic acid			No data available				No evidence for reproductive toxicity
alkyl alcohol ethoxylate	NOAEL		> 250	Rat	Not known		No effects on fertility No developmental toxicity
sodium N-(2-carboxyethyl)-N-d odecyl-ß-alaninate			No data available				
4-tert-butylcyclohexyl acetate			No data available				
pentyl salicylate			No data available				
p-Methylacetophenone			No data available				
sodium acrylate			No data available				

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
Citric acid		No data available				
glycolic acid	NOAEL LOAEL	150 300	Rat	OECD 408 (EU B.26)	90	No adverse effects observed
alkyl alcohol ethoxylate	NOAEL	80 - 400		OECD 408 (EU B.26)		
sodium N-(2-carboxyethyl)-N-dodecyl-ß-alaninate		No data available				
4-tert-butylcyclohexyl acetate		No data	-			

	available		
pentyl salicylate	No data		
	available		
p-Methylacetophenone	No data		
	available		
sodium acrylate	No data		
	available		

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	
Citric acid		No data available				
glycolic acid		No data available				
alkyl alcohol ethoxylate	NOAEL	80		OECD 411 (EU B.28)	90	
sodium N-(2-carboxyethyl)-N-dodecyl-ß-alaninate		No data available				
4-tert-butylcyclohexyl acetate		No data available				
pentyl salicylate		No data available				
p-Methylacetophenone		No data available				
sodium acrylate		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	
Citric acid		No data available				
glycolic acid		No data available				
alkyl alcohol ethoxylate		No data available				
sodium N-(2-carboxyethyl)-N-dodecyl-ß-alaninate		No data available				
4-tert-butylcyclohexyl acetate		No data available				
pentyl salicylate		No data available				
p-Methylacetophenone		No data available				
sodium acrylate		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
Citric acid			No data available					
glycolic acid			No data available					
alkyl alcohol ethoxylate			No data available					
sodium N-(2-carboxyethyl)-N-d odecyl-ß-alaninate			No data available					
4-tert-butylcyclohexyl acetate			No data available					
pentyl salicylate			No data available					
p-Methylacetophenone			No data available					
sodium acrylate			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
Citric acid	No data available
glycolic acid	No data available
alkyl alcohol ethoxylate	No data available
sodium N-(2-carboxyethyl)-N-dodecyl-ß-alaninate	No data available
4-tert-butylcyclohexyl acetate	No data available
pentyl salicylate	No data available

p-Methylacetophenone	No data available
sodium acrylate	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
Citric acid	No data available
glycolic acid	No data available
alkyl alcohol ethoxylate	No data available
sodium N-(2-carboxyethyl)-N-dodecyl-ß-alaninate	No data available
4-tert-butylcyclohexyl acetate	No data available
pentyl salicylate	No data available
p-Methylacetophenone	No data available
sodium acrylate	No data available

Aspiration hazard
Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Citric acid	LC 50	440	Leuciscus idus	Method not given	48
glycolic acid	LC 50	114.8	Pimephales promelas	Method not given	96
alkyl alcohol ethoxylate	LC 50	5 - 7	Fish	92/69/EEC, C1, semi-static	96
sodium N-(2-carboxyethyl)-N-dodecyl-ß-alaninate	LC 50	4.2	Oncorhynchus mykiss	OECD 203, semi-static	96
4-tert-butylcyclohexyl acetate		No data available			
pentyl salicylate		No data available			
p-Methylacetophenone		No data available			
sodium acrylate		No data available			

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Citric acid	EC 50	1535	Daphnia magna Straus	Method not given	24
glycolic acid	EC 50	99.6	Daphnia magna Straus	OECD 202 (EU C.2)	48
alkyl alcohol ethoxylate	EC 50	5.3	Daphnia	92/69/EEC	48
sodium N-(2-carboxyethyl)-N-dodecyl-ß-alaninate	EC 50	1.71	Daphnia magna Straus	92/69/EEC	48
4-tert-butylcyclohexyl acetate		No data available			
pentyl salicylate		No data available			
p-Methylacetophenone		No data available			
sodium acrylate		No data available			

Aquatic short-term toxicity - algae

riquatic short term toxicity—algae					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Citric acid	LC 50	425	Scenedesmus quadricauda	Method not given	168

glycolic acid	Er C 50	31.2	Pseudokirchner iella	OECD 201 (EU C.3)	72
			subcapitata		
alkyl alcohol ethoxylate	EC 50	1.4 - 47	Not specified	92/69/EEC	72
sodium N-(2-carboxyethyl)-N-dodecyl-ß-alaninate	EC 50	31	Chlorella vulgaris	OECD 201, static Read across	72
4-tert-butylcyclohexyl acetate		No data available			
pentyl salicylate		No data available			
p-Methylacetophenone		No data available			
sodium acrylate		No data available			

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
Citric acid		No data			
		available			
glycolic acid		No data			
		available			
alkyl alcohol ethoxylate		No data			
		available			
sodium N-(2-carboxyethyl)-N-dodecyl-ß-alaninate		No data			
		available			
4-tert-butylcyclohexyl acetate		No data			
		available			
pentyl salicylate		No data			
		available			
p-Methylacetophenone		No data			
·		available			
sodium acrylate		No data			
		available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
Citric acid	EC 50	> 10000	Pseudomonas putida	Method not given	16 hour(s)
glycolic acid		No data available			
alkyl alcohol ethoxylate	EC 50	> 140	Bacteria	DIN EN ISO 8192-OECD 209-88/302/EEC	3 hour(s)
sodium N-(2-carboxyethyl)-N-dodecyl-ß-alaninate		No data available			
4-tert-butylcyclohexyl acetate		No data available			
pentyl salicylate		No data available			
p-Methylacetophenone		No data available			
sodium acrylate		No data available			

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
Citric acid		No data available				
glycolic acid		No data available				
alkyl alcohol ethoxylate	EC 10	8.983	Not specified	Method not given	21 day(s)	
sodium N-(2-carboxyethyl)-N-dodecyl-ß-alaninate		No data available				
4-tert-butylcyclohexyl acetate		No data available				
pentyl salicylate		No data available				
p-Methylacetophenone		No data available				
sodium acrylate		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
---------------	----------	-------	---------	--------	----------	------------------

		(mg/l)			time	
Citric acid		No data				
		available				
glycolic acid		No data				
		available				
alkyl alcohol ethoxylate	EC 10	2.579	Daphnia sp.	Method not	21 day(s)	
				given		
sodium N-(2-carboxyethyl)-N-dodecyl-ß-alaninate	NOEC	1.5	Daphnia	OECD 211,	21 day(s)	
			magna	semi-static		
4-tert-butylcyclohexyl acetate		No data				
		available				
pentyl salicylate		No data				
		available				
p-Methylacetophenone		No data				
		available				
sodium acrylate		No data				
		available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Terrestrial toxicityTerrestrial toxicity - soil invertebrates, including earthworms, if available:

errestrial toxicity - soil invertebrates, including earthworms, in available.								
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed		
		(mg/kg dw			time (days)			
		soil)						
Citric acid		No data						
		available						

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
Citric acid		No data				
		available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
Citric acid		No data available				

Terrestrial toxicity - heneficial insects if available:

Terrestrial toxicity - beneficial insects, if available.						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/kg dw			time (days)	
		soil)				
Citric acid		No data				
		available				

Terrestrial toxicity - soil bacteria, if available:

romodina tomony com bactoria, ir avanabio.						
Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
Citric acid		No data available				

12.2 Persistence and degradability

Abiotic degradation
Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
Citric acid	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
Citric acid	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Туре	Half-life time	Method	Evaluation	Remark
Citric acid		No data available			

Biodegradation Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical	DT 50	Method	Evaluation
		method			

Citric acid			97 % in 28 day(s)	Method not given OECD 301B	Readily biodegradable
glycolic acid	Activated sludge, aerobe	CO ₂ production	78% in 11 day(s)	OECD 301B	Readily biodegradable
alkyl alcohol ethoxylate				OECD 301B	Readily biodegradable
sodium N-(2-carboxyethyl)-N-dodecyl-ß-alaninate	Activated sludge, aerobe	DOC reduction	98% in 28 day(s)	OECD 301E	Readily biodegradable
4-tert-butylcyclohexyl acetate				OECD 301B	Readily biodegradable
pentyl salicylate					Not readily biodegradable.
p-Methylacetophenone				OECD 301D	Readily biodegradable
sodium acrylate				OECD 301D	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
Citric acid					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
Citric acid					No data available

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
Citric acid	-1.72		No bioaccumulation expected	
glycolic acid	-1.07	Method not given	No bioaccumulation expected	
alkyl alcohol ethoxylate	3.11 - 4.19	Method not given	High potential for bioaccumulation	
sodium N-(2-carboxyethyl)-N-dodecyl-ß-alaninat e	-2.12	OECD 107	Low potential for bioaccumulation	
4-tert-butylcyclohexyl acetate	No data available			
pentyl salicylate	No data available			
p-Methylacetophenone	No data available			
sodium acrylate	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
Citric acid	No data available				
glycolic acid	3.162		QSAR	Low potential for bioaccumulation	
alkyl alcohol ethoxylate	< 500		Method not given	High potential for bioaccumulation	
sodium N-(2-carboxyethyl)-N-d odecyl-ß-alaninate	No data available				
4-tert-butylcyclohexyl acetate	No data available				
pentyl salicylate	No data available				
p-Methylacetophenone	No data available				
sodium acrylate	No data available				

12.4 Mobility in soil

rption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
Citric acid	No data available				Potential for mobility in soil, soluble in water
glycolic acid	No data available				
alkyl alcohol ethoxylate	No data available				Potential for mobility in soil, soluble in water
sodium N-(2-carboxyethyl)-N-dodecyl-ß-alaninate	No data available				
4-tert-butylcyclohexyl acetate	No data available				
pentyl salicylate	No data available				
p-Methylacetophenone	No data available				
sodium acrylate	No data available				

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Waste from residues / unused

residues / unused

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging

products:

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information



ADG, IMO/IMDG, ICAO/IATA

14.1 UN number or ID number: 3265 14.2 UN proper shipping name:

Corrosive liquid, acidic, organic, n.o.s. (glycolic acid)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: III
14.5 Environmental hazards:
Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Maritime transport in bulk according to IMO instruments: The product is not transported in bulk tankers.

Other relevant information:

Hazchem code: 2X EmS: F-A, S-B

This product has been classified, labelled and package in accordance with the requirements of the NZ Land Transport Rule: Dangerous Goods, ADG, and the provisions of the IMDG Code.

Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number HSR002526.

Group standard Cleaning Products (Corrosive) Group Standard 2020
Inventory Listing(s) New Zealand: NZIoC (New Zealand Inventory of Chemicals)
All components are listed on the NZIoC inventory, or are exempt

HSNO Classification 8.2C - Corrosive to dermal tissue

8.3A - Corrosive to ocular tissue

9.1D - Slightly harmful to the aquatic environment or are otherwise designed for biocidal action

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS32000545 **Version:** 01.1 **Revision:** 2023-11-30

Reason for revision:

1, Not applicable

Abbreviations and acronyms:

- DNEL Derived No Effect Limit
 AUH Non GHS hazard statement
 PNEC Predicted No Effect Concentration
 ATE Acute Toxicity Estimate
 LD50 Lethal Dose, 50% / Median Lethal dose
 LC50 Lethal Concentration, 50% / Median Lethal Concentration
- EC50 effective concentration, 50%

- EC50 effective concentration, 50%
 NOEL No observed effect level
 NOAEL No observed adverse effect level
 STOT-RE Specific target organ toxicity (repeated exposure)
 STOT-SE Specific target organ toxicity (single exposure)
 EC No. European Community Number
 OECD Organisation for Economic Cooperation and Development
 H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

- H412 Harmful to aquatic life with long lasting effects.

End of Safety Data Sheet